

# Japanparts®



[www.japanparts.eu](http://www.japanparts.eu)

**CATALOGUE**

DR / EVO

SPARE PARTS

**CATALOGO**

DR / EVO

RICAMBI

## Brake system

### CD-802

#### Wheel Brake Cylinder



DR DR 1

#### OE

53400-58040  
53400-80040  
5340058040000  
5340080040000  
5340280040

Bore [mm]: 22,2  
Fitted Diameter [mm]: 29,9  
Fitting Position: Rear

### CS-W02

#### Wheel Brake Cylinder



DR DR ZERO

#### OE

96320670  
96320670/96518606  
96518606

Bore [mm]: 17,4  
Fitted Diameter [mm]: 29,9  
Fitting Position: Rear Axle

### DI-019C

#### Brake Disc



DR DR 5

#### OE

T11-3501075  
T113501075

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: T113501075  
Height [mm]: 50  
Minimum Thickness [mm]: 23  
Number of Bores: 5  
Outer Diameter [mm]: 265  
Pitch Circle [mm]: 62  
Surface: Painted

### DI-020

#### Brake Disc



DR DR 1  
DR DR 2

#### OE

720050026

Brake Disc Thickness [mm]: 17  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Height [mm]: 45  
Inspection Tag: ECE R90 APPROVED  
Minimum Thickness [mm]: 15  
Number of Bores: 4  
Outer Diameter [mm]: 257  
Pitch Circle [mm]: 60

### DI-020C

#### Brake Disc



DR DR 1  
DR DR 2

#### OE


720050026

Brake Disc Thickness [mm]: 17  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 720050026  
Height [mm]: 45  
Inspection Tag: ECE R90 APPROVED  
Minimum Thickness [mm]: 15  
Number of Bores: 4  
Outer Diameter [mm]: 257  
Pitch Circle [mm]: 60  
Surface: Painted

## Brake system

### DI-0268C

#### Brake Disc



DR DR 3  
DR DR 3.0

**OE**  
3370100045

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 3370100045  
Height [mm]: 45  
Inner Diameter [mm]: 65,2  
Minimum Thickness [mm]: 23  
Number of Holes: 5  
Outer Diameter [mm]: 283

### DI-027C

#### Brake Disc




DR DR 5

**OE**  
3370100007  
T11-3501075BA

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 3370100007  
Height [mm]: 49,5  
Inspection Tag: ECE R90 APPROVED  
Minimum Thickness [mm]: 23  
Number of Bores: 5  
Outer Diameter [mm]: 300  
Pitch Circle [mm]: 62  
Surface: Painted

### DI-079C

#### Brake Disc




DR DR ZERO

**OE**  
337010027

Brake Disc Thickness [mm]: 12  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
For OE number: 337010027  
Height [mm]: 36  
Minimum Thickness [mm]: 9,5  
Number of Bores: 4  
Outer Diameter [mm]: 236  
Pitch Circle [mm]: 86  
Surface: Painted

### DI-082C

#### Brake Disc




DR DR 4

**OE**  
3370100036

Brake Disc Thickness [mm]: 25,5  
Brake Disc Type: Internally Vented  
Fitting Position: Front Axle  
For OE number: 3370100036  
Minimum Thickness [mm]: 23,5  
Number of Bores: 5  
Outer Diameter [mm]: 293

### DI-083C

#### Brake Disc



DR DR 6

**OE**  
3370100042

Brake Disc Thickness [mm]: 25,4  
Brake Disc Type: Internally Vented  
Fitting Position: Front Axle  
For OE number: 3370100042  
Minimum Thickness [mm]: 23,4  
Number of Bores: 5  
Outer Diameter [mm]: 325

## Brake system

### DI-2034C

#### Brake Disc



DR DR PK8

#### OE

3370100141  
3501050P3010  
43512-35320  
43512-35321  
4351204050  
4351204051

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 4351204051  
Height [mm]: 67,5  
Minimum Thickness [mm]: 26  
Number of Bores: 6  
Outer Diameter [mm]: 318  
Pitch Circle [mm]: 108  
Surface: Painted

### DP-0147C

#### Brake Disc



DR DR 4.0  
DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

3370200124

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Centering Diameter [mm]: 62  
Fitting Position: Rear Axle  
For OE number: 3370200124  
Height [mm]: 32,8  
Number of Bores: 5  
Outer Diameter [mm]: 312

### DP-020C

#### Brake Disc



DR DR 4  
EVO EVO 3

#### OE

3370200050

Brake Disc Thickness [mm]: 9,5  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 3370200050  
Minimum Thickness [mm]: 8  
Number of Bores: 5  
Outer Diameter [mm]: 275

### DP-022C

#### Brake Disc



DR DR 6

#### OE

3370200054

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 3370200054  
Minimum Thickness [mm]: 8  
Number of Bores: 5  
Outer Diameter [mm]: 320

### DP-0236C

#### Brake Disc



DR DR 3

#### OE

3370200061

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 3370200061  
Height [mm]: 34,5  
Inner Diameter [mm]: 65,5  
Minimum Thickness [mm]: 7  
Number of Holes: 5  
Outer Diameter [mm]: 263  
Required quantity: 2  
Thickness [mm]: 9

## Brake system

### DP-221C

#### Brake Disc



DR DR 5  
EVO EVO 5

#### OE

4243142040  
4243142041  
720060009  
S3502110  
T113502075  
T113502075BC

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 4243142041  
Height [mm]: 62,5  
Minimum Thickness [mm]: 8  
Number of Bores: 5  
Outer Diameter [mm]: 302,7  
Pitch Circle [mm]: 62  
Surface: Painted  
Tightening Torque [Nm]: 103

### GF-007AF

#### Brake Shoe Set



DR DR 1  
DR DR 2

#### OE

4800A089  
720060023  
MR449086  
MR449087  
MR449088  
MR485499

Diameter [mm]: 200  
Fitting Position: Rear Axle  
Supplementary Article/Supplementary Info:  
Without lever  
Width [mm]: 32

### GF-223AF

#### Brake Shoe Set



DR DR 5

#### OE

46540-28010  
46540-44010  
46540-48010  
46540-50010  
46550-28010  
46550-44010

Diameter [mm]: 190  
Fitting Position: Rear Axle  
Friction Surface Width [mm]: 25  
Width [mm]: 45

### GF-W01AF

#### Brake Shoe Set



DR DR ZERO

#### OE

5320070810  
5320070810000  
96268079  
96268686  
96288490  
96446177

Diameter [mm]: 180  
Fitting Position: Rear Axle  
Supplementary Article/Supplementary Info 2:  
with handbrake lever  
Thickness [mm]: 4,5  
Width [mm]: 31

### PA-0153AF

#### Brake Pad Set, disc brake



DR DR 1.0 2 volumi /Coda spiovente

#### OE

011-1004-2450  
1014031276  
3370100175

Fitting Position: Front Axle  
For OE number: 3370100175  
Height [mm]: 52,5  
Length [mm]: 120  
Thickness [mm]: 16,5  
Wear Warning Contact: With acoustic wear warning

## Brake system

### PA-0156AF

#### Brake Pad Set, disc brake



DR DR 6.0 SUV

#### OE

3370100128

Fitting Position: Front Axle

For OE number: 3370100128

Height [mm]: 59,6

Length [mm]: 51,8

Thickness [mm]: 17

Vibration: with vibration damper

Wear Warning Contact: With acoustic wear warning

### PA-0163AF

#### Brake Pad Set, disc brake



DR DR 4.0  
DR DR 5.0 SUV  
DR DR 7.0 SUV  
DR DR F35 SUV

#### OE

1014028179  
3370100084  
35020200C02B01  
B123501080  
SA3F3501170  
T153501080

Fitting Position: Front Axle

Height [mm]: 63

Thickness [mm]: 17,5

Vibration: with vibration damper

Wear Warning Contact: Incl. wear warning contact

Width [mm]: 148

### PA-020AF

#### Brake Pad Set, disc brake



DR DR 5

#### OE

357698151A  
720050006  
853698151E  
A213501070  
T113501080

Brake Type: Disc Brake

Fitting Position: Front Axle

For OE number: 720050006

Height [mm]: 70

Inspection Tag: ECE R90 APPROVED

Length [mm]: 119

Thickness [mm]: 18

WVA Number: 20669

### PA-022AF

#### Brake Pad Set, disc brake



DR DR 3  
DR DR 3.0  
DR DR 4.0  
DR DR 5  
DR DR 5.0 SUV

#### OE

3370100005  
3370100052  
A116GN3501080  
A133501080  
A216GN3501080BA  
FS10-3501010013

Brake Type: Disc Brake

Fitting Position: Front Axle

for brake disk diameter [mm]: 300

Height [mm]: 55

Length [mm]: 132

Thickness [mm]: 17

### PA-029AF

#### Brake Pad Set, disc brake



DR DR 1  
DR DR CITY CROSS

#### OE

S21-6GN3501080  
S216GN3501080

Fitting Position: Front Axle

For OE number: S216GN3501080

Length 1 [mm]: 118

Length [mm]: 100

Width [mm]: 49

### PA-030AF

#### Brake Pad Set, disc brake



DR DR 5

#### OE

720050006  
T113501080

Brake System: TRW

Fitting Position: Front Axle

Height [mm]: 70

Length [mm]: 119

Thickness [mm]: 16

## Brake system

### PA-048AF

#### Brake Pad Set, disc brake



DR DR 4

**OE**  
3370100041

Fitting Position: Front Axle  
For OE number: 3370100041  
Height [mm]: 53  
Thickness [mm]: 15  
Width [mm]: 124

### PA-049AF

#### Brake Pad Set, disc brake



DR DR 6

**OE**  
3370100037  
F16-3501080

Fitting Position: Front Axle  
For OE number: 3370100037  
Height [mm]: 58  
Thickness [mm]: 17  
Width [mm]: 160

### PA-205AF

#### Brake Pad Set, disc brake



DR DR PK8  
EVO CROSS 4 Pick-up

**OE**  
04465 35290  
04465 60320  
04465-35290  
044650K030  
044650K090  
044650K360

Brake System: SUMITOMO  
Fitting Position: Front Axle  
For OE number: 0446535290  
Height [mm]: 77,1  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 134,6  
Thickness [mm]: 17  
WVA Number: 24024

### PA-813AF

#### Brake Pad Set, disc brake



DR DR 1  
DR DR 2

**OE**  
3501500-01  
350150001  
50350150001  
55810-75F00  
55810-75F10  
5581075F00

Brake System: ATE  
Brake Type: Disc Brake  
Fitting Position: Front Axle  
For OE number: 5581075F00  
Height [mm]: 49,8  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 106,4  
Thickness [mm]: 14,8  
WVA Number: 23662

### PA-H10AF

#### Brake Pad Set, disc brake



DR DR 6.0 SUV

**OE**  
3370100128  
3501500FB01  
3501500SA01  
3501500SC01  
3501510SA01  
581011FA50

Brake System: MANDO  
Fitting Position: Front Axle  
For OE number: 581011FA50  
Height [mm]: 59,9  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 131,5  
Thickness [mm]: 17,3  
WVA Number: 23891  
WVA Number: 23892  
WVA Number: 23893

## Brake system

### PA-W04AF

#### Brake Pad Set, disc brake



DR DR ZERO

#### OE

3370100030  
96273708  
96281945  
96288629  
96316582  
96446175

Brake System: AKEBONO  
Brake Type: Disc Brake  
Fitting Position: Front Axle  
For OE number: 96288629  
Height [mm]: 48  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 126,8  
Thickness [mm]: 15,9  
WVA Number: 23241

### PP-0022AF

#### Brake Pad Set, disc brake



DR DR PK8

#### OE

3370200277

Fitting Position: Rear Axle left and right  
For OE number: 3370200277  
Height [mm]: 47,70  
Length [mm]: 108,6  
Thickness [mm]: 17  
Wear Warning Contact: With acoustic wear warning

### PP-0023AF

#### Brake Pad Set, disc brake



DR DR 6.0 SUV

#### OE

3370200159  
T1C3502080

Fitting Position: Rear Axle  
For OE number: 3370200159  
Height [mm]: 44,8  
Length [mm]: 108,8  
Thickness [mm]: 15  
Wear Warning Contact: With acoustic wear warning

### PP-0025AF

#### Brake Pad Set, disc brake



DR DR 1.0 2 volumi /Coda spiovente  
DR DR 3  
DR DR 3.0  
DR DR 4.0  
DR DR 5.0 SUV

#### OE

011-1004-6532  
1014030659  
128425334  
3370200117  
3370200200  
3370200303

Fitting Position: Rear Axle  
For OE number: 3370200117  
Height [mm]: 40,5  
Length [mm]: 100,1  
Thickness [mm]: 16,7  
Vibration: with vibration damper  
Wear Warning Contact: With acoustic wear warning

### PP-0026AF

#### Brake Pad Set, disc brake



DR DR 3  
DR DR 3.0

#### OE

3370200062  
J-69-3502080

Fitting Position: Rear Axle  
Height [mm]: 42,6  
Length [mm]: 98,5  
Thickness [mm]: 15,9  
Vibration: with vibration damper  
Wear Warning Contact: With acoustic wear warning

## Brake system

### PP-0029AF

#### Brake Pad Set, disc brake



DR DR PK8

#### OE

3370200174

Fitting Position: Rear Axle  
For OE number: 3370200174  
Height [mm]: 47,5  
Length [mm]: 108,9  
Thickness [mm]: 16,5  
Vibration: with vibration damper  
Wear Warning Contact: With acoustic wear warning

### PP-0030AF

#### Brake Pad Set, disc brake



DR DR 4.0  
DR DR 5.0 SUV  
DR DR 7.0 SUV  
DR DR F35 SUV

#### OE

204002032AA  
204003470AA  
3370200123  
3500700U3400F031  
3504100U7300F031  
3504100X1520F101

Fitting Position: Rear Axle  
For OE number: 3370200123  
Height [mm]: 49,7  
Length [mm]: 108,4  
Thickness [mm]: 16,5  
Vibration: with vibration damper  
Wear Warning Contact: With acoustic wear warning

### PP-013AF

#### Brake Pad Set, disc brake



DR DR 1  
DR DR 5  
DR DR 5.0 SUV  
DR DR 6

#### OE

3370200004  
720050017  
A213502080BA  
B213502080  
J423502090  
M113502090

Fitting Position: Rear Axle  
For OE number: B213502080  
Height [mm]: 38,4  
Length [mm]: 100  
Thickness [mm]: 16,4

### PP-024AF

#### Brake Pad Set, disc brake



DR DR 4

#### OE

3370200053

Fitting Position: Rear Axle  
For OE number: 3370200053  
Height [mm]: 44  
Thickness [mm]: 14  
Width [mm]: 99

### PP-214AF

#### Brake Pad Set, disc brake



DR DR 5

#### OE

04466-12150  
0446602260  
0446602270  
0446602310  
0446612130  
0446612140

Brake Type: Disc Brake  
Fitting Position: Rear Axle  
For OE number: 0446652140  
Height [mm]: 42,5  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 98,2  
Thickness [mm]: 14,8  
WVA Number: 24610

## Brake system

### PP-237AF

#### Brake Pad Set, disc brake



DR DR 3  
DR DR 3.0

#### OE

0446602190  
0446602191  
0446602210  
0446647020  
0446647030  
0446647040

Brake System: AKEBONO  
Fitting Position: Rear Axle  
For OE number: 0446647020  
Height [mm]: 42,5  
Length [mm]: 98,6  
Thickness [mm]: 15  
WVA Number: 25016  
WVA Number: 25017  
WVA Number: 25018

### PP-256AF

#### Brake Pad Set, disc brake



DR DR 5

#### OE

0446642010  
0446642020  
0446642030  
0446642040  
0446642050  
04466YZZD3

Brake Type: Disc Brake  
Fitting Position: Rear Axle  
For OE number: T113502080  
Height [mm]: 54  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 78,5  
Thickness [mm]: 13,6  
WVA Number: 23656

### TA-001

#### Brake Drum



DR DR 1  
DR DR 2

#### OE

720060022

Fitting Position: Rear Axle  
Hub Bore [mm]: 64  
Inner Br. Drum Diam. [mm]: 203  
Inner Brake Drum Height [mm]: 43  
Number of Bores: 4

### TA-001C

#### Brake Drum



DR DR 1  
DR DR 2

#### OE

720060022

Centering Diameter [mm]: 64  
Fitting Position: Rear Axle  
Inner Br. Drum Diam. [mm]: 203  
Inner Brake Drum Height [mm]: 43  
Number of Bores: 4  
Surface: Painted  
Total Br. Drum Height [mm]: 61,5

### TF-022

#### Holding Bracket, brake hose



DR DR 1  
DR DR 2

#### OE


Fitting Position: Front  
Fitting Position: Left and right  
Length [mm]: 445

## Brake system


<b>TF-023</b>	<b>Holding Bracket, brake hose</b>		
	DR DR 5	OE	Fitting Position: Front Fitting Position: Left and right Length [mm]: 665

## Clutch

<b>CF-015</b>	<b>Releaser</b>		
	DR DR 1 DR DR 2 DR DR 3 DR DR ZERO	OE 703010027	Additionally required articles (article numbers): DF-014 Additionally required articles (article numbers): SF-00003 Inner Diameter [mm]: 28 Outer Diameter [mm]: 57

<b>CF-016</b>	<b>Releaser</b>		
	DR DR 4.0 DR DR 5.0 SUV DR DR 6 DR DR F35 SUV	OE 3130100013	Additionally required articles (article numbers): DF-012 Additionally required articles (article numbers): SF-00002 For OE number: 3130100013 Hole Spacing [mm]: 95,7 Inner Diameter [mm]: 26,5 Outer Diameter [mm]: 65

<b>CF-017</b>	<b>Releaser</b>		
	DR DR PK8	OE 3130100025 QBS0028	Additionally required articles (article numbers): DF-013 Additionally required articles (article numbers): SF-00001 Hole Spacing [mm]: 60 Hole Spacing [mm]: 65 Hole Spacing [mm]: 74 Inner Diameter [mm]: 29,4 Outer Diameter [mm]: 66

<b>CF-502</b>	<b>Releaser</b>		
	DR DR 5	OE 41421-11300 41421-21000 41421-21300 41421-21400 41421-26000 4142111300	Height [mm]: 29 Inner Diameter [mm]: 32,2 Length [mm]: 64,7 Outer Diameter [mm]: 65

## Clutch

<b>CF-802</b> 	<b>Releaser</b> DR DR 1 DR DR 2	<b>OE</b> 04703047 09205336 09269M28004000 23265-65G00 2326562JE0 25186768	Height [mm]: 24,2 Inner Diameter [mm]: 28 Length [mm]: 60 Outer Diameter [mm]: 50,3
<b>CY-006</b> 	<b>Slave Cylinder, clutch</b> DR DR 5	<b>OE</b> 703010016	Bore [mm]: 22 Inner Thread [mm]: 9 Mounting Bores Distance [mm]: 34 Number of Thread Bores: 1
<b>DF-006</b> 	<b>Clutch Disc</b> DR DR 5	<b>OE</b> 703010019	Centering Diameter [mm]: 23 Diameter [mm]: 225 For OE number: 703010019 Hub Profile: 20 Inner Diameter [mm]: 151 Number of Teeth: 20
<b>DF-008</b> 	<b>Clutch Disc</b> DR DR 1 DR DR 2	<b>OE</b> 703010051	Centering Diameter [mm]: 22 Diameter [mm]: 200 Hub Profile: 26 Inner Diameter [mm]: 135 Number of Teeth: 20
<b>DF-012</b> 	<b>Clutch Disc</b> DR DR 6	<b>OE</b> 3130100011	Additionally required articles (article numbers): CF-016 Additionally required articles (article numbers): SF-00002 Centering Diameter [mm]: 22 Diameter [mm]: 228 For OE number: 3130100011 Inner Diameter [mm]: 130 Number of Teeth: 20

## Clutch

### DF-013

#### Clutch Disc



DR DR PK8

**OE**  
3130100029

Additionally required articles (article numbers): CF-017  
Additionally required articles (article numbers): SF-00001  
Centering Diameter [mm]: 25  
Diameter [mm]: 250  
For OE number: 3130100029  
Number of Teeth: 23

### DF-014

#### Clutch Disc




DR DR 3  
DR DR 3.0

**OE**  
3130100014

Additionally required articles (article numbers): CF-015  
Additionally required articles (article numbers): SF-00003  
Centering Diameter [mm]: 20  
Diameter [mm]: 211  
For OE number: 3130100014  
Number of Teeth: 20

### DF-015

#### Clutch Disc



DR DR 5.0 SUV  
DR DR 6.0 SUV  
DR DR F35 SUV

**OE**  
3130100021

Additionally required articles (article numbers): CF-016  
Additionally required articles (article numbers): SF-00004  
Centering Diameter [mm]: 23  
Diameter [mm]: 232  
For OE number: 3130100021  
Number of Teeth: 20

### FR-006

#### Master Cylinder, clutch



DR DR 5

**OE**  
703020008  
T11-1602020

Bore [mm]: 22  
Inner Thread [mm]: 9  
Mounting Bores Distance [mm]: 73  
Number of Thread Bores: 1

### FR-013

#### Master Cylinder, clutch



DR DR 5

**OE**

Thread Size: M12

### FR-015

#### Master Cylinder, clutch





DR DR 3

**OE**

Thread Size: M12

## Clutch

<b>KF-020</b> 	<b>Clutch Kit</b> DR DR 5	<b>OE</b> 4142111300 4142121000 4142121300 4142121400 4142126000 4142136000	Centering Diameter [mm]: 23 Diameter [mm]: 225 Fitted Diameter [mm]: 274 Inner Diameter [mm]: 144 Number of Teeth: 20
<b>KF-021</b> 	<b>Clutch Kit</b> DR DR 1 DR DR 2	<b>OE</b> 0926928006 2326578B00 2326578B000000 25186768 305024A00A 703010027	Centering Diameter [mm]: 22 Diameter [mm]: 195 Fitted Diameter [mm]: 238 Inner Diameter [mm]: 132 Number of Teeth: 20
<b>KF-025</b> 	<b>Clutch Kit</b> DR DR 1 DR DR ZERO	<b>OE</b> S11.1601020.DA	Centering Diameter [mm]: 19 Diameter [mm]: 180 Fitted Diameter [mm]: 215 Inner Diameter [mm]: 108 Number of Teeth: 18
<b>KF-044</b> 	<b>Clutch Kit</b> DR DR 5	<b>OE</b>	Centering Diameter [mm]: 23 Diameter [mm]: 225 Number of Teeth: 20
<b>KF-045</b> 	<b>Clutch Kit</b> DR DR 4 EVO EVO 3 EVO EVO 4	<b>OE</b> 3130100009	Centering Diameter [mm]: 22 Diameter [mm]: 215 For OE number: 3130100009 Number of Teeth: 20
<b>KF-1205</b> 	<b>Clutch Kit</b> DR DR 4.0 DR DR 5.0 SUV DR DR F35 SUV	<b>OE</b> 120-0025907 1200025907 250.0.1923.40 2500192340 30 20 526 71R 30 50 151 52R	Centering Diameter [mm]: 19 Diameter [mm]: 270 For OE number: 3140300083 Mounting Type: Pre-assembled Number of Teeth: 17 Specification: VERSIONE CAMBIO AUTO

## Clutch

### KF-FI04

#### Clutch Kit



DR DR 5

#### OE

46539189  
46754542  
46792952  
46819103  
55236496  
55240771

Centering Diameter [mm]: 23  
Diameter [mm]: 225  
Fitted Diameter [mm]: 272  
Inner Diameter [mm]: 140  
Number of Teeth: 20  
Supplementary Article/Supplementary Info 2:  
With releaser

### SF-012

#### Clutch Pressure Plate



DR DR 5

#### OE

T11-1601020BA

Diameter [mm]: 226  
Fitted Diameter [mm]: 274  
Inner Diameter [mm]: 144

### SF-013

#### Clutch Pressure Plate



DR DR 1  
DR DR 2

#### OE

703010018

Diameter [mm]: 197  
Fitted Diameter [mm]: 238  
Inner Diameter [mm]: 132

## Cooling System

### KH-C31

#### Radiator Cap



DR DR 5

#### OE

01326027  
04709376  
0K2C615205  
0K2C615205A  
1326027  
1350A920

Diameter [mm]: 45,3  
Height [mm]: 26  
Pressure [bar]: 1,1

### PQ-010

#### Water Pump



DR DR 1  
DR DR 2  
DR DR CITY CROSS

#### OE

711020031

Diameter [mm]: 70  
Number of Teeth: 28  
Overall Height [mm]: 85,5

## Cooling System

**PQ-012**
**Water Pump**


DR DR 5

**OE**  
484FC-1307013  
711020028

 Belt Pulley [mm]: 80  
 Number of Teeth: 28  
 Overall Height [mm]: 86  
 Specification: Altezza pale girante

**PQ-029**
**Water Pump**


DR DR 5

**OE**  
481H-1307010BA

 Belt Pulley [mm]: 70  
 Specification: Altezza pale girante

**PQ-030**
**Water Pump**


DR DR ZERO

**OE**

 Belt Pulley [mm]: 95  
 Height [mm]: 74

**PQ-031**
**Water Pump**


DR DR 4

**OE**

 Belt Pulley [mm]: 64  
 Height [mm]: 86  
 Number of Bores: 4

**PQ-032**
**Water Pump**

 DR DR 5  
 DR DR 6

**OE**  
3101200041

 Belt Pulley [mm]: 134  
 Height [mm]: 100

**PQ-034**
**Water Pump**

 DR DR 3  
 DR DR 3.0  
 DR DR 4.0  
 DR DR 5.0 SUV  
 DR DR F35 SUV  
 EVO EVO 5

**OE**  
3101200013

 Belt Pulley [mm]: 59,1  
 Height [mm]: 83

## Cooling System

### PQ-618

#### Water Pump



DR DR 1

**OE**  
16100-97205  
16100-97205-000  
1610097205  
1610097227  
1610097245

Mounting Bores Distance [mm]: 28  
Number of mounting bores: 4  
Overall Height [mm]: 100

### PQ-818

#### Water Pump



DR DR 5

**OE**  
17400-79J50-000  
1740079J50  
1740079J51000  
46432248  
46515970  
46515972

Diameter [mm]: 48  
Overall Height [mm]: 65

### VT-015

#### Thermostat, coolant



DR DR 1  
DR DR 2  
DR DR 5  
DR DR CITY CROSS


**OE**  
711020019

Opening Temperature [°C]: 87

## Electrics

### BO-007

#### Coil, ignition




DR DR 5

**OE**  
19005270  
24101131  
28063058

Number of Poles: 3

### BO-008

#### Coil, ignition



DR DR 1  
DR DR 2  
DR DR 5  
DR DR 6

**OE**  
A11-3705110EA  
A113705110EA

Number of Poles: 4

## Electrics

**BO-011**

Coil, ignition



DR DR 1

OE

Number of Poles: 4

**BO-012**

Coil, ignition



DR DR 5

OE

E4G13-3705110  
E4G133705110

Number of Poles: 2  
Overall Length [mm]: 145

**HY-040**

Wiper Blade



EVO EVO 3  
EVO EVO 4  
EVO EVO 7

OE

Length [mm]: 400

**HY-045**

Wiper Blade



DR DR 6

OE

1272337  
1272346  
4708240200  
6000613513  
61 61 0 040 534  
61610040534

Length [mm]: 450

**HY-060**

Wiper Blade



DR DR 6  
EVO EVO 3  
EVO EVO 4

OE

Length [mm]: 600

**HY-065**

Wiper Blade









EVO EVO 7

OE

Length [mm]: 650

## Electrics

<b>IC-001</b> 	<b>Ignition Cable Kit</b> DR DR 1 DR DR 2	<b>OE</b>	Length 1 [mm]: 730 Length 2 [mm]: 800 Length 3 [mm]: 850 Length 4 [mm]: 1050 Number of circuits: 4
<b>IC-002</b> 	<b>Ignition Cable Kit</b> DR DR 5 DR DR 6	<b>OE</b>	Length 1 [mm]: 450 Length 2 [mm]: 330 Length 3 [mm]: 240 Length 4 [mm]: 190
<b>IC-003</b> 	<b>Ignition Cable Kit</b> DR DR 5	<b>OE</b> 4G64S4M	Length 1 [mm]: 450 Length 2 [mm]: 510 Length 3 [mm]: 550 Length 4 [mm]: 670
<b>MT130212</b> 	<b>Starter</b> DR DR 5	<b>OE</b> 731020005	Mounting Bores Distance [mm]: 105 Number of Teeth: 9 Rated Power [kW]: 1,4 Voltage [V]: 12
<b>PB-001</b> 	<b>Fuel Pump</b> DR DR 5 DR DR 6	<b>OE</b> 702060049	Operating Mode: Electric
<b>PB-002</b> 	<b>Fuel Pump</b> DR DR 5 DR DR 6	<b>OE</b> 702060069	Operating Mode: Electric

## Electrics

### SS-F38

#### Wiper Blade



DR DR 1.0 2 volumi /Coda spiovente

#### OE

1556082  
1882419  
8X1955426A  
8X1998002A

Length [in]: 15  
Length [mm]: 380  
Technical Information Number: Flat

### SS-F40

#### Wiper Blade



EVO EVO 3  
EVO EVO 4  
EVO EVO 7

#### OE

1611348480  
1613157180  
1613158080  
1613158380  
1613159180  
1618843180

Length [in]: 16  
Length [mm]: 400  
Technical Information Number: Flat

### SS-F45

#### Wiper Blade



DR DR 6

#### OE

16 113 485 80  
1610112480  
1611348580  
1611631080  
1T1998002A  
288901962R

Length [in]: 18  
Length [mm]: 450  
Technical Information Number: Flat

### SS-F60

#### Wiper Blade



DR DR 6  
EVO EVO 3  
EVO EVO 4

#### OE

2048201845  
2048202200  
2128201700  
2128201800  
2128201900  
9829426780

Length [in]: 24  
Length [mm]: 600  
Technical Information Number: Flat

### SS-F60-40

#### Wiper Blade



EVO EVO 3  
EVO EVO 4

#### OE

1609068880  
1609069080  
1613157180  
1613158380  
1642332780  
288819784R

Fitting Position: Front  
Length 1 [mm]: 600  
Length 2 [mm]: 400  
Quantity Unit: Set  
Quantity: 2  
Wiper blade type: Flat wiper blade

### SS-F60-45

#### Wiper Blade



DR DR 6

#### OE

288901962R  
288903994R  
288905565R  
288905769R  
288906926R  
288907739R

Fitting Position: Front  
Length 1 [mm]: 600  
Length 2 [mm]: 450  
Quantity Unit: Set  
Quantity: 2  
Wiper blade type: Flat wiper blade

## Electrics

### SS-F65

#### Wiper Blade



EVO EVO 7

#### OE

1363354  
1537077  
1537078  
1556082  
16 113 480 80  
16 131 565 80

Length [mm]: 650  
Technical Information Number: Flat

### SS-F65-40

#### Wiper Blade



EVO EVO 7

#### OE

1272102  
1608392780  
1608392980  
1613158080  
1613158180  
1613159180

Fitting Position: Front  
Length 1 [mm]: 650  
Length 2 [mm]: 400  
Quantity Unit: Set  
Quantity: 2  
Wiper blade type: Flat wiper blade

### SS-X38C

#### Wiper Blade



DR DR 1.0 2 volumi /Coda spiovente

#### OE

Length [mm]: 380

### SS-X40C

#### Wiper Blade



EVO EVO 3  
EVO EVO 4  
EVO EVO 7

#### OE

Length [mm]: 400

### SS-X45C

#### Wiper Blade



DR DR 6

#### OE

8522205090  
GB93673309A  
GB93673309S  
MGB3967330A  
N05367330  
N05467330

Length [mm]: 450

### SS-X53C

#### Wiper Blade



DR DR 1.0 2 volumi /Coda spiovente

#### OE

Length [mm]: 530

## Electrics

### SS-X60C

#### Wiper Blade



DR DR 6  
EVO EVO 3  
EVO EVO 4

#### OE

263709C004  
263709C006  
263709C008  
288907C900  
288909C000  
288909C004

Length [mm]: 600

### SS-X60S

#### Wiper Blade



DR DR 6  
EVO EVO 3  
EVO EVO 4

#### OE

Length [mm]: 600  
Styling: with spoiler

### SS-X65C

#### Wiper Blade



EVO EVO 7

#### OE

8522095D05

Length [mm]: 650

### SS-X65S

#### Wiper Blade



EVO EVO 7

#### OE

Length [mm]: 650  
Styling: with spoiler

## Engine

### AA-DR004

#### Camshaft



DR DR 5  
DR DR 6

#### OE

701060013

For OE number: 701060013  
Paired article numbers: 16DR005  
Paired article numbers: 6DR005  
Paired article numbers: AA-DR005

## Engine

### AA-DR005

#### Camshaft



DR DR 5  
DR DR 6

**OE**  
701060014

For OE number: 701060014  
Paired article numbers: 16DR004  
Paired article numbers: 6DR004  
Paired article numbers: AA-DR004

### BL-003

#### Bolt Kit, cylinder head




DR DR 1  
DR DR 2  
DR DR 3.0  
DR DR 4.0  
DR DR 5  
DR DR 5.0 SUV

**OE**  
701010054

Length [mm]: 158  
Quantity: 10  
Thread Size: M10X1.5

### GP-008

#### Gasket, rocker cover



DR DR 5

**OE**  
701010008

For OE number: 701010008

### XX-DR003S

#### Cylinder Head



DR DR 5

**OE**  
3100300002

Supplementary Article/Supplementary Info 2:  
Without valve springs

## Engine Timing Control

### BE-015

#### Tensioner, timing belt



DR DR 5

**OE**  
473H-1007060  
701070013

Diameter [mm]: 67  
Height [mm]: 28


## Engine Timing Control

<b>BE-017</b> 	<b>Tensioner, timing belt</b> DR DR 1 DR DR 2 DR DR 5	<b>OE</b> 481H1007070BA 701070017	Diameter [mm]: 60 Height [mm]: 30
<b>BE-018</b> 	<b>Tensioner, timing belt</b> DR DR 1 DR DR 2	<b>OE</b> 701060032	Diameter [mm]: 67 Height [mm]: 28
<b>BE-021</b> 	<b>Tensioner, timing belt</b> DR DR 5	<b>OE</b> 481H1007071 701070018	Height [mm]: 27 Inner Diameter [mm]: 28,5
<b>BE-810</b> 	<b>Tensioner, timing belt</b> DR DR 5	<b>OE</b> 00636685 05636475 0636685 12810-79J50-000 12810-79J51-000 12810-79J52-000	Diameter [mm]: 65 Height [mm]: 30 Inner Diameter [mm]: 8
<b>BE-811</b> 	<b>Tensioner, timing belt</b> DR DR 5	<b>OE</b> 12781-79J50 12781-79J50-000 12781-79J51 1278179J51000 701050036	Diameter [mm]: 53 Height [mm]: 29
<b>DD-008</b> 	<b>Timing Belt</b> DR DR 5	<b>OE</b> 081663 481H-1007073BA 7613823	Belts: With rounded tooth profile Driven Units: Driven unit: camshaft Number of Teeth: 173 Width [mm]: 25

## Engine Timing Control

### DD-010

#### Timing Belt




DR DR 1  
DR DR 2  
DR DR CITY CROSS

**OE**  
701060033

Belts: With rounded tooth profile  
Driven Units: Driven unit: camshaft  
Number of Teeth: 167  
Width [mm]: 25

### DD-811

#### Timing Belt



DR DR 5

**OE**  
12761-79J50-000  
1276179J50  
1276179J50LCP  
55192896  
5636463  
636312

Belts: With rounded tooth profile  
Number of Teeth: 190  
Width [mm]: 24

### DV-4PK0695

#### V-Ribbed Belts



DR DR 1

**OE**  
MD189130  
MD300587  
MD310617

Length [mm]: 695  
Number of Ribs: 4  
Parameter: 4PK0695

### DV-6PK1835

#### V-Ribbed Belts



DR DR 5

**OE**  
04430217  
11720-00QAK  
11720-00QAZ  
25183525  
4430217  
8200188959

Length [mm]: 1835  
Number of Ribs: 6  
Parameter: 6PK1835

### KDD-008

#### Timing Belt Kit



DR DR 5

**OE**  
701070013  
701070017  
701070018

Number of Teeth 1: 173  
Width 1 [mm]: 25

### KDD-009

#### Timing Belt Kit



DR DR 1  
DR DR 2  
DR DR CITY CROSS

**OE**  
701060032  
701060033  
701070017

Number of Teeth 1: 167  
Width 1 [mm]: 25

## Engine Timing Control

### KDD-811

#### Timing Belt Kit



DR DR 5


#### OE

1276179J50  
1276179J50000  
1276179J50LCP  
1278179J50000  
1278179J51000  
1281079J50

Number of Teeth 1: 190  
Width 1 [mm]: 24

### RP-006

#### Deflection/Guide Pulley, v-ribbed belt



DR DR 5

#### OE

701070006

Diameter [mm]: 80  
Height [mm]: 25  
Inner Diameter [mm]: 10  
Overall Height [mm]: 28

### SKD-008

#### Water Pump & Timing Belt Kit



DR DR 5

#### OE

701070013  
701070017  
701070018  
711020028

Number of Teeth 1: 173  
Width 1 [mm]: 25

### SKD-009

#### Water Pump & Timing Belt Kit



DR DR 1  
DR DR 2

#### OE

701060032  
701060033  
701070017  
711020031

Number of Teeth 1: 167  
Width 1 [mm]: 25

### TS-001

#### Tensioner Lever, v-ribbed belt



DR DR 5

#### OE

701070036

Diameter [mm]: 65  
Height [mm]: 29  
Overall Height [mm]: 78

### TS-003

#### Tensioner Lever, v-ribbed belt



DR DR 5

#### OE


701070022

Diameter [mm]: 70  
Height [mm]: 25

## Filter

### FA-022S

Air Filter



DR DR 5

**OE**  
702050030

Filter Type: Filter Insert  
For OE number: 702050030  
Height [mm]: 138  
Inner Diameter [mm]: 82  
Outer Diameter [mm]: 184

### FA-023S

Air Filter



DR DR 5

**OE**  
211109111  
702050044  
A21-1109111  
A211109111

Filter Type: Filter Insert  
For OE number: A211109111  
Height [mm]: 45  
Length [mm]: 246  
Width [mm]: 222

### FA-025S

Air Filter




DR DR 5

**OE**  
46519049  
46806576  
6001073227  
702050054  
71772188

Filter Type: Filter Insert  
For OE number: 46519049  
Height [mm]: 59  
Length [mm]: 230  
Width [mm]: 190

### FA-026S

Air Filter




DR DR 2

**OE**  
702050057  
S121109111  
S211109111

Filter Type: Filter Insert  
For OE number: S121109111  
Height [mm]: 40  
Length [mm]: 208  
Width [mm]: 195

### FA-050S

Air Filter



DR DR 3

**OE**

Filter Type: Filter Insert  
Height [mm]: 45  
Length [mm]: 257  
Width [mm]: 165

### FA-051S

Air Filter



DR DR 5

**OE**  
3340100005  
T11-1109111LA  
T111109111LA

Filter Type: Filter Insert  
For OE number: 3340100005  
Height [mm]: 45  
Length [mm]: 264  
Width [mm]: 194

## Filter

### FA-052S

Air Filter



DR DR 6

**OE**  
3340100014  
T211109111AB

Filter Type: Filter Insert  
For OE number: T21-1109111AB  
Height [mm]: 40  
Length [mm]: 320  
Width [mm]: 182  
Width [mm]: 190

### FA-053S

Air Filter




DR DR 4  
EVO EVO 4

**OE**  
1108120U2210  
1109120U2210  
3340100015

Filter Type: Filter Insert  
Height [mm]: 54  
Length [mm]: 235  
Width [mm]: 193

### FA-054S

Air Filter




DR DR 5  
EVO EVO 5

**OE**  
3340100012

Filter Type: Filter Insert  
Height [mm]: 44  
Length [mm]: 260  
Width [mm]: 192

### FA-055S

Air Filter




DR DR 1  
DR DR CITY CROSS

**OE**  
3340100006  
702050051  
S18D1109111

Filter Type: Filter Insert  
For OE number: S18D1109111  
Height [mm]: 36  
Length [mm]: 248  
Width [mm]: 175

### FA-056S

Air Filter



DR DR ZERO

**OE**  
3340100008  
S18B-1109111

Filter Type: Filter Insert  
For OE number: 3340100008  
Height [mm]: 46  
Length [mm]: 230  
Width [mm]: 146

### FA-063S

Air Filter



DR DR PK8  
EVO CROSS 4 Pick-up


**OE**  
3340100047

Filter Type: Filter Insert  
For OE number: 3340100047  
Height [mm]: 47  
Length [mm]: 277  
Width [mm]: 237

## Filter

### FA-064S

Air Filter



EVO EVO 3

**OE**  
3340100041

Filter Type: Filter Insert  
For OE number: 3340100041

### FA-249S

Air Filter




DR DR 1

**OE**  
17801-02030  
17801-15070  
K J01-13Z40  
KJ0113Z40  
S181109111

Filter Type: Filter Insert  
For OE number: KJ0113Z40  
Height [mm]: 42  
Length [mm]: 269  
Width [mm]: 172

### FA-918S

Air Filter



DR DR 3

**OE**  
04891691AA  
3340100016  
K04891691AA

Filter Type: Filter Insert  
For OE number: K04891691AA  
Height [mm]: 42  
Length [mm]: 256  
Width [mm]: 162

### FAA-DR0

Filter, interior air




DR DR 5

**OE**  
735050006  
T11-8107910  
T118107910

Filter Type: Pollen Filter  
For OE number: 735050006  
Height 1 [mm]: 21  
Height [mm]: 45  
Length [mm]: 200  
Width 1 [mm]: 225  
Width [mm]: 256

### FAA-DR01

Filter, interior air




DR DR 6

**OE**  
301000849AA  
301001161AA  
301001574AA  
T15-8107011  
T21-8107011

Filter Type: Pollen Filter  
For OE number: T218107011  
Height [mm]: 25  
Length [mm]: 250  
Quantity: 1  
Width [mm]: 245

### FAA-DR02

Filter, interior air



DR DR 4  
DR DR 5

**OE**  
735050006  
T118107910

Filter Type: Pollen Filter  
Height [mm]: 45  
Length [mm]: 256  
Quantity: 1  
Width [mm]: 200

## Filter

### FAA-DR03

Filter, interior air



DR DR 1.0 2 volumi /Coda spiovente

**OE**  
3310100122

Filter Type: Pollen Filter  
For OE number: 3310100122  
Height [mm]: 30  
Length 1 [mm]: 296  
Width [mm]: 63

### FAA-DR04

Filter, interior air




DR DR 3

**OE**  
3310100030  
A13-8107915

Filter Type: Pollen Filter  
For OE number: 3310100030  
Height [mm]: 11  
Length [mm]: 184  
Width [mm]: 125

### FAA-DR05

Filter, interior air




DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV  
DR DR 7.0 SUV  
DR DR F35 SUV

**OE**  
301001573AA  
301001778AA  
3310100025  
BNF2H123AB1  
FX11810712001AA  
FX11810712002AA

Filter Type: Pollen Filter  
For OE number: 3310100025  
Height [mm]: 35  
Length [mm]: 247  
Width [mm]: 188

### FAA-DR07

Filter, interior air




DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV  
DR DR 7.0 SUV  
DR DR F35 SUV

**OE**  
3310100189  
CY5000055

Filter Type: Activated Carbon Filter  
For OE number: 3310100189  
Length [mm]: 247  
Thickness [mm]: 35  
Width [mm]: 188

### FAA-DR08

Filter, interior air




DR DR PK8  
EVO CROSS 4 Pick-up

**OE**  
3310300084  
8104102P306AA

Filter Type: Pollen Filter  
Length [mm]: 213  
Thickness [mm]: 30  
Width [mm]: 198

### FAA-DR09

Filter, interior air



EVO EVO 4


**OE**  
3310300022

Filter Type: Pollen Filter  
For OE number: 3310300022  
Length [mm]: 225  
Thickness [mm]: 18  
Width [mm]: 202

## Filter

### FAA-LR7

Filter, interior air



DR DR PK8  
EVO CROSS 4 Pick-up


#### OE

1780087820000  
8713950060  
871395007000  
8713950100  
87139YZZ10  
87139YZZ100

Filter Type: Activated Carbon Filter  
For OE number: T2H54544  
Height [mm]: 30  
Length [mm]: 195  
Width [mm]: 215

### FAA-NS19

Filter, interior air



DR DR 5.0 SUV

#### OE

272771EA0A  
2789100Q0B  
3310100024  
B72771EA0A

Filter Type: Pollen Filter  
For OE number: 272771EA0A  
Height [mm]: 20  
Length [mm]: 217  
Width [mm]: 199

### FA-H22S

Air Filter



DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV  
DR DR 7.0 SUV  
DR DR F35 SUV

#### OE

28113-4H000  
281134H000  
3340100028  
F01-1109111  
F01-1109111YZ

Filter Type: Filter Insert  
For OE number: 281134H000  
Height [mm]: 48  
Length [mm]: 261  
Width [mm]: 186

### FC-008JM

Fuel filter



DR DR 5

#### OE

0077362340  
0813035  
0813036  
0813037  
0813040  
0813042

Filter Type: Filter Insert  
For OE number: 71746975  
Height [mm]: 100,5  
Inner Diameter [mm]: 11,3  
Outer Diameter [mm]: 67,5

### FC-013JM

Fuel filter



DR DR 6  
DR DR ZERO

#### OE

09SQ9901000  
09SQ99010009  
110R000009  
1684531  
659749  
67R010168

Filter Type: Filter Insert  
For OE number: 1684531  
Fuel Type: Liquefied Petroleum Gas (LPG)  
Height [mm]: 57  
Inner Diameter [mm]: 17  
Outer Diameter [mm]: 42

### FC-018S

Fuel filter



DR DR 5  
DR DR 5.0 SUV  
DR DR F35 SUV  
DR DR ZERO

#### OE

3320200023  
702060046  
T111117110

Filter Type: In-Line Filter  
For OE number: 3320200023  
Height [mm]: 143  
Inlet [mm]: 8  
Outer Diameter [mm]: 56  
Outlet [mm]: 8

## Filter

### FC-020S

Fuel filter



DR DR 1  
DR DR 2  
DR DR 3  
DR DR CITY CROSS

#### OE

0J1201511A  
1J0 201 511 A  
1J0201511A  
3D0201511  
3D0201511A  
702060143

Diameter 1/ Diameter 2 [mm]: IN / OUT:8  
Filter Type: In-Line Filter  
For OE number: 702060143  
Length [mm]: 172  
Outer Diameter [mm]: 77

### FC-026S

Fuel filter



DR DR 4

#### OE

3320200026

Filter Type: In-Line Filter  
For OE number: 3320200026  
Height [mm]: 134  
Inlet [mm]: 8  
Outer Diameter [mm]: 66  
Outlet [mm]: 8

### FC-027S

Fuel filter



DR DR 5  
DR DR 6

#### OE

702060046

Filter Type: In-Line Filter  
For OE number: 702060046  
Height [mm]: 141  
Inlet [mm]: 8  
Outer Diameter [mm]: 56  
Outlet [mm]: 8

### FC-051S

Fuel filter



DR DR PK8  
EVO CROSS 4 Pick-up

#### OE

3320200103

Filter Type: Filter Insert  
For OE number: 3320200103  
Height [mm]: 246  
Outer Diameter [mm]: 99,6

### FC-052S

Fuel filter



DR DR PK8

#### OE

1105014P31F0  
3320200111

Diameter 1 [mm]: 39,7  
Diameter 2 [mm]: 41,9  
Diameter [mm]: 79,4  
Filter Type: Filter Insert  
For OE number: 3320200111  
Height [mm]: 116,8

### FC-ECO016

Fuel filter



DR DR 5

#### OE


0077362340  
0813035  
0813036  
0813037  
0813040  
0813042

Filter Type: Filter Insert  
For OE number: 71746975  
Inner Diameter [mm]: 25  
Length [mm]: 102  
Outer Diameter [mm]: 67

## Filter

### FO-015S

#### Oil Filter



DR DR 5


#### OE

481H-1012010  
481H1012010  
710020003

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 86  
For OE number: 710020003  
Inner Thread [mm]: M 20 X 1,5  
Length [mm]: 103  
Outer Diameter [mm]: 90

### FO-019S

#### Oil Filter



DR DR 1

#### OE

3721012010  
F1AZ6731BD

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 64  
For OE number: 3721012010  
Inner Thread [mm]: 3/4 X 16  
Length [mm]: 69  
Outer Diameter [mm]: 68

### FO-022JM

#### Oil Filter



DR DR 4  
EVO EVO 3  
EVO EVO 4

#### OE

0055230822  
0650134  
10149617-00  
12285896-00  
1535505  
1699522

Bypass Valve Opening Pressure [bar]: 0,7  
Filter Type: Screw-on Filter  
For OE number: 71736161  
Gasket inner diameter: 54  
Gasket outer diameter: 62  
Height [mm]: 85  
Outer Diameter [mm]: 65  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M 20 X 1,5

### FO-022S

#### Oil Filter



DR DR 4  
EVO EVO 3  
EVO EVO 4

#### OE

0.009.4794.1  
0.010.2687.0  
0.010.3989.1  
000 180 28 10  
00308662667  
0055230822

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 61  
For OE number: 570418159905  
Inner Thread [mm]: M 20X1,5  
Length [mm]: 85  
Outer Diameter [mm]: 65

### FO-036S

#### Oil Filter



DR DR PK8  
EVO CROSS 4 Pick-up

#### OE

1010320FB040  
3101000056

Filter Type: Filter Insert  
For OE number: 3101000056  
Height [mm]: 130  
Inner Diameter 2 [mm]: 610  
Outer Diameter 2 [mm]: 72,7  
Outer Diameter [mm]: 760  
Thread Size: M20X1,5

## Filter

### FO-122S

#### Oil Filter



DR DR 5

#### OE

15 20 854 88R  
15 20 895 99R  
15208-00Q1D  
15208-00Q1J  
152080021R  
152085488R

Bypass Valve Opening Pressure [bar]: 1,0  
Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 71  
For OE number: 152085488R  
Inner Thread [mm]: M20 x 1,5  
Length [mm]: 65  
Outer Diameter [mm]: 76  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Supplementary Article/Supplementary Info 2:  
With seal

### FO-279JM

#### Oil Filter



DR DR 1  
DR DR 1.0 2 volumi /Coda spiovente  
DR DR 2  
DR DR 3  
DR DR 4.0  
DR DR 5.0 SUV

#### OE

00K05281090AB  
0122-0645  
0306483  
03549957  
04152-03002  
04152-64010

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 71,4  
For OE number: 90915YZZJ4  
Inner Thread [mm]: 3/4 x 16  
Length [mm]: 87,2  
Outer Diameter [mm]: 76,5

### FO-279S

#### Oil Filter



DR DR 1  
DR DR 1.0 2 volumi /Coda spiovente  
DR DR 2  
DR DR 3  
DR DR 4.0  
DR DR 5.0 SUV

#### OE

00K05281090AB  
0122-0645  
0306483  
03549957  
04152-03002  
04152-64010

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 71,4  
For OE number: 90915YZZJ4  
Inner Thread [mm]: 3/4 x 16  
Length [mm]: 87,2  
Outer Diameter [mm]: 76,5

### FO-ECO160

#### Oil Filter



DR DR 5  
DR DR 6

#### OE

3101000013

Article number of recommended accessories:  
OR DR 3101000030  
Filter Type: Filter Insert  
For OE number: 3101000013  
Inner Diameter [mm]: 14  
Length [mm]: 118  
Outer Diameter 1 [mm]: 56  
Outer Diameter [mm]: 56

### FO-GAS1S

#### Fuel filter



DR DR 6  
DR DR ZERO

#### OE

09SQ9901000  
09SQ9901009  
110R000009  
1684531  
659749  
67R010168

Filter Type: Filter Insert  
For OE number: 1684531  
Fuel Type: Liquefied Petroleum Gas (LPG)  
Inner Diameter [mm]: 17  
Length [mm]: 57  
Outer Diameter [mm]: 42  
Specification: Conf.vendita 10 pz.  
Specification: Sales package 10 pz.  
Specification: System: BRC new

## Filter

### FO-GAS51S

Fuel filter



DR DR 7.0 SUV

**OE**  
3610100235

Filter Type: Filter Insert  
For OE number: 3610100235  
Fuel Type: Liquefied Petroleum Gas (LPG)  
Inner Diameter [mm]: 17  
Length [mm]: 58  
Outer Diameter 1 [mm]: 39  
Outer Diameter [mm]: 42  
Specification: Syst. BRC CONICO-CHI

### FO-GAS61S

Fuel filter



DR DR 3  
DR DR 3.0  
DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV  
DR DR F35 SUV

**OE**  
3610100353

Filter Type: In-Line Filter  
Fuel Type: Liquefied Petroleum Gas (LPG)  
Fuel Type: Natural Gas  
Inlet [mm]: 12  
Outlet [mm]: 12

### FO-W01JM

Oil Filter




DR DR ZERO

**OE**  
047 08 878  
047 11 189  
091112084  
091125559  
092.22.335  
093167825

Bypass Valve Opening Pressure [bar]: 1,0  
Filter Type: Screw-on Filter  
For OE number: 5281090AB  
Length [mm]: 72,5  
Outer Diameter [mm]: 66  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: 3/4-16 UNF

### FO-W01S

Oil Filter



DR DR ZERO

**OE**  
092.22.335  
1012010-01  
15208-4A00A  
15208-4A00E  
15601-87107  
15601-87107-000

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 64  
For OE number: 5281090AB  
Inner Thread [mm]: 3/4 - 16 UNF  
Length [mm]: 72,5  
Outer Diameter [mm]: 68

## Joints

### GI-036

Joint Kit, drive shaft




DR DR 5


**OE**  
705020009

Braking / Drive Dynamics: For vehicles with ABS  
External Teeth, wheel side: 26  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 25  
Number of Teeth, ABS ring: 48  
Overall Length [mm]: 161  
Seal Diameter [mm]: 55  
Thread Size: M22 X 1,5

## Joins

<b>GI-037</b> 	<b>Joint Kit, drive shaft</b> DR DR 5	<b>OE</b> 770010009	Braking / Drive Dynamics: For vehicles with ABS External Teeth, wheel side: 26 Fitting Position: Wheel Side Internal Teeth, wheel side: 30 Number of Teeth, ABS ring: 48 Overall Length [mm]: 161 Seal Diameter [mm]: 55 Thread Size: M22 X 1,5
---	--	------------------------	--

<b>GI-038</b> 	<b>Joint Kit, drive shaft</b> DR DR 4	<b>OE</b> 2200400U2212-F01	External Teeth, wheel side: 25 Fitting Position: Wheel Side Internal Teeth, wheel side: 22 Number of Teeth, ABS ring: 48 Overall Length [mm]: 153 Seal Diameter [mm]: 52,5 Thread Size: M22
---	--	-------------------------------	---

<b>GI-040</b> 	<b>Joint Kit, drive shaft</b> DR DR 6	<b>OE</b>	External Teeth, wheel side: 28 Fitting Position: Wheel Side Internal Teeth, wheel side: 31 Overall Length [mm]: 154,5 Seal Diameter [mm]: 58 Thread Size: M24
--	--	-----------	--

## Mounting

<b>BJ-009</b> 	<b>Ball Joint</b> DR DR 5 DR DR 6	<b>OE</b> 722010034 T11-2909060	Fitted Diameter [mm]: 15 Fitting Position: Lower Front Axle Outer Thread [mm]: 14X1,5 Overall Height [mm]: 84
---	---	---------------------------------------	--

<b>BS-014L</b> 	<b>Track Control Arm</b> DR DR 1 DR DR 2	<b>OE</b> 722010076	Fitting Position: Front Axle Left Fitting Position: Lower Paired article numbers: 72-00-014R Paired article numbers: 72014R Paired article numbers: BS-014R Steering Type: Control Arm
--	--	------------------------	---

## Mounting

### BS-014R

#### Track Control Arm



DR DR 1  
DR DR 2

**OE**  
722010077

Fitting Position: Front Axle Right  
Fitting Position: Lower  
Paired article numbers: 72-00-014L  
Paired article numbers: 72014L  
Paired article numbers: BS-014L  
Steering Type: Control Arm

### BS-015L

#### Track Control Arm



DR DR 5

**OE**  
722020021

Fitting Position: Lower  
Fitting Position: Rear Axle Left  
Paired article numbers: 72-00-015R  
Paired article numbers: 72015R  
Paired article numbers: BS-015R  
Steering Type: Control Arm

### BS-015R

#### Track Control Arm



DR DR 5

**OE**  
705030008

Fitting Position: Lower  
Fitting Position: Rear Axle Right  
Paired article numbers: 72-00-015L  
Paired article numbers: 72015L  
Paired article numbers: BS-015L  
Steering Type: Control Arm

### BS-017L

#### Track Control Arm



DR DR 5

**OE**  
722010032

Fitting Position: Left Front  
Fitting Position: Lower  
Paired article numbers: 72-00-017R  
Paired article numbers: 72017R  
Paired article numbers: BS-017R  
Steering Type: Control Arm

### BS-017R

#### Track Control Arm



DR DR 5

**OE**  
722010031

Fitting Position: Lower  
Fitting Position: Right Front  
Paired article numbers: 72-00-017L  
Paired article numbers: 72017L  
Paired article numbers: BS-017L  
Steering Type: Control Arm

### BS-030L

#### Track Control Arm



DR DR 4.0  
DR DR 5.0 SUV  
DR DR F35 SUV

**OE**  
202000228AA  
3360200048  
3360200078

Cone Size [mm]: 15  
Fitting Position: Front Axle Left  
Outer Thread 1 [mm]: M 14X1,5 mm  
Paired article numbers: 72-00-030R  
Paired article numbers: 72030R  
Paired article numbers: BS-030R  
Steering Type: Control Arm

## Mounting

### BS-030R

#### Track Control Arm



DR DR 4.0  
DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

202000229AA  
3360200049  
3360200079

Cone Size [mm]: 15  
Fitting Position: Front Axle Right  
Outer Thread 1 [mm]: M 14X1,5 mm  
Paired article numbers: 72-00-030L  
Paired article numbers: 72030L  
Paired article numbers: BS-030L  
Steering Type: Control Arm

### CJ-803

#### Track Control Arm



DR DR ZERO

#### OE

42451-69D00  
4245169D00000  
4245169D01000  
45200-69DV1  
45200-78000  
45200-78002

Fitted Diameter [mm]: 15  
Fitting Position: Front Axle left and right  
Inner Diameter [mm]: 10  
Overall Height [mm]: 65  
Overall Length [mm]: 319

### KK-10005

#### Wheel Bearing Kit



DR DR 5

#### OE

720050008

Fitting Position: Front Axle  
Inner Diameter [mm]: 42  
Outer Diameter [mm]: 80  
Width [mm]: 45

### KK-10006

#### Wheel Bearing Kit



DR DR 1  
DR DR 2

#### OE

1085569  
1112547  
1201569  
1513043  
1582282  
1822804

Braking / Drive Dynamics: For vehicles with ABS  
Fitting Position: Front Axle  
Inner Diameter [mm]: 39  
Outer Diameter [mm]: 72  
Width [mm]: 37

### KK-20006

#### Wheel Hub



DR DR 5

#### OE

722030016  
T11-3301210BA

Fitting Position: Rear Axle  
Mounting Bores Distance [mm]: 68  
Number of mounting bores: 5  
Outer Diameter [mm]: 84  
Overall Height [mm]: 119

### KK-20007

#### Wheel Hub



DR DR 1  
DR DR 2

#### OE

722020038

Fitting Position: Rear Axle  
Inner Diameter [mm]: 28  
Mounting Bores Distance [mm]: 70  
Number of Bores: 4  
Number of Teeth, ABS ring: 43  
Outer Diameter [mm]: 78  
Overall Height [mm]: 70

## Mounting

### KK-29045

#### Wheel Hub



DR DR 5

OE

Fitting Position: Front Axle  
 Inner Diameter [mm]: 27  
 Internal Teeth, wheel side: 26  
 Outer Diameter [mm]: 139  
 Rim Hole Number: 5

### KK-29046

#### Wheel Hub



DR DR ZERO

OE

Fitting Position: Front Axle  
 Mounting Bores Distance [mm]: 82  
 Number of Bores: 4  
 Outer Diameter 1 [mm]: 148  
 Outer Diameter [mm]: 39  
 Overall Height [mm]: 92

### MM-DR001

#### Shock Absorber



DR DR 1  
 DR DR 2

OE  
 722010063

Fitting Position: Front Axle  
 For OE number: 722010063  
 Max. Length [mm]: 525  
 Min. Length [mm]: 390  
 Outer Diameter [mm]: 45  
 Piston Rod Diameter [mm]: 20  
 Shock Absorber Design: Suspension Strut  
 Shock Absorber Mounting Type: Top pin  
 Shock Absorber Type: Gas Pressure  
 Thread Length [mm]: 30

### MM-DR002

#### Shock Absorber



DR DR 1  
 DR DR 2  
 DR DR CITY CROSS

OE  
 722020031

Fitted Diameter [mm]: 12  
 Fitting Position: Rear Axle  
 For OE number: 722020031  
 Max. Length [mm]: 430  
 Min. Length [mm]: 275  
 Outer Diameter [mm]: 40  
 Shock Absorber Design: Telescopic Shock Absorber  
 Shock Absorber Mounting Type: Bottom eye  
 Shock Absorber Mounting Type: Top eye  
 Shock Absorber Type: Gas Pressure

### MM-DR003

#### Shock Absorber



DR DR 5

OE  
 722010023

Fitting Position: Rear Axle  
 For OE number: 722010023  
 Shock Absorber Design: Telescopic Shock Absorber  
 Shock Absorber Mounting Type: Top pin  
 Shock Absorber Type: Gas Pressure

## Mounting

### MM-DR004

#### Shock Absorber



DR DR 5

**OE**  
722010028

Fitting Position: Front Axle Left  
For OE number: 722010028  
Paired article numbers: MA-DR005  
Paired article numbers: MJDR005  
Paired article numbers: MM-DR005  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR005

#### Shock Absorber



DR DR 5

**OE**  
722010029

Fitting Position: Front Axle Right  
For OE number: 722010029  
Paired article numbers: MA-DR004  
Paired article numbers: MJDR004  
Paired article numbers: MM-DR004  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR006

#### Shock Absorber



DR DR ZERO

**OE**  
3360100006  
GB2023.10  
J00-2905010

Fitting Position: Front Axle  
Fitting Position: Left  
Fitting Position: Right  
Input Shaft Diameter [mm]: 18  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR007

#### Shock Absorber



DR DR ZERO

**OE**  
3360400004

Fitting Position: Left  
Fitting Position: Rear Axle  
Fitting Position: Right  
For OE number: 3360400004  
Inner Diameter [mm]: 12  
Max. Length [mm]: 460  
Min. Length [mm]: 300  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber Type: Gas Pressure

### MM-DR008

#### Shock Absorber



DR DR 4  
EVO EVO 4

**OE**  
202306  
2905210U2212  
3360100016

Fitting Position: Front Axle Right  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR009  
Paired article numbers: MJDR009  
Paired article numbers: MM-DR009  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-DR009

#### Shock Absorber



DR DR 4

**OE**  
3360100015

Fitting Position: Front Axle Left  
For OE number: 3360100015  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR008  
Paired article numbers: MJDR008  
Paired article numbers: MM-DR008  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR010

#### Shock Absorber



DR DR 4  
DR DR 4.0

**OE**  
3360400008

Fitting Position: Rear Axle left and right  
For OE number: 3360400008  
Input Shaft Diameter [mm]: 10  
Max. Length [mm]: 725  
Min. Length [mm]: 530  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR011

#### Shock Absorber



DR DR 3  
DR DR 3.0

**OE**  
3360400009

Fitting Position: Left  
Fitting Position: Rear Axle  
Fitting Position: Right  
For OE number: 3360400009  
Inner Diameter [mm]: 10  
Input Shaft Diameter [mm]: 12  
Max. Length [mm]: 830  
Min. Length [mm]: 630  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR012

#### Shock Absorber



DR DR 6

**OE**  
3360100013  
T21-2905020

Fitting Position: Front Axle Right  
Input Shaft Diameter [mm]: 15  
Input Shaft Diameter [mm]: 22  
Paired article numbers: MA-DR013  
Paired article numbers: MJDR013  
Paired article numbers: MM-DR013  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR013

#### Shock Absorber



DR DR 6

**OE**  
3360100012  
T21-2905010

Fitting Position: Front Axle Left  
Input Shaft Diameter [mm]: 15  
Input Shaft Diameter [mm]: 22  
Paired article numbers: MA-DR012  
Paired article numbers: MJDR012  
Paired article numbers: MM-DR012  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-DR014

#### Shock Absorber



DR DR 3  
DR DR 3.0

**OE**  
3360100024

Fitting Position: Front Axle Right  
For OE number: 3360100024  
Input Shaft Diameter [mm]: 22  
Paired article numbers: MA-DR015  
Paired article numbers: MJDR015  
Paired article numbers: MM-DR015  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR015

#### Shock Absorber



DR DR 3  
DR DR 3.0

**OE**  
3360100023

Fitting Position: Front Axle Left  
For OE number: 3360100023  
Input Shaft Diameter [mm]: 22  
Paired article numbers: MA-DR014  
Paired article numbers: MJDR014  
Paired article numbers: MM-DR014  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR016

#### Shock Absorber



DR DR 6

**OE**  
3360100011

Fitting Position: Left  
Fitting Position: Rear Axle  
Fitting Position: Right  
For OE number: 3360100011  
Inner Diameter [mm]: 16  
Max. Length [mm]: 735  
Min. Length [mm]: 490  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR017

#### Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

**OE**  
3360400073

Fitting Position: Rear Axle Left  
For OE number: 3360400073  
Length 1 [mm]: 32,8  
Length 2 [mm]: 51  
Paired article numbers: MA-DR018  
Paired article numbers: MJDR018  
Paired article numbers: MM-DR018  
Piston Rod Diameter [mm]: 17,8  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-DR018

#### Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

**OE**  
3360400074

Fitting Position: Rear Axle Right  
For OE number: 3360400074  
Length 1 [mm]: 32,8  
Length 2 [mm]: 51  
Paired article numbers: MA-DR017  
Paired article numbers: MJDR017  
Paired article numbers: MM-DR017  
Piston Rod Diameter [mm]: 17,8  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR019

#### Shock Absorber



DR DR 6.0 SUV  
DR DR F35 SUV

**OE**  
3360400054

Fitting Position: Rear Axle  
For OE number: 3360400054  
Length 1 [mm]: 350  
Length 2 [mm]: 63,7  
Piston Rod Diameter [mm]: 12,4  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR020

#### Shock Absorber



DR DR 4.0  
DR DR 5.0 SUV

**OE**  
202000265AA  
3360400024  
3360400083  
J522915010

Fitting Position: Rear Axle  
For OE number: 3360400024  
Length 1 [mm]: 395  
Length 2 [mm]: 685  
Piston Rod Diameter [mm]: 12,5  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR021

#### Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

**OE**  
3360100115

Fitting Position: Front Axle Left  
For OE number: 3360100115  
Length 1 [mm]: 345  
Length 2 [mm]: 540  
Paired article numbers: MA-DR029  
Paired article numbers: MJDR029  
Paired article numbers: MM-DR029  
Piston Rod Diameter [mm]: 18  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-DR022

#### Shock Absorber



DR DR 4.0  
DR DR 5.0 SUV  
DR DR 6.0 SUV

#### OE

202000261AA  
202000359AA  
3360100048  
3360100083

Fitting Position: Front Axle Left  
For OE number: 3360100048  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR023  
Paired article numbers: MJDR023  
Paired article numbers: MM-DR023  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR023

#### Shock Absorber



DR DR 4.0  
DR DR 5  
DR DR 5.0 SUV  
DR DR 6.0 SUV

#### OE

202000262AA  
202000360AA  
202000958AA  
3360100049  
3360100084  
3360100122

Fitting Position: Right Front  
For OE number: 3360100049  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR022  
Paired article numbers: MJDR022  
Paired article numbers: MM-DR022  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR024

#### Shock Absorber



DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

230326  
3360100057  
3360100058  
3360100066  
J68-2905010  
T15-2905010

Fitting Position: Left Front  
For OE number: 3360100058  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR025  
Paired article numbers: MJDR025  
Paired article numbers: MM-DR025  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Suspension Strut Insert  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-DR025

#### Shock Absorber



DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

202000039AA  
3360100058  
3360100067  
J68-2905020

Fitting Position: Right Front  
For OE number: 3360100067  
Input Shaft Diameter [mm]: 15  
Paired article numbers: MA-DR024  
Paired article numbers: MJDR024  
Paired article numbers: MM-DR024  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-DR026

#### Shock Absorber



DR DR PK8

**OE**  
3360400056

Fitting Position: Rear Axle  
For OE number: 3360400056  
Length 1 [mm]: 615  
Length 2 [mm]: 390  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top clamp  
Shock Absorber Type: Gas Pressure

### MM-DR029

#### Shock Absorber



DR DR 1.0 2 volumi /Coda spiovente

**OE**  
3360100116

Fitting Position: Right Front  
For OE number: 3360100116  
Length 1 [mm]: 345  
Length 2 [mm]: 540  
Paired article numbers: MA-DR021  
Paired article numbers: MJDR021  
Paired article numbers: MM-DR021  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### RU-C07

#### Control Arm-/Trailing Arm Bush



DR DR ZERO

**OE**  
09319-10030  
0931910030  
0931910030000  
09319M10030  
45261 77A10  
4526177A00

Fitting Position: Front Axle left and right  
Fitting Position: inner  
Inner Diameter [mm]: 10  
Length [mm]: 52,5  
Outer Diameter [mm]: 28,5

### SI-014

#### Rod/Strut, stabiliser



DR DR 1  
DR DR 2

**OE**  
722010075

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Fitting Position: Left and right  
Length [mm]: 60  
Specification: Lung perno-perno

### SI-015L

#### Rod/Strut, stabiliser



DR DR 4

**OE**

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Specification: Lung perno-perno

## Mounting

### SI-015R

Rod/Strut, stabiliser



DR DR 4

OE

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Right  
Specification: Lung perno-perno

### SI-016L

Rod/Strut, stabiliser



DR DR 5

OE

Bar/Strut: Coupling Rod  
Fitting Position: Left  
Fitting Position: Rear Axle  
Length [mm]: 102  
Specification: Lung perno-perno

### SI-016R

Rod/Strut, stabiliser



DR DR 5

OE

Bar/Strut: Coupling Rod  
Fitting Position: Rear Axle  
Fitting Position: Right  
Length [mm]: 102

### SI-017

Rod/Strut, stabiliser



DR DR 3  
DR DR 5  
DR DR 6

OE

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Fitting Position: Front Axle Right  
Specification: Lung perno-perno

### SI-220

Rod/Strut, stabiliser



DR DR 5

OE

48820-42020  
4882002020  
4882032010  
4882042020  
722010037  
T11-2906030

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Outer Thread [mm]: 10 X 1,25  
Overall Height [mm]: 50  
Overall Length [mm]: 314  
Specification: Lung perno-perno

### SM0061

Strut Mount



DR DR 5

OE

48609-42010  
48609-42011  
48609-42012  
4860942010  
4860942011  
4860942012

Fitting Position: Front Axle

## Mounting

### TI-007L

#### Tie Rod End



DR DR 5

**OE**  
721010025

Fitted Diameter [mm]: 13  
Fitting Position: Front Axle Left  
Inner Thread [mm]: M 14X1,5  
Outer Thread [mm]: M 12X1,5  
Overall Height [mm]: 76

### TI-007R

#### Tie Rod End



DR DR 5

**OE**  
721010026

Fitted Diameter [mm]: 13  
Fitting Position: Front Axle Right  
Inner Thread [mm]: M 14X1,5  
Outer Thread [mm]: M 12X1,5  
Overall Height [mm]: 76

### TI-325

#### Tie Rod End



DR DR ZERO

**OE**  
8AB1-32-280  
8AB132280  
B09232280  
KB092-32-280  
KB09232280  
KKY01-32-280

Fitted Diameter [mm]: 13  
Fitting Position: Front Axle  
Inner Thread [mm]: 12 x 1,25  
Outer Thread 1 [mm]: 12 x 1,25  
Overall Height [mm]: 71  
Overall Length [mm]: 92  
Thread Length [mm]: 40