

Japanparts®



www.japanparts.eu

CATALOGUE

CHERY
SPARE PARTS

CATALOGO

CHERY
RICAMBI

Brake system

DI-019C

Brake Disc



CHERY TIGGO
CHERY TIGGO 3
CHERY TIGGO 5 Fuoristrada chiuso
CHERY TIGGO FL

OE

T11-3501075
T113501075

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: T113501075
Height [mm]: 50
Minimum Thickness [mm]: 23
Number of Bores: 5
Outer Diameter [mm]: 265
Pitch Circle [mm]: 62
Surface: Painted

DI-027C

Brake Disc



CHERY TIGGO
CHERY TIGGO 3
CHERY TIGGO DR
CHERY TIGGO FL

OE

3370100007
T11-3501075BA

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: 3370100007
Height [mm]: 49,5
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 23
Number of Bores: 5
Outer Diameter [mm]: 300
Pitch Circle [mm]: 62
Surface: Painted

DI-040C

Brake Disc



CHERY A1
CHERY QIYUN 1
CHERY QQ6

OE

S21-3501075
S213501075

Brake Disc Thickness [mm]: 17
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: S213501075
Height [mm]: 44,3
Minimum Thickness [mm]: 15
Number of Bores: 4
Outer Diameter [mm]: 257
Pitch Circle [mm]: 60
Surface: Painted

DI-041C

Brake Disc



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi
CHERY CHANCE M11

OE

11-3501075
A11-3501075
M11-3501075
M113501075

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: M113501075
Height [mm]: 45
Minimum Thickness [mm]: 23
Number of Bores: 5
Outer Diameter [mm]: 283
Pitch Circle [mm]: 65
Surface: Painted

DI-042C

Brake Disc



CHERY A5
CHERY EASTAR
CHERY EASTAR CROSS

OE

A11-3501075
A113501075
B11-3501075

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: A113501075
Height [mm]: 46,4
Minimum Thickness [mm]: 20
Number of Bores: 4
Outer Diameter [mm]: 258
Pitch Circle [mm]: 60
Surface: Painted

Brake system

DI-043C

Brake Disc



CHERY E5
CHERY FORA/ALIA

OE

A18-3501075
A21-3501075
A213501075

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: A213501075
Height [mm]: 42
Minimum Thickness [mm]: 20
Number of Bores: 4
Outer Diameter [mm]: 258
Pitch Circle [mm]: 65
Surface: Painted

DI-044C

Brake Disc



CHERY COWIN
CHERY QIYUN 2

OE

357615301
A113501075
A116GN3501075
L357615301

Brake Disc Thickness [mm]: 13
Brake Disc Type: Solid
Fitting Position: Front Axle
For OE number: 357615301
Height [mm]: 39
Minimum Thickness [mm]: 11
Number of Bores: 4
Outer Diameter [mm]: 255,7
Pitch Circle [mm]: 65
Surface: Painted

DI-046C

Brake Disc



CHERY FENGYUN 2 2 volumi /Coda spiovente
CHERY FENGYUN 2 Tre volumi


OE

A133501075

Brake Disc Thickness [mm]: 22
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: A133501075
Height [mm]: 42,5
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 21,5
Number of Bores: 4
Outer Diameter [mm]: 256
Pitch Circle [mm]: 65
Surface: Painted

DI-079C

Brake Disc



CHERY QQ3


OE

337010027

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Fitting Position: Front Axle
For OE number: 337010027
Height [mm]: 36
Minimum Thickness [mm]: 9,5
Number of Bores: 4
Outer Diameter [mm]: 236
Pitch Circle [mm]: 86
Surface: Painted

DP-012C

Brake Disc



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi

OE

11-3502075
A11-3502075
M11-3502075
M113502075

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: M113502075
Height [mm]: 47
Minimum Thickness [mm]: 8
Number of Bores: 5
Outer Diameter [mm]: 285
Pitch Circle [mm]: 65
Surface: Painted

Brake system

DP-013C

Brake Disc



CHERY A5

OE

A21-3502075
A213502075

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: A213502075
Height [mm]: 59
Minimum Thickness [mm]: 8
Number of Bores: 4
Outer Diameter [mm]: 288
Pitch Circle [mm]: 65
Surface: Painted

DP-014C

Brake Disc



CHERY E5

OE

A213502075BA

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: A213502075BA
Height [mm]: 60,1
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 8
Number of Bores: 4
Outer Diameter [mm]: 288
Pitch Circle [mm]: 65
Surface: Painted

GF-007AF

Brake Shoe Set



CHERY A1
CHERY QIYUN 1
CHERY QQ6


OE

4800A089
720060023
MR449086
MR449087
MR449088
MR485499

Diameter [mm]: 200
Fitting Position: Rear Axle
Supplementary Article/Supplementary Info:
Without lever
Width [mm]: 32

GF-231AF

Brake Shoe Set



CHERY QIYUN 3

OE

0449505040
4654020080
4654032020
A213502210

Diameter [mm]: 170
Fitting Position: Rear
Width [mm]: 32

PA-022AF

Brake Pad Set, disc brake



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi
CHERY OMODA 5
CHERY TIGGO

OE

3370100005
3370100052
A116GN3501080
A133501080
A216GN3501080BA
FS10-3501010013

Brake Type: Disc Brake
Fitting Position: Front Axle
for brake disk diameter [mm]: 300
Height [mm]: 55
Length [mm]: 132
Thickness [mm]: 17

Brake system

PA-028AF

Brake Pad Set, disc brake



CHERY A5
CHERY FORA/ALIA


OE

A21-6GN3501080B
A216GN3501080B

Fitting Position: Front Axle
For OE number: A216GN3501080B
Height [mm]: 55,2
Length [mm]: 130
Thickness [mm]: 14

PA-029AF

Brake Pad Set, disc brake



CHERY A1
CHERY JAGGI
CHERY QIYUN 1
CHERY QQ6

OE

S21-6GN3501080
S216GN3501080

Fitting Position: Front Axle
For OE number: S216GN3501080
Length 1 [mm]: 118
Length [mm]: 100
Width [mm]: 49

PP-0025AF

Brake Pad Set, disc brake



CHERY ARRIZO 5
CHERY ARRIZO 7
CHERY TIGGO 5 Fuoristrada chiuso
CHERY TIGGO 7 Fuoristrada chiuso
CHERY X1 2 volumi /Coda spiovente

OE

011-1004-6532
1014030659
128425334
3370200117
3370200200
3370200303

Fitting Position: Rear Axle
For OE number: 3370200117
Height [mm]: 40,5
Length [mm]: 100,1
Thickness [mm]: 16,7
Vibration: with vibration damper
Wear Warning Contact: With acoustic wear warning

PP-0030AF

Brake Pad Set, disc brake



CHERY TIGGO 5x
CHERY TIGGO 8 PLUS

OE

204002032AA
204003470AA
3370200123
3500700U3400F031
3504100U7300F031
3504100X1520F101

Fitting Position: Rear Axle
For OE number: 3370200123
Height [mm]: 49,7
Length [mm]: 108,4
Thickness [mm]: 16,5
Vibration: with vibration damper
Wear Warning Contact: With acoustic wear warning

PP-013AF

Brake Pad Set, disc brake



CHERY E5
CHERY QIYUN 3
CHERY TIGGO
CHERY TIGGO 3

OE

3370200004
720050017
A213502080BA
B213502080
J423502090
M113502090

Fitting Position: Rear Axle
For OE number: B213502080
Height [mm]: 38,4
Length [mm]: 100
Thickness [mm]: 16,4

TA-009C

Brake Drum



CHERY A1
CHERY QIYUN 1
CHERY QQ6

OE

S213502030

Centering Diameter [mm]: 63,5
Fitting Position: Rear Axle
Inner Br. Drum Diam. [mm]: 203
Inner Brake Drum Height [mm]: 42
Number of Bores: 4
Surface: Painted
Total Br. Drum Height [mm]: 61

Brake system

TA-010C

Brake Drum



CHERY FENGYUN 2 2 volumi /Coda spiovente
CHERY FENGYUN 2 Tre volumi
CHERY QQ3


OE
A133502030
S113502030
S113502030AB

Centering Diameter [mm]: 65
Fitting Position: Rear Axle
Inner Br. Drum Diam. [mm]: 200
Inner Brake Drum Height [mm]: 52
Number of Bores: 4
Surface: Painted
Total Br. Drum Height [mm]: 60

Clutch

CF-502

Releaser



CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS

OE
41421-11300
41421-21000
41421-21300
41421-21400
41421-26000
4142111300

Height [mm]: 29
Inner Diameter [mm]: 32,2
Length [mm]: 64,7
Outer Diameter [mm]: 65

DF-502

Clutch Disc



CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS

OE
07411-3400
41100-22010
41100-M2020Z
4110034020
MD703150
MD703151

Centering Diameter [mm]: 22
Diameter [mm]: 215
Hub Profile: 27
Inner Diameter [mm]: 140
Number of Teeth: 20

DF-516

Clutch Disc



CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS

OE
MD716747
MD718955
MD721401
MD724829
MD724849
MD728699

Centering Diameter [mm]: 22
Diameter [mm]: 215
Hub Profile: 20
Inner Diameter [mm]: 140
Number of Teeth: 20

KF-020

Clutch Kit




CHERY TIGGO
CHERY TIGGO 3


OE
4142111300
4142121000
4142121300
4142121400
4142126000
4142136000

Centering Diameter [mm]: 23
Diameter [mm]: 225
Fitted Diameter [mm]: 274
Inner Diameter [mm]: 144
Number of Teeth: 20

Clutch


KF-021 	Clutch Kit CHERY A1 CHERY QIYUN 1 CHERY QQ6	OE 0926928006 2326578B00 2326578B00000 25186768 305024A00A 703010027	Centering Diameter [mm]: 22 Diameter [mm]: 195 Fitted Diameter [mm]: 238 Inner Diameter [mm]: 132 Number of Teeth: 20
---	---	---	---

KF-025 	Clutch Kit CHERY QIYUN 1 CHERY QQ3 CHERY QQ6	OE S11.1601020.DA	Centering Diameter [mm]: 19 Diameter [mm]: 180 Fitted Diameter [mm]: 215 Inner Diameter [mm]: 108 Number of Teeth: 18
---	--	-----------------------------	---

SF-502 	Clutch Pressure Plate CHERY EASTAR CHERY EASTAR A6 CHERY EASTAR CROSS	OE 22100-77E00 2210057B01 2210057B02 2210057B10 2210057B10R 2210060A00	Diameter [mm]: 213 Fitted Diameter [mm]: 265 Inner Diameter [mm]: 138
--	---	---	---

Cooling System

KH-006 	Radiator Cap CHERY COWIN A2 CHERY QQ3 CHERY V5 MPV / Space wagon	OE 3B0121321	Pressure [bar]: 1,5
---	--	------------------------	---------------------

KH-W01 	Radiator Cap CHERY EASTAR A6	OE 1304666 1304853 1647751 1650630 1659288 1E00-15-355	Pressure [bar]: 1,2
---	--	---	---------------------

Cooling System

KH-W02

Radiator Cap



CHERY EASTAR A6

OE
1647751
1650630
1659288
1E00-15-355
1E00-15-355A
4395513

Pressure [bar]: 1,2

KH-W03

Radiator Cap



CHERY EASTAR A6

OE
90409256
94539597
96293957
96312510
96351578
96420303

Pressure [bar]: 1,2

VA-023

Thermostat, coolant



CHERY EASTAR
CHERY TIGGO

OE
1222000115
21200-W3310
25510-42000
25510-42100
25510-4A700
2551042010

Diameter 1 [mm]: 43
Diameter 2 [mm]: 28
Diameter [mm]: 56
Fitting Depth [mm]: 43
Height [mm]: 70
Opening Temperature [°C]: 82
Quality: Tama
Specification: D.con guarniz.60mm

VT-H01

Thermostat, coolant



CHERY EASTAR
CHERY TIGGO

OE
25510-42100
2551042541

Diameter 1 [mm]: 28
Diameter [mm]: 56
Fitting Depth [mm]: 44
Height [mm]: 70
Opening Temperature [°C]: 82

Electrics

HY-040

Wiper Blade



CHERY ARRIZO 3
CHERY TIGGO 8 Fuoristrada chiuso

OE

Length [mm]: 400

Electrics

HY-045

Wiper Blade



CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5
CHERY TIGGO 7 Fuoristrada chiuso
CHERY TIGGO 8 PLUS

OE

1272337
1272346
4708240200
6000613513
61 61 0 040 534
61610040534

Length [mm]: 450

HY-050

Wiper Blade



CHERY A5
CHERY E5
CHERY ORIENTAL SON
CHERY QIYUN 2
CHERY QIYUN 3
CHERY QQ3

OE

2 206 402
2 206 429
6423.03
6423.04
76630-SZT-E01
77 11 1 172 583

Length [mm]: 500

HY-060

Wiper Blade



CHERY ARRIZO 3
CHERY ARRIZO 5
CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5

OE

Length [mm]: 600

PO-302

Oil Pressure Switch



CHERY EASTAR
CHERY TIGGO
CHERY TIGGO 3

OE

3 024 539
B366-18-501
B367-18-501A
B367-18-501B

Spanner Size: 24
Switch Pressure [bar]: 0,3
Thread Size: 1/8-28BSP

SS-F40

Wiper Blade



CHERY ARRIZO 3
CHERY TIGGO 8 Fuoristrada chiuso

OE

1611348480
1613157180
1613158080
1613158380
1613159180
1618843180

Length [in]: 16
Length [mm]: 400
Technical Information Number: Flat

SS-F45

Wiper Blade



CHERY A5
CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY E5
CHERY OMODA 5

OE

16 113 485 80
1610112480
1611348580
1611631080
1T1998002A
288901962R

Length [in]: 18
Length [mm]: 450
Technical Information Number: Flat

Electrics

SS-F50

Wiper Blade



CHERY A5
CHERY E5
CHERY ORIENTAL SON
CHERY QIYUN 2
CHERY QIYUN 3
CHERY QQ3

OE

80B955426
80B998002
80C955425

Length [in]: 20
Length [mm]: 500
Technical Information Number: Flat

SS-F50-50

Wiper Blade



CHERY QIYUN 2
CHERY QIYUN 3
CHERY QQ6

OE

0390494
0420549
151539
390494
420549
61607122140

Fitting Position: Front
Length 1 [mm]: 500
Length 2 [mm]: 500
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SS-F60

Wiper Blade



CHERY ARRIZO 3
CHERY ARRIZO 5
CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5

OE

2048201845
2048202200
2128201700
2128201800
2128201900
9829426780

Length [in]: 24
Length [mm]: 600
Technical Information Number: Flat

SS-F60-40

Wiper Blade



CHERY ARRIZO 3

OE

1609068880
1609069080
1613157180
1613158380
1642332780
288819784R

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 400
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SS-F60-45

Wiper Blade



CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5

OE

288901962R
288903994R
288905565R
288905769R
288906926R
288907739R

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 450
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SS-X40C

Wiper Blade



CHERY ARRIZO 3
CHERY TIGGO 8 Fuoristrada chiuso

OE

Length [mm]: 400

Electrics

SS-X45C

Wiper Blade



CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5
CHERY TIGGO 7 Fuoristrada chiuso
CHERY TIGGO 8 PLUS

OE

8522205090
GB93673309A
GB93673309S
MGB3967330A
N05367330
N05467330

Length [mm]: 450

SS-X48C

Wiper Blade



CHERY ARRIZO 5
CHERY TIGGO 3
CHERY TIGGO 5 Fuoristrada chiuso
CHERY TIGGO 5x

OE

Length [mm]: 480

SS-X48S

Wiper Blade



CHERY ARRIZO 5
CHERY TIGGO 3
CHERY TIGGO 5 Fuoristrada chiuso
CHERY TIGGO 5x

OE

8522253010
8971374682

Length [mm]: 480
Styling: with spoiler

SS-X50C

Wiper Blade



CHERY A5
CHERY E5
CHERY ORIENTAL SON
CHERY QIYUN 2
CHERY QIYUN 3
CHERY QQ3

OE

0443590
28890-1FC1A
28890-1FG0A
3424490
61 61 0 443 590
61 61 3 424 490

Length [mm]: 500

SS-X50S

Wiper Blade



CHERY A5
CHERY E5
CHERY ORIENTAL SON
CHERY QIYUN 2
CHERY QIYUN 3
CHERY QQ3

OE

0443590
28890-1FC1A
28890-1FG0A
3424490
61 61 0 443 590
61 61 3 424 490

Length [mm]: 500
Styling: with spoiler

SS-X53C

Wiper Blade



CHERY A5
CHERY ORIENTAL SON
CHERY QQ3

OE

Length [mm]: 530

Electrics

SS-X58C

Wiper Blade



CHERY TIGGO 8 PLUS
CHERY TIGGO 8 PRO

OE

Length [mm]: 580

SS-X60C

Wiper Blade



CHERY ARRIZO 3
CHERY ARRIZO 5
CHERY ARRIZO 7
CHERY ARRIZO 8
CHERY ARRIZO GX
CHERY OMODA 5

OE

263709C004
263709C006
263709C008
288907C900
288909C000
288909C004

Length [mm]: 600

SS-X60S

Wiper Blade



CHERY ARRIZO 3
CHERY ARRIZO 5
CHERY ARRIZO 7
CHERY TIGGO 3
CHERY TIGGO 5 Fuoristrada chiuso
CHERY TIGGO 5x

OE

Length [mm]: 600
Styling: with spoiler

Engine Timing Control

BE-015

Tensioner, timing belt



CHERY A1
CHERY A5
CHERY TIGGO


OE

473H-1007060
701070013

Diameter [mm]: 67
Height [mm]: 28

BE-513

Tensioner, timing belt



CHERY EASTAR
CHERY TIGGO
CHERY TIGGO 3

OE

24810-33020
24810-33021
24810-33024
2481033021
2481033024
2481038001

Diameter [mm]: 60
Height [mm]: 32

Engine Timing Control

BE-514

Tensioner, timing belt



CHERY EASTAR
CHERY TIGGO
CHERY TIGGO 3


OE

22357-33120
23357-33120
23357-33130
MD115976
SMD115976

Diameter [mm]: 55
Height [mm]: 19,5

BE-519

Tensioner, timing belt



CHERY EASTAR
CHERY TIGGO
CHERY TIGGO 3

OE

MD182537
MD334548
MD369999
SMD182537

Diameter [mm]: 60
Height [mm]: 33

BE-548

Vibration Damper, timing belt



CHERY TIGGO

OE

MD185539
MD308587

Diameter [mm]: 21,5
Height [mm]: 99

BE-H22

Tensioner, timing belt



CHERY EASTAR
CHERY TIGGO 3


OE

23357-33350
23357-38001
2335733350
2335738001
MD 185544
MD 192068

Diameter [mm]: 55
Height [mm]: 18

DD-530

Timing Belt



CHERY TIGGO

OE

MD182293
MD197141
MD336149
MD338288
MZ690646
XD182293

Belts: With rounded tooth profile
Driven Units: Driven unit: camshaft
Number of Teeth: 123
Width [mm]: 29

DD-532

Timing Belt



CHERY EASTAR
CHERY TIGGO
CHERY TIGGO 3

OE

1145A046
23356-33130
23356-33140
23356-38000
2335633110
2335633120

Belts: With rounded tooth profile
Driven Units: Driven unit: balance shaft
Number of Teeth: 65
Width [mm]: 12,7

Engine Timing Control

DD-539
Timing Belt

 CHERY EASTAR
 CHERY TIGGO 3

OE

 MB329639
 MD329639
 MZ690652
 XD329639

 Belts: With rounded tooth profile
 Driven Units: Driven unit: camshaft
 Number of Teeth: 122
 Width [mm]: 29

DD-591
Timing Belt

 CHERY EASTAR
 CHERY TIGGO 3

OE

 MD182294
 MD197144
 MD323455
 MD339052
 MZ690647
 SMD182294

 Belts: With rounded tooth profile
 Driven Units: Driven unit: camshaft
 Number of Teeth: 124
 Width [mm]: 29

KDD-230
Timing Belt Kit


CHERY KARRY L6 MPV / Space wagon

OE

 1350362040
 1350520010
 1350520020
 1350562010
 1350562020
 1350562031

 Number of Teeth 1: 191
 Width 1 [mm]: 36

KDD-530
Timing Belt Kit


CHERY TIGGO

OE

 2235733120
 2335633110
 2335633120
 2335633130
 2335633140
 2335633150

 Number of Teeth 1: 123
 Number of Teeth 2: 65
 Width 1 [mm]: 29
 Width 2 [mm]: 13

KDD-539
Timing Belt Kit

 CHERY EASTAR
 CHERY TIGGO 3

OE

 2235733120
 2335633110
 2335633120
 2335633130
 2335633140
 2335633150

 Number of Teeth 1: 65
 Number of Teeth 2: 122
 Width 1 [mm]: 13
 Width 2 [mm]: 29

Filter

Filter

FA-023S

Air Filter




CHERY A5
CHERY TIGGO
CHERY TIGGO 3
CHERY TIGGO DR

OE
211109111
702050044
A21-1109111
A211109111

Filter Type: Filter Insert
For OE number: A211109111
Height [mm]: 45
Length [mm]: 246
Width [mm]: 222

FA-039S

Air Filter



CHERY QQ3
CHERY QQ6

OE
S111109111

Filter Type: Filter Insert
For OE number: S111109111
Height [mm]: 39
Length [mm]: 196,2
Width [mm]: 188,2

FA-044S

Air Filter



CHERY A1

OE
S12-1109111
S121109111

Filter Type: Filter Insert
For OE number: S121109111
Height [mm]: 42
Length [mm]: 215
Width [mm]: 195

FA-045S

Air Filter



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi
CHERY CHANCE M11

OE
M11-1109111
M11-1109111BC
M111109111

Filter Type: Filter Insert
For OE number: M111109111
Height [mm]: 50
Length 1 [mm]: 207
Length [mm]: 257
Width 1 [mm]: 130
Width [mm]: 170

FA-055S

Air Filter



CHERY S-18
CHERY X1 2 volumi /Coda spiovente

OE
3340100006
702050051
S18D1109111

Filter Type: Filter Insert
For OE number: S18D1109111
Height [mm]: 36
Length [mm]: 248
Width [mm]: 175

FA-0932JM

Air Filter



CHERY COWIN

OE
1444 P6
1444 Q4
1L0 129 620
1L0 129 620 A
1L0129601C
1L0129601D

Filter Type: Filter Insert
For OE number: 1L0129620
Height [mm]: 57
Length [mm]: 276
Width [mm]: 185

Filter

FA-332S

Air Filter



CHERY EASTAR
CHERY EASTAR CROSS
CHERY TIGGO


OE

96 328 718
96328718

Filter Type: Filter Insert
For OE number: 96328718
Height [mm]: 45
Length [mm]: 275
Width [mm]: 247

FA-824S

Air Filter



CHERY CHANCE M11


OE

13780-65J00
13780-65J00-000
1378065J00000

Filter Type: Filter Insert
For OE number: 1378065J00000
Height [mm]: 50
Length 1 [mm]: 174
Length [mm]: 229
Width 1 [mm]: 120
Width [mm]: 178

FA-904S

Air Filter



CHERY TIGGO 3


OE

05015610AA
05015610AB
05015610AC
5015610AA
5015610AC
K05015610AA

Filter Type: Filter Insert
For OE number: K05015610AC
Height [mm]: 37
Length [mm]: 272
Width [mm]: 245

FAA-CY00

Filter, interior air



CHERY A5
CHERY CHANCE M11


OE

M11-8107915
M118107915

Filter Type: Pollen Filter
For OE number: M118107915
Height [mm]: 23
Length [mm]: 220
Width [mm]: 200

FAA-CY01

Filter, interior air



CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS

OE

B11-8107915
B118107915

Filter Type: Pollen Filter
For OE number: B118107915
Height [mm]: 30
Length [mm]: 288
Width [mm]: 178

FAA-CY02

Filter, interior air



CHERY QIYUN 1
CHERY QIYUN 2
CHERY QIYUN 3

OE


191 091 700
191 819 638
191091700

Filter Type: Pollen Filter
For OE number: 191091700
Height [mm]: 75
Length [mm]: 190
Width [mm]: 185

Filter

FAA-DR0

Filter, interior air



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi
CHERY TIGGO
CHERY TIGGO 3
CHERY TIGGO DR


OE

735050006
T11-8107910
T118107910

Filter Type: Pollen Filter
For OE number: 735050006
Height 1 [mm]: 21
Height [mm]: 45
Length [mm]: 200
Width 1 [mm]: 225
Width [mm]: 256

FAA-DR05

Filter, interior air



CHERY TIGGO 7
CHERY TIGGO 7 Fuoristrada chiuso

OE

301001573AA
301001778AA
3310100025
BNF2H123AB1
FX11810712001AA
FX11810712002AA

Filter Type: Pollen Filter
For OE number: 3310100025
Height [mm]: 35
Length [mm]: 247
Width [mm]: 188

FAA-DR07

Filter, interior air



CHERY TIGGO 7
CHERY TIGGO 7 Fuoristrada chiuso

OE

3310100189
CY5000055

Filter Type: Activated Carbon Filter
For OE number: 3310100189
Length [mm]: 247
Thickness [mm]: 35
Width [mm]: 188

FA-H22S

Air Filter



CHERY TIGGO 7 Fuoristrada chiuso


OE

28113-4H000
281134H000
3340100028
F01-1109111
F01-1109111YZ

Filter Type: Filter Insert
For OE number: 281134H000
Height [mm]: 48
Length [mm]: 261
Width [mm]: 186

FC-018S

Fuel filter



CHERY A5
CHERY TIGGO
CHERY TIGGO 3

OE

3320200023
702060046
T111117110

Filter Type: In-Line Filter
For OE number: 3320200023
Height [mm]: 143
Inlet [mm]: 8
Outer Diameter [mm]: 56
Outlet [mm]: 8

FC-020S

Fuel filter



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi
CHERY QIYUN 3
CHERY QQ6

OE

OJ1201511A
1J0 201 511 A
1J0201511A
3D0201511
3D0201511A
702060143

Diameter 1/ Diameter 2 [mm]: IN / OUT:8
Filter Type: In-Line Filter
For OE number: 702060143
Length [mm]: 172
Outer Diameter [mm]: 77

Filter

FC-192S

Fuel filter



CHERY COWIN


OE

0004442559
0024772701
0024772801
0060800097
119113206100
119113206101

Diameter 1/ Diameter 2 [mm]: IN/OUT:8
Filter Type: In-Line Filter
For OE number: 60523432
Length [mm]: 162,6
Outer Diameter [mm]: 80

FO-015S

Oil Filter



CHERY A3 2 volumi /Coda spiovente
CHERY A3 Tre volumi
CHERY A5
CHERY CHANCE M11
CHERY EASTAR
CHERY EASTAR A6

OE

481H-1012010
481H1012010
710020003

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 86
For OE number: 710020003
Inner Thread [mm]: M 20 X 1,5
Length [mm]: 103
Outer Diameter [mm]: 90

FO-022JM

Oil Filter



CHERY EASTAR CROSS
CHERY TIGGO

OE

0055230822
0650134
10149617-00
12285896-00
1535505
1699522

Bypass Valve Opening Pressure [bar]: 0,7
Filter Type: Screw-on Filter
For OE number: 71736161
Gasket inner diameter: 54
Gasket outer diameter: 62
Height [mm]: 85
Outer Diameter [mm]: 65
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M 20 X 1,5

FO-022S

Oil Filter



CHERY EASTAR CROSS
CHERY TIGGO

OE

0.009.4794.1
0.010.2687.0
0.010.3989.1
000 180 28 10
00308662667
0055230822

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 61
For OE number: 570418159905
Inner Thread [mm]: M 20X1,5
Length [mm]: 85
Outer Diameter [mm]: 65

FO-215S

Oil Filter



CHERY A5
CHERY COWIN
CHERY FENGYUN 2 2 volumi /Coda spiovente
CHERY FENGYUN 2 Tre volumi
CHERY FULWIN
CHERY FULWIN 2 volumi /Coda spiovente

OE

1449 182
1449182
6M346731AA
WE01-14302
WLY4-14-302 TT
WLY4-14302

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 70
For OE number: 1449182
Inner Thread [mm]: 3/4 x 16
Length [mm]: 102
Outer Diameter [mm]: 73,5

Filter

FO-279JM

Oil Filter



CHERY A1
CHERY CHANCE M11
CHERY COWIN
CHERY OMODA 5
CHERY QQ6

OE
00K05281090AB
0122-0645
0306483
03549957
04152-03002
04152-64010

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 71,4
For OE number: 90915YZZJ4
Inner Thread [mm]: 3/4 x 16
Length [mm]: 87,2
Outer Diameter [mm]: 76,5

FO-279S

Oil Filter



CHERY A1
CHERY CHANCE M11
CHERY COWIN
CHERY OMODA 5
CHERY QQ6

OE
00K05281090AB
0122-0645
0306483
03549957
04152-03002
04152-64010

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 71,4
For OE number: 90915YZZJ4
Inner Thread [mm]: 3/4 x 16
Length [mm]: 87,2
Outer Diameter [mm]: 76,5

FO-316S

Oil Filter




CHERY EASTAR
CHERY EASTAR A6
CHERY EASTAR CROSS
CHERY TIGGO
CHERY TIGGO 3

OE
0001802810
26300-02750
26300-02751
26300-02752
2630002752
3101000082

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 63
For OE number: 2630002752
Inner Thread [mm]: M20 x 1,5
Length [mm]: 86,6
Outer Diameter [mm]: 68

FO-502S

Oil Filter



CHERY TIGGO FL

OE
26300-35500
26300-35501
26300-35502
26300-35503
26300-35504
26300-35505

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 63
For OE number: MD322508
Inner Thread [mm]: M20 x 1,5
Length [mm]: 81
Outer Diameter [mm]: 90

FO-898S

Oil Filter



CHERY QQ6

OE
02/630225
02/630225A
140 516 190
140 516 250
140 516 990
144 7560

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 62,6
For OE number: 71742115
Inner Thread [mm]: 3/4 - 16 UNF
Length [mm]: 87
Outer Diameter [mm]: 68

FO-W01JM

Oil Filter



CHERY QQ3

OE
047 08 878
047 11 189
091112084
091125559
092.22.335
093167825

Bypass Valve Opening Pressure [bar]: 1,0
Filter Type: Screw-on Filter
For OE number: 5281090AB
Length [mm]: 72,5
Outer Diameter [mm]: 66
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: 3/4-16 UNF

Filter

FO-W01S

Oil Filter



CHERY QQ3

OE
092.22.335
1012010-01
15208-4A00A
15208-4A00E
15601-87107
15601-87107-000

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 64
For OE number: 5281090AB
Inner Thread [mm]: 3/4 - 16 UNF
Length [mm]: 72,5
Outer Diameter [mm]: 68

Joints

GI-032

Joint Kit, drive shaft



CHERY QQ6

OE
XLB3AF2203030C

External Teeth, wheel side: 23
Fitting Position: Front Axle
Internal Teeth, wheel side: 21
Number of Teeth, ABS ring: 43
Seal Diameter [mm]: 51
Specification: Groove type: INNER

GI-033

Joint Kit, drive shaft



CHERY TIGGO

OE

External Teeth, wheel side: 26
Fitting Position: Front Axle
Internal Teeth, wheel side: 30
Number of Teeth, ABS ring: 48
Seal Diameter [mm]: 63
Specification: Groove type: INNER

GI-W13

Joint Kit, drive shaft



CHERY EASTAR

OE
96639350

External Teeth, wheel side: 28
Fitting Position: Wheel Side
Internal Teeth, wheel side: 34
Length 1 [mm]: 99
Outer Thread [mm]: M 24 x 1,5
Overall Length [mm]: 165
Seal Diameter [mm]: 55,5
Specification: Groove type: Outer

GI-W27

Joint Kit, drive shaft



CHERY EASTAR

OE
96328841
96328842
96481004

External Teeth, wheel side: 28
Internal Teeth, wheel side: 32
Length [mm]: 160
Seal Diameter [mm]: 55,5
Specification: Groove Type : Outer

Mounting

Mounting

MM-00849

Shock Absorber



CHERY A1

OE

4G0413031AA
4G0413031AB
4G0413031AD
4G0413031AE
4G0413031K
4G0413031N

Fitting Position: Front Axle
For OE number: 4G0413031AE
Shock Absorber Design: Suspension Strut Insert
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MM-00850

Shock Absorber



CHERY A1

OE

4G0413031AF
4G0413031C
4G8413031H
4G8413031J

Fitting Position: Front Axle
For OE number: 4G0413031AF
Shock Absorber Design: Suspension Strut Insert
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MM-DR020

Shock Absorber



CHERY TIGGO 5x

OE

202000265AA
3360400024
3360400083
J522915010

Fitting Position: Rear Axle
For OE number: 3360400024
Length 1 [mm]: 395
Length 2 [mm]: 685
Piston Rod Diameter [mm]: 12,5
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MM-DR022

Shock Absorber



CHERY TIGGO 5x

OE

202000261AA
202000359AA
3360100048
3360100083

Fitting Position: Front Axle Left
For OE number: 3360100048
Input Shaft Diameter [mm]: 15
Paired article numbers: MA-DR023
Paired article numbers: MJDR023
Paired article numbers: MM-DR023
Piston Rod Diameter [mm]: 22
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MM-DR023

Shock Absorber



CHERY TIGGO 5x

OE

202000262AA
202000360AA
202000958AA
3360100049
3360100084
3360100122

Fitting Position: Right Front
For OE number: 3360100049
Input Shaft Diameter [mm]: 15
Paired article numbers: MA-DR022
Paired article numbers: MJDR022
Paired article numbers: MM-DR022
Piston Rod Diameter [mm]: 22
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

SI-0018

Rod/Strut, stabiliser



CHERY E3

OE

1607323480
1634883780
1646621980
508745
508759
508766

Bar/Strut: Push Rod
Fitting Position: Front Axle left and right
Length [mm]: 335
Material: Steel
Thread Size: M10X1,5