

Japanparts®



CLASSIC CAR



ALFA ROMEO GIULIA - SPIDER
CITROEN 2CV - DS
FIAT 124 - 126 - 500 - 600
PORSCHE 911
RENAULT 4



www.japanparts.eu

FC-011JM**105640406001**

Filter Type:Filter Insert
 Supplementary Article/Supplementary
 Info:with seal
 Height [mm]:71,5
 Inner Diameter [mm]:19
 Outer Diameter [mm]:85
 Outer Diameter 1 [mm]:88
 Inner Diameter 1 [mm]:18

B049**116 61 05 358 00**

Technical Information Number:HKT
 Overall Length [mm]:74
 Length 1 [mm]:32
 Length 2 [mm]:29
 Diameter [mm]:6,1
 Voltage [V]:11

B081**4393814**

Technical Information Number:HKT
 Overall Length [mm]:71
 Length 1 [mm]:32
 Length 2 [mm]:24
 Diameter [mm]:6,1
 Voltage [V]:11

BO-0237JM**1 357 296**

Voltage [V]:12
 Number of Poles:2

BP6ES**46481378**

Technical Information Number:NGK

BPR6E**4249164**

Technical Information Number:NGK

BPR6E/VL02**4249164**

Technical Information Number:NGK

BPR6EIX**5962.22**

Technical Information Number:NGK

BPR7E/VL19**N01781123**

Technical Information Number:NGK
 Spanner Size:20,6
 Spark Plug:With resistance

BPR9EIX**9079320026**

Technical Information Number:NGK

IW20**46481378**

Quality:Iridium
 Technical Information Number:DENSO

IW22**6051292900**

Quality:Iridium
 Technical Information Number:DENSO

W20EPR-U

4249164



Technical Information Number:DENSO

W22EPR-U

60504563



Technical Information Number:DENSO

DP-0235C

1054826215



Outer Diameter [mm]:267
 Height [mm]:64
 Brake Disc Type:Solid
 Brake Disc Thickness [mm]:9
 Minimum Thickness [mm]:7,5
 Number of Holes:4
 Centering Diameter [mm]:69,9
 Tightening Torque [Nm]:98

GF-0233AF

0060516551



Manufacturer Restriction:ATE
 Diameter [mm]:160
 Width [mm]:25
 Fitting Position:Rear Axle

PA-0145AF

0060713601



Brake System:ATE
 Fitting Position:Front Axle
 Height [mm]:70,2
 Length [mm]:76,8
 Thickness [mm]:15
 WVA Number:20011
 WVA Number:20068
 WVA Number:20420

PA-0151AF


0060 727 290



Brake System:ATE
 Fitting Position:Rear Axle
 Height [mm]:53,2
 Length [mm]:55,7
 Thickness [mm]:14,8
 WVA Number:20174
 WVA Number:20175
 WVA Number:20641

PA-0330AF

105.06.22.039.01



Thickness [mm]:15
 Inspection Tag:R90 Homologated
 Length [mm]:62
 Height 1 [mm]:56
 WVA Number:20034
 WVA Number:20107
 For OE number:105062203901
 Brake System:ATE

PA-0943AF

0060 714 404



WVA Number:20009
 Fitting Position:Front Axle
 For OE number:0060714404
 Brake System:ATE
 Width [mm]:56
 Height [mm]:53
 Thickness [mm]:15

PP-0126AF

2701647



Brake System:ATE
 Fitting Position:Rear Axle
 Height [mm]:56,3
 Length [mm]:61,4
 Thickness [mm]:15
 WVA Number:20755
 For OE number:2701647

FC-000S**1255179**

Filter Type:In-Line Filter
 Length [mm]:121
 Outer Diameter [mm]:48
 Inlet [mm]:8
 Outlet [mm]:6
 For OE number:71736104

FC-301JM**021104653A**

Filter Type:In-Line Filter
 Length [mm]:97
 Outer Diameter [mm]:49
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
 For OE number:532281

FC-301S**021104653A**

Filter Type:In-Line Filter
 Length [mm]:97
 Outer Diameter [mm]:49
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
 For OE number:532281

BO-0115JM**12 14 1 266 702**

Number of ports:7

BO-0237JM**1 357 296**

Voltage [V]:12
 Number of Poles:2

BP6ES**46481378**

Technical Information Number:NGK

BPR7E/VL19**N01781123**

Technical Information Number:NGK
 Spanner Size:20,6
 Spark Plug:With resistance

HY-040

Length [mm]:400

**IW22****6051292900**

Quality:Iridium
 Technical Information Number:DENSO

LPG2**MZ 602 074**

Fuel Type:CNG/LPG
 Recommended replace interval [km]:60000
 Spanner Size:20,8 mm
 Outer Thread [mm]:14,0
 Spark Plug:Unscrewable SAE connector
 Spark Plug:Iridium Middle Electrode

OO-U03**9636876680**

Technical Information Number:Universal
 Overall Length [mm]:315
 Number of Poles:3
 Lambda Sensor:Regulating Probe

PB-997**46437229**

Operating Mode:Electric
 Diameter [mm]:38
 Overall Length [mm]:135
 Diameter 1/ Diameter 2 [mm]:IN :10 OUT :9
 Voltage [V]:12
 Pressure [bar]:3,35

SS-F40

71805776



Length [mm]:400
 Technical Information Number:Flat
 Length [in]:16

SS-X40C

Length [mm]:400



W22EPR-U

60504563



Technical Information Number:DENSO

CAL135LJM

105262600301



Brake System:ATE
 Brake Disc Thickness [mm]:9,4
 Brake Caliper Type:Caliper (2 pistons)
 Diameter [mm]:38
 Paired article numbers:CAL135RJM

CAL135RJM

105262600401



Brake System:ATE
 Brake Disc Thickness [mm]:9,4
 Brake Caliper Type:Caliper (2 pistons)
 Diameter [mm]:38
 Paired article numbers:CAL135LJM

CAL444LJM

105412205300



Brake System:ATE
 Brake Disc Thickness [mm]:12,6
 Brake Caliper Type:Caliper (2 pistons)
 Diameter [mm]:48
 Paired article numbers:CAL444RJM

CAL444RJM

105412205200



Brake System:ATE
 Brake Disc Thickness [mm]:12,6
 Brake Caliper Type:Caliper (2 pistons)
 Diameter [mm]:48
 Paired article numbers:CAL444LJM

DP-0235C

1054826215



Outer Diameter [mm]:267
 Height [mm]:64
 Brake Disc Type:Solid
 Brake Disc Thickness [mm]:9
 Minimum Thickness [mm]:7,5
 Number of Holes:4
 Centering Diameter [mm]:69,9
 Tightening Torque [Nm]:98

GF-0233AF

0060516551



Manufacturer Restriction:ATE
 Diameter [mm]:160
 Width [mm]:25
 Fitting Position:Rear Axle

PA-0145AF

0060713601



Brake System:ATE
 Fitting Position:Front Axle
 Height [mm]:70,2
 Length [mm]:76,8
 Thickness [mm]:15
 WVA Number:20011
 WVA Number:20068
 WVA Number:20420

PA-0151AF

0060 727 290



Brake System:ATE
 Fitting Position:Rear Axle
 Height [mm]:53,2
 Length [mm]:55,7
 Thickness [mm]:14,8
 WVA Number:20174
 WVA Number:20175
 WVA Number:20641

PA-0330AF


105.06.22.039.01



Thickness [mm]:15
 Inspection Tag:R90 Homologated
 Length [mm]:62
 Height 1 [mm]:56
 WVA Number:20034
 WVA Number:20107
 For OE number:105062203901
 Brake System:ATE

PA-0943AF

0060 714 404



WVA Number:20009
 Fitting Position:Front Axle
 For OE number:0060714404
 Brake System:ATE
 Width [mm]:56
 Height [mm]:53
 Thickness [mm]:15

PP-0126AF

2701647



Brake System:ATE
 Fitting Position:Rear Axle
 Height [mm]:56,3
 Length [mm]:61,4
 Thickness [mm]:15
 WVA Number:20755
 For OE number:2701647

KH-026

46402982



026

Pressure [bar]:0,7

RU-999

7632025



999

Height [mm]:75
 Inner Diameter [mm]:27
 Inner Diameter 1 [mm]:35
 Outer Diameter [mm]:85,5

ZC5162G



Fitting Position:Rear Axle
 Length [mm]:462
 Outer Diameter [mm]:117
 Thickness [mm]:12

B104**12 23 2 248 059**

Technical Information Number:HKT
 Overall Length [mm]:104,5
 Length 1 [mm]:46
 Length 2 [mm]:32
 Diameter [mm]:5
 Voltage [V]:11

B6HS**09482-00338**

Technical Information Number:NGK

B7HS**9807657740**

Technical Information Number:NGK

BP6H**999-3409-6911-00**

Technical Information Number:NGK

BP6HS**59626C**

Technical Information Number:NGK

BPR6H/VL03**5403277**

Technical Information Number:NGK

BPR6HS**5403277**

Technical Information Number:NGK

BPR7HIX**99906-910X9-009**

Technical Information Number:NGK

IWF20**99906910X9008**

Technical Information Number:DENSO
 Electrode Gap [mm]:0,8

W20FPR-U**59626C**

Technical Information Number:DENSO

W20FSR-U**95605398**

Technical Information Number:DENSO

DI-0672C**95599322**

Fitting Position:Front Axle
 Outer Diameter [mm]:244
 Brake Disc Type:Solid
 Brake Disc Thickness [mm]:7
 Minimum Thickness [mm]:5
 Number of Holes:6
 Tightening Torque [Nm]:7,5
 Surface:Painted

GF-0631AF

AZ451016A



Fitting Position:Front Axle
 Diameter [mm]:200
 Width [mm]:36
 Brake System:CITROEN

GF-0632AF


95618234



Fitting Position:Rear Axle
 Diameter [mm]:180
 Width [mm]:34
 Brake System:CITROEN

PA-0648AF

5434279



Thickness [mm]:13
 WVA Number:20207
 Fitting Position:Front Axle
 Width [mm]:90
 Height [mm]:38,3
 For OE number:5434279

PA-0660AF

4AY75516221



Brake System:CITROEN
 Fitting Position:Front Axle
 Height [mm]:30,4
 Length [mm]:30,4
 Thickness [mm]:7
 WVA Number:20285
 WVA Number:20440
 For OE number:4AY75516221

MM-01299

371124MAB



Fitting Position:Front Axle
 Shock Absorber Type:Oil Pressure
 Shock Absorber Mounting Type:Top eye
 Shock Absorber Mounting Type:Bottom eye
 Shock Absorber Design:Telescopic Shock Absorber

B078**0011590001**

Technical Information Number:HKT
 Overall Length [mm]:69
 Length 1 [mm]:32
 Length 2 [mm]:22,5
 Diameter [mm]:6,1
 Voltage [V]:11,5

B081**4393814**

Technical Information Number:HKT
 Overall Length [mm]:71
 Length 1 [mm]:32
 Length 2 [mm]:24
 Diameter [mm]:6,1
 Voltage [V]:11

B093

Technical Information Number:HKT
 Overall Length [mm]:67
 Length 1 [mm]:27
 Length 2 [mm]:24
 Diameter [mm]:6,1
 Voltage [V]:11

**BO-0237JM****1 357 296**

Voltage [V]:12
 Number of Poles:2

BP6H**999-3409-6911-00**

Technical Information Number:NGK

BP6HS**59626C**

Technical Information Number:NGK

BPR7HIX**99906-910X9-009**

Technical Information Number:NGK

HY-035

Length [mm]:350

**IWF20****99906910X9008**

Technical Information Number:DENSO
 Electrode Gap [mm]:0,8

PI55**8-94439218-0**


Technical Information Number:HKT
 Overall Length [mm]:89
 Length 1 [mm]:47
 Length 2 [mm]:24
 Diameter [mm]:5
 Voltage [V]:5

SS-F35**71805145**

Length [mm]:350
 Technical Information Number:Flat
 Length [in]:14

SS-X35C

Length [mm]:350



CITROEN DS

CLASSIC CAR



GF-0634AF

545116A



Fitting Position:Rear Axle
Diameter [mm]:254
Width [mm]:36
Brake System:CITROEN

FA-016S

05014664AA



Length [mm]:332,2
Width [mm]:132,5
Height [mm]:41
Filter Type:Filter Insert
For OE number:K53006317

FC-000S

1255179



Filter Type:In-Line Filter
Length [mm]:121
Outer Diameter [mm]:48
Inlet [mm]:8
Outlet [mm]:6
For OE number:71736104

FC-301JM

021104653A



Filter Type:In-Line Filter
Length [mm]:97
Outer Diameter [mm]:49
Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
For OE number:532281

FC-301S

021104653A



Filter Type:In-Line Filter
Length [mm]:97
Outer Diameter [mm]:49
Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
For OE number:532281

FO-279JM

0306483



Filter Type:Screw-on Filter
Length [mm]:87,2
Outer Diameter [mm]:76,5
Fitted Diameter [mm]:71,4
Inner Thread [mm]:3/4 x 16
For OE number:90915YZZJ4

FO-279S

0306483



Filter Type:Screw-on Filter
Length [mm]:87,2
Outer Diameter [mm]:76,5
Fitted Diameter [mm]:71,4
Inner Thread [mm]:3/4 x 16
For OE number:90915YZZJ4

AL-163JM

4423623



Alternator Charge Current [A]:65
Voltage [V]:14
Pulleys:with multi-belt pulley
Belt Pulley [mm]:62
Number of Ribs:5
Clamp:M6,D+

B087

9631658980



Technical Information Number:HKT
Overall Length [mm]:89
Length 1 [mm]:46
Length 2 [mm]:29
Diameter [mm]:5
Voltage [V]:11

BO-0237JM

1 357 296



Voltage [V]:12
Number of Poles:2

BP6ES

46481378



Technical Information Number:NGK

BP7ES

46481378



Technical Information Number:NGK

BPR6ES

59622A



Technical Information Number:NGK

FIAT 124

CLASSIC CAR



BPR7E/VL19

N01781123



Technical Information Number:NGK
Spanner Size:20,6
Spark Plug:With resistance

LPG2

MZ 602 074



Fuel Type:CNG/LPG
Recommended replace interval
[km]:60000
Spanner Size:20,8 mm
Outer Thread [mm]:14,0
Spark Plug:Unscrewable SAE connector
Spark Plug:Iridium Middle Electrode

DI-0248C

16500253



Outer Diameter [mm]:227
Height [mm]:45,8
Brake Disc Type:Solid
Brake Disc Thickness [mm]:10,8
Minimum Thickness [mm]:9
Number of Holes:4
Fitting Position:Front Axle
Surface:Painted

PA-0249AF

4 174 992



Thickness [mm]:17,5
Length [mm]:109
Height 1 [mm]:39
Wear Warning Contact:Not prepared for
wear indicator
Brake System:Bendix
WVA Number:20073
Fitting Position:Front Axle

PA-0286AF

SE022165087



Brake System:CITROEN
Fitting Position:Front Axle
Height [mm]:39
Length [mm]:109
Thickness [mm]:12,5
WVA Number:20073
Brake System:Bendix
For OE number:SE022165087

PP-0203AF

4 173 122



Thickness [mm]:10
Length [mm]:109
Height 1 [mm]:39
Wear Warning Contact:Not prepared for
wear indicator
Brake System:Bendix
WVA Number:20074
For OE number:4173122

MM-00933

4155822



Fitting Position:Rear Axle
Shock Absorber System:Twin-Tube
Shock Absorber Mounting Type:Top eye
Shock Absorber Mounting Type:Bottom
eye
Shock Absorber Type:Gas Pressure
Shock Absorber Design:Telescopic Shock
Absorber
For OE number:21012915402

MM-00934

4155822



Fitting Position:Rear Axle
Shock Absorber Type:Oil Pressure
Shock Absorber Mounting Type:Top eye
Shock Absorber Mounting Type:Bottom
eye
Shock Absorber Design:Telescopic Shock
Absorber
For OE number:21012915402

FA-0213JM**4018014**

Shape:Round
 Height [mm]:143
 Outer Diameter [mm]:76
 Inner Diameter 1 [mm]:42
 Filter Type:Filter Insert
 For OE number:4018014

FC-000S**1255179**

Filter Type:In-Line Filter
 Length [mm]:121
 Outer Diameter [mm]:48
 Inlet [mm]:8
 Outlet [mm]:6
 For OE number:71736104

FC-301JM**021104653A**

Filter Type:In-Line Filter
 Length [mm]:97
 Outer Diameter [mm]:49
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
 For OE number:532281

FC-301S**021104653A**

Filter Type:In-Line Filter
 Length [mm]:97
 Outer Diameter [mm]:49
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
 For OE number:532281

GC-0226**4285573**

Length 1/ Length 2 [mm]:2070/285

KF-0204**5888341**

Supplementary Article/Supplementary Info:With clutch pressure plate
 Outer Diameter [mm]:160
 Supplementary Article/Supplementary Info 2:With clutch plate
 Number of Teeth:20
 Hub Profile:17,4 x 14,88
 Supplementary Article/Supplementary Info 2:With releaser

JO-0211**4193533**

Length [mm]:39,8
 Weight [g]:81
 Fitting Position:Front Axle
 Diameter 1 [mm]:16
 Supplementary Article/Supplementary Info 2:With bearing(s)

AL-146JM**43231721**

Alternator Charge Current [A]:65
 Voltage [V]:12
 Pulleys:with multi-belt pulley
 Belt Pulley [mm]:58
 Number of Ribs:5
 Clamp:M6

B087**9631658980**

Technical Information Number:HKT
 Overall Length [mm]:89
 Length 1 [mm]:46
 Length 2 [mm]:29
 Diameter [mm]:5
 Voltage [V]:11

B104**12 23 2 248 059**

Technical Information Number:HKT
 Overall Length [mm]:104,5
 Length 1 [mm]:46
 Length 2 [mm]:32
 Diameter [mm]:5
 Voltage [V]:11

BO-0237JM**1 357 296**

Voltage [V]:12
 Number of Poles:2

BP6ES**46481378**

Technical Information Number:NGK

BP6H

999-3409-6911-00



Technical Information Number:NGK

BP7HS

00603302211



Technical Information Number:NGK

BPR6E

4249164



Technical Information Number:NGK

BPR6E/VL02

4249164



Technical Information Number:NGK

BPR6EIX

5962.22



Technical Information Number:NGK

BPR6ES

59622A



Technical Information Number:NGK

BPR7HS

75 492 437



Technical Information Number:NGK

HY-035

Length [mm]:350



IGR6A11

999-06910-X9-027



Technical Information Number:NGK

IW20

46481378



Quality:Iridium
Technical Information Number:DENSO

IW22

6051292900



Quality:Iridium
Technical Information Number:DENSO

IWF20

99906910X9008



Technical Information Number:DENSO
Electrode Gap [mm]:0,8

LPG2

MZ 602 074



Fuel Type:CNG/LPG
 Recommended replace interval
 [km]:60000
 Spanner Size:20,8 mm
 Outer Thread [mm]:14,0
 Spark Plug:Unscrewable SAE connector
 Spark Plug:Iridium Middle Electrode

SS-F33

Length [mm]:325
 Technical Information Number:Flat



SS-X33C

Length [mm]:330



W20EPR-U

4249164

Technical Information Number:DENSO



W22FPR-U

59626C

Technical Information Number:DENSO



GF-0205AF

4352373

Thickness [mm]:4
 Width [mm]:31
 Brake System:Fiat
 Inner Br. Drum Diam. [mm]:185



GF-0234AF

0000004373445

Manufacturer Restriction:FIAT
 Diameter [mm]:170
 Width [mm]:31



GF-0247AF

4340810

Fitting Position:Front Axle
 Fitting Position:Rear Axle
 Diameter [mm]:170
 Width [mm]:31
 Thickness [mm]:4,5
 Specification:MAGG. + 05/10
 Brake System:FIAT



GF-0248AF

4340810

Fitting Position:Front Axle
 Fitting Position:Rear Axle
 Diameter [mm]:170
 Width [mm]:31
 Thickness [mm]:5
 Specification:MAGG. +10/10
 Brake System:FIAT



GF-0251AF

4352373

Width [mm]:31
 Fitting Position:Front Axle
 Fitting Position:Rear Axle
 Diameter [mm]:185
 Thickness [mm]:4,5
 Specification:MAGG. + 05/10
 Brake System:FIAT



GF-0252AF

4352373

Width [mm]:31
 Diameter [mm]:185
 Fitting Position:Front Axle
 Fitting Position:Rear Axle
 Thickness [mm]:5
 Specification:MAGG. 10/10
 Brake System:FIAT



TA-0201C


4236768

Fitting Position:Front Axle
 Fitting Position:Rear Axle
 Br. Drum outer diameter [mm]:219
 Max.skimmed drum measure [mm]:186,83
 Inner Brake Drum Height [mm]:37
 Total Br. Drum Height [mm]:53,3
 Number of Holes:4
 Pitch Circle [mm]:98



BCA-0291**4059152**

Length 1/ Length 2 [mm]:3500

BCL-0283**4230244**

Length 1/ Length 2 [mm]:1835/1460

KH-026**46402982**

026

Pressure [bar]:0,7

MM-00655**43171350**

Fitting Position:Rear Axle
 Shock Absorber Type:Oil Pressure
 Shock Absorber Mounting Type:Top pin
 Shock Absorber Design:Telescopic Shock
 Absorber
 For OE number:43171350

MM-00656**43171340**

Fitting Position:Front Axle
 Shock Absorber Type:Oil Pressure
 Shock Absorber Mounting Type:Bottom
 Pin
 Shock Absorber Design:Telescopic Shock
 Absorber
 For OE number:43171340

FA-0213JM**4018014**

Shape:Round
 Height [mm]:143
 Outer Diameter [mm]:76
 Inner Diameter 1 [mm]:42
 Filter Type:Filter Insert
 For OE number:4018014

FC-301JM**021104653A**

Filter Type:In-Line Filter
 Length [mm]:97
 Outer Diameter [mm]:49
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
 For OE number:532281

FC-301S**021104653A**

Filter Type:In-Line Filter
 Length [mm]:97
 Outer Diameter [mm]:49
 Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
 For OE number:532281

KF-0204**5888341**

Supplementary Article/Supplementary Info:With clutch pressure plate
 Outer Diameter [mm]:160
 Supplementary Article/Supplementary Info 2:With clutch plate
 Number of Teeth:20
 Hub Profile:17,4 x 14,88
 Supplementary Article/Supplementary Info 2:With releaser

B104**12 23 2 248 059**

Technical Information Number:HKT
 Overall Length [mm]:104,5
 Length 1 [mm]:46
 Length 2 [mm]:32
 Diameter [mm]:5
 Voltage [V]:11

B6HS**09482-00338**

Technical Information Number:NGK

BO-0237JM**1 357 296**

Voltage [V]:12
 Number of Poles:2

BP6H**999-3409-6911-00**

Technical Information Number:NGK

BP6HS**59626C**

Technical Information Number:NGK

BPR7HIX**99906-910X9-009**

Technical Information Number:NGK

BPR8HIX**90793-20103**

Technical Information Number:NGK

IWF20**99906910X9008**

Technical Information Number:DENSO
 Electrode Gap [mm]:0,8

W20FSR-U

95605398



Technical Information Number: DENSO

BC-0286

4104963



Fitting Position: Rear
Length 1/ Length 2 [mm]: 2305/700/700

GF-0205AF

4352373



Thickness [mm]: 4
Width [mm]: 31
Brake System: Fiat
Inner Br. Drum Diam. [mm]: 185

GF-0234AF

0000004373445



Manufacturer Restriction: FIAT
Diameter [mm]: 170
Width [mm]: 31

GF-0247AF

4340810



Fitting Position: Front Axle
Fitting Position: Rear Axle
Diameter [mm]: 170
Width [mm]: 31
Thickness [mm]: 4,5
Specification: MAGG. + 05/10
Brake System: FIAT

GF-0248AF

4340810



Fitting Position: Front Axle
Fitting Position: Rear Axle
Diameter [mm]: 170
Width [mm]: 31
Thickness [mm]: 5
Specification: MAGG. + 10/10
Brake System: FIAT

BCA-0291


4059152



Length 1/ Length 2 [mm]: 3500

BCC-02110


4109112



Length 1/ Length 2 [mm]: 1370/950

BCL-0283

4230244



Length 1/ Length 2 [mm]: 1835/1460

MM-00655

43171350



Fitting Position: Rear Axle
Shock Absorber Type: Oil Pressure
Shock Absorber Mounting Type: Top pin
Shock Absorber Design: Telescopic Shock Absorber
For OE number: 43171350

MM-00656

43171340



Fitting Position: Front Axle
Shock Absorber Type: Oil Pressure
Shock Absorber Mounting Type: Bottom Pin
Shock Absorber Design: Telescopic Shock Absorber
For OE number: 43171340

FC-301JM

021104653A



Filter Type:In-Line Filter
Length [mm]:97
Outer Diameter [mm]:49
Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
For OE number:532281

FC-301S

021104653A



Filter Type:In-Line Filter
Length [mm]:97
Outer Diameter [mm]:49
Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
For OE number:532281

DI-0248C

16500253



Outer Diameter [mm]:227
Height [mm]:45,8
Brake Disc Type:Solid
Brake Disc Thickness [mm]:10,8
Minimum Thickness [mm]:9
Number of Holes:4
Fitting Position:Front Axle
Surface:Painted

GF-0262AF

5880892



Fitting Position:Front Axle
Fitting Position:Rear Axle
Diameter [mm]:185
Width [mm]:31
Brake System:FIAT

GF-0263AF



Fitting Position:Front Axle
Fitting Position:Rear Axle
Diameter [mm]:185
Width [mm]:31
Brake System:FIAT

TA-0201C

4236768



Fitting Position:Front Axle
Fitting Position:Rear Axle
Br. Drum outer diameter [mm]:219
Max.skimmed drum measure [mm]:186,83
Inner Brake Drum Height [mm]:37
Total Br. Drum Height [mm]:53,3
Number of Holes:4
Pitch Circle [mm]:98

BCA-0291

4059152



Length 1/ Length 2 [mm]:3500

MM-00655

43171350



Fitting Position:Rear Axle
Shock Absorber Type:Oil Pressure
Shock Absorber Mounting Type:Top pin
Shock Absorber Design:Telescopic Shock Absorber
For OE number:43171350

GI-0416

6383341734



Length [mm]:32
Int. teeth, diff.side, conn.to transm.:28

B9ES

98079-59870



Technical Information Number:NGK

BP7HS

00603302211



Technical Information Number:NGK

BPR7HS

75 492 437



Technical Information Number:NGK

BPR8EIX

BY480-BPR8E



Technical Information Number:NGK

BPR8HIX

90793-20103



Technical Information Number:NGK

BPR9EIX

9079320026



Technical Information Number:NGK

BR8EIX

99906-910X9-012



Technical Information Number:NGK

BR9EG

98079-59649



Technical Information Number:NGK

BR9EIX

99906-910X9-013



Technical Information Number:NGK

BR9ES

756 547 6



Technical Information Number:NGK

IW22

6051292900



Quality:Iridium
Technical Information Number:DENSO


SS-F40

71805776



Length [mm]:400
 Technical Information Number:Flat
 Length [in]:16

SS-X33C



Length [mm]:330

SS-X40C



Length [mm]:400

W22FPR-U

59626C



Technical Information Number:DENSO

W24ESR

09482-00247-111



Technical Information Number:DENSO

WP-914

46443793



Voltage [V]:12
 Fitting Position:Front
 Number of ports:2
 Supplementary Article/Supplementary Info
 2:For windscreen cleaning system
 Pump Type:Mono Pump

WP-921

191 955 681



Voltage [V]:12
 Number of ports:2
 Supplementary Article/Supplementary Info
 2:For headlamp cleaning system
 Pump Type:Mono Pump

CAL548LJM

91135290700



Brake System:ATE
 Brake Disc Thickness [mm]:20
 Brake Caliper Type:Caliper (2 pistons)
 Diameter [mm]:38
 Paired article numbers:CAL548RJM

CAL548RJM

91135290800



Brake System:ATE
 Brake Disc Thickness [mm]:20
 Brake Caliper Type:Caliper (2 pistons)
 Diameter [mm]:38
 Paired article numbers:CAL548LJM

GF-0922AF

92835209700



Fitting Position:Rear Axle
 Diameter [mm]:180
 Width [mm]:25
 Brake System:BREMBO

PA-0145AF

0060713601



Brake System:ATE
 Fitting Position:Front Axle
 Height [mm]:70,2
 Length [mm]:76,8
 Thickness [mm]:15
 WVA Number:20011
 WVA Number:20068
 WVA Number:20420

PA-0151AF

0060 727 290



Brake System:ATE
 Fitting Position:Rear Axle
 Height [mm]:53,2
 Length [mm]:55,7
 Thickness [mm]:14,8
 WVA Number:20174
 WVA Number:20175
 WVA Number:20641

PA-0330AF

105.06.22.039.01



Thickness [mm]:15
 Inspection Tag:R90 Homologated
 Length [mm]:62
 Height 1 [mm]:56
 WVA Number:20034
 WVA Number:20107
 For OE number:105062203901
 Brake System:ATE

PA-0429AF


91135193800



Brake System:ATE
 Fitting Position:Front Axle
 Height [mm]:70
 Length [mm]:76,8
 Thickness [mm]:15
 WVA Number:20922
 For OE number:91135193800

PA-0943AF

0060 714 404



WVA Number:20009
 Fitting Position:Front Axle
 For OE number:0060714404
 Brake System:ATE
 Width [mm]:56
 Height [mm]:53
 Thickness [mm]:15

PA-0965AF

91135195007



Brake System:ATE
 Fitting Position:Front Axle
 Height [mm]:70,2
 Length [mm]:76,8
 Thickness [mm]:19
 WVA Number:20011
 WVA Number:20068
 WVA Number:20386

PP-0126AF

2701647



Brake System:ATE
 Fitting Position:Rear Axle
 Height [mm]:56,3
 Length [mm]:61,4
 Thickness [mm]:15
 WVA Number:20755
 For OE number:2701647

ZS09091

408957



Housing Diameter [mm]:18
 Diameter [mm]:8
 Length [mm]:305
 Stroke [mm]:105
 Eject Force [N]:370

ZS09096

91151133100



Housing Diameter [mm]:18
 Diameter [mm]:8
 Length [mm]:320
 Stroke [mm]:100
 Eject Force [N]:430

ZS09099

91151233101



Housing Diameter [mm]:18
 Diameter [mm]:8
 Length [mm]:255
 Stroke [mm]:86
 Eject Force [N]:370

ZS09100

408951



Housing Diameter [mm]:18
 Diameter [mm]:8
 Length [mm]:255
 Stroke [mm]:86
 Eject Force [N]:600

FA-114S

1654601B00



Height [mm]:60
Outer Diameter [mm]:196
Inner Diameter [mm]:146,3
Filter Type:Filter Insert
For OE number:1654601B00

FA-MC10

1444 K6



Technical Information Number:FILTRO ARIA - YANMAR
Inner Diameter [mm]:170
Outer Diameter [mm]:215
Filter Type:Filter Insert
For OE number:7701035018

FC-301JM

021104653A



Filter Type:In-Line Filter
Length [mm]:97
Outer Diameter [mm]:49
Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
For OE number:532281

FC-301S

021104653A



Filter Type:In-Line Filter
Length [mm]:97
Outer Diameter [mm]:49
Diameter 1/ Diameter 2 [mm]:IN/OUT: 8
For OE number:532281

GC-0703

7700620231



Length [mm]:651

BO-0237JM

1 357 296



Voltage [V]:12
Number of Poles:2

BP6H

999-3409-6911-00



Technical Information Number:NGK

BP6HS

59626C



Technical Information Number:NGK

BPR6E

4249164



Technical Information Number:NGK

BPR6E/VL02

4249164



Technical Information Number:NGK

BPR6EIX

5962.22



Technical Information Number:NGK

BPR7HIX

99906-910X9-009



Technical Information Number:NGK

IW20

46481378



Quality:Iridium
Technical Information Number:DENSO

IWF20

99906910X9008



Technical Information Number:DENSO
Electrode Gap [mm]:0.8

W16FP-U

7700733422



Technical Information Number:DENSO

W20EPR-U

4249164



Technical Information Number:DENSO

GF-0629AF

79 014 212 38



Fitting Position:Rear Axle
Diameter [mm]:180
Width [mm]:32
Brake System:BENDIX

GF-0720AF

7701002589



Fitting Position:Front Axle
Diameter [mm]:200
Width [mm]:36
Brake System:BENDIX

GF-0721AF

7701005433



Fitting Position:Rear Axle
Diameter [mm]:160
Width [mm]:26
Brake System:BENDIX

PA-0702AF

75 531 486



Thickness [mm]:15
Length [mm]:109
Height 1 [mm]:49
Wear Warning Contact:Incl. wear warning contact
Brake System:Bendix
Fitting Position:Front Axle
WVA Number:20140

PA-0723AF

7701200734



Brake System:LUCAS GIRLING
Fitting Position:Front Axle
Height [mm]:56,5
Length [mm]:93,6
Thickness [mm]:15,5
WVA Number:20480
For OE number:7701200734

OP-RE12

7701506600



For OE number:7701506600

KH-005

1J0121321B



Pressure [bar]:1,5

KH-026

46402982



Pressure [bar]:0,7

KH-101

2151600QAA



Opening Pressure [bar]:1,4

VT-0303

84NU8575D



Opening Temperature [°C]:86
Diameter 1 [mm]:43,5
Diameter 2 [mm]:40,5
Height 1 [mm]:37,0
Height 2 [mm]:25,0

VT-0702

267235



Opening Temperature [°C]:89
Diameter 1 [mm]:43,5
Diameter 2 [mm]:40,5
Height 1 [mm]:37,0
Height 2 [mm]:25,0

VT-0709

225.070



Opening Temperature [°C]:83
Diameter 1 [mm]:43,5
Diameter 2 [mm]:40,5
Height 1 [mm]:37
Height 2 [mm]:25

MM-00652

6000056012



Fitting Position:Front Axle
Shock Absorber Type:Gas Pressure
Shock Absorber Mounting Type:Bottom eye
Shock Absorber Mounting Type:Top pin
Shock Absorber Design:Telescopic Shock Absorber
For OE number:6000056012

MM-00667

6000056012



Fitting Position:Front Axle
Shock Absorber Type:Oil Pressure
Shock Absorber Mounting Type:Top pin
Shock Absorber Mounting Type:Bottom eye
Shock Absorber Design:Telescopic Shock Absorber
For OE number:6000056012

MM-00736

62025



Fitting Position:Rear Axle
Shock Absorber Type:Oil Pressure
Shock Absorber Mounting Type:Top eye
Shock Absorber Design:Telescopic Shock Absorber
For OE number:62025