



# NEWS JUNE 2025



[www.japanparts.eu](http://www.japanparts.eu)

**CATALOGUE**  
FOR CARS AND  
COMMERCIAL VEHICLES

**CATALOGO**  
PER AUTOMOBILI E VEICOLI  
COMMERCIALI

## Brake system

### PA-00112AF

#### Brake Pad Set, disc brake



IVECO EuroCargo

#### OE

1906043  
1906146  
1906297  
410609X425  
5001014704  
5001825339

Brake System: GIRLING  
Fitting Position: Front Axle  
For OE number: 1906146  
Height [mm]: 78,5  
Length [mm]: 175,3  
Number of Wear Indicators: 2  
Thickness [mm]: 22  
Warning Contact Length [mm]: 500  
Wear Warning Contact: Incl. wear warning contact  
WVA Number: 29033

### PA-0984AF

#### Brake Pad Set, disc brake



AUDI A3 Limousine (8YS)  
AUDI A3 Sportback (8YA)  
VW CADDY CALIFORNIA V Camper (SBB, SBJ)  
VW CADDY V Cassone/Limousine spaziosa (SBA, SBH)  
VW CADDY V MPV / Space wagon (SBB, SBJ)

#### OE

5R3698151  
5WA698151G  
5WA698151L  
5WA698151N

Brake System: ATE  
Height [mm]: 66,9  
Thickness [mm]: 16,9  
Width [mm]: 155,3  
WVA Number: 26677  
WVA Number: 26678

## Clutch

### FR-W13

#### Master Cylinder, clutch



CHEVROLET CAPTIVA (C100, C140)  
OPEL ANTARA

#### OE

24251413  
4418123

Bore [mm]: 20  
Mounting Bores Distance [mm]: 68  
Number of Bores: 1

### KF-5023

#### Clutch Kit



MITSUBISHI CARISMA Tre volumi (DA\_)  
MITSUBISHI SPACE STAR (DG\_A)

#### OE

Centering Diameter [mm]: 21,1  
Diameter [mm]: 180  
Number of Parts [parts]: 3  
Number of Teeth: 21

### KF-940

#### Clutch Kit



CHRYSLER PT CRUISER (PT\_)

#### OE

04668725AC  
04668725AD  
04668725AE  
K04668725AD  
K04668725AE

Diameter [mm]: 240  
Fitted Diameter [mm]: 28,9  
Number of Teeth: 26

## Clutch

### KF-H72

#### Clutch Kit



HYUNDAI H350 Autobus  
HYUNDAI H350 Furgonato  
HYUNDAI H350 Pianale piatto/Telaio

**OE**  
4110059800  
QD41430-T32040

Centering Diameter [mm]: 25  
Diameter [mm]: 274  
Number of Teeth: 23

### KV-FI01M

#### Clutch Kit



ALFA ROMEO MITO (955)  
FIAT 500 (312)  
FIAT 500 C (312)  
FIAT 500L  
FIAT PANDA (519, 312, 319)  
FIAT PANDA VAN (312, 519)

**OE**  
55247850  
55248702  
55256145  
55266573  
71796017

Clutch: Conversion from dual-mass flywheel to single-mass flywheel  
Eject Force [N]: 4200  
Hub Profile: 17,4 x 14,8  
Inner Diameter 1 [mm]: 137  
Outer Diameter [mm]: 200  
Supplementary Article/Supplementary Info 2: With clutch plate  
Supplementary Article/Supplementary Info 2: with flywheel  
Supplementary Article/Supplementary Info 2: With lock screw set  
Supplementary Article/Supplementary Info 2: With releaser  
Supplementary Article/Supplementary Info: With clutch pressure plate

## Cooling System

### VT-0132

#### Thermostat, coolant



BMW X5 (E53)

**OE**  
17101439115  
17107559966

Opening Temperature [°C]: 82

### VT-0330

#### Thermostat, coolant



FORD GALAXY (WA6)  
FORD MONDEO IV (BA7)  
FORD MONDEO IV Tre volumi (BA7)  
FORD MONDEO IV Turnier (BA7)  
FORD S-MAX (WA6)

**OE**  
5086515  
AG9G8575CA

Opening Temperature [°C]: 95  
Supplementary Article/Supplementary Info: with seal

### VT-0416

#### Thermostat, coolant



OPEL ASCONA C (81\_, 86\_, 87\_, 88\_)  
OPEL CALIBRA A (85\_)  
OPEL FRONTERA A Sport (5\_SUD2)  
OPEL FRONTERA B (6B\_)  
OPEL KADETT E (39\_, 49\_)  
OPEL KADETT E 2 volumi /Coda spiovente (33\_,

**OE**  
01338 049  
01338 054  
090232012  
090264080  
1338 049  
1338 054

Number of seals: 1  
Opening Temperature [°C]: 92  
Supplementary Article/Supplementary Info 2: With thermostat  
Supplementary Article/Supplementary Info 2: Without sensor  
Supplementary Article/Supplementary Info: With gaskets/seals

## Cooling System

### VT-0921

#### Thermostat, coolant



SEAT CORDOBA (6L2)  
SEAT IBIZA IV (6L1)  
SEAT IBIZA V (6J5, 6P5)  
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)  
SEAT IBIZA V ST (6J8, 6P8)  
SKODA FABIA

**OE**  
032121111CG

Housing Type: with housing  
Opening Temperature [°C]: 83  
Supplementary Article/Supplementary Info 2:  
with sensor  
Switch Point [°C]: 83

## Electrics

### ABS-K65

#### ABS Sensor



HYUNDAI XG (XG)  
HYUNDAI XG Tre volumi

**OE**  
95680-39501

Braking / Drive Dynamics: For vehicles with ABS  
Fitting Position: Rear Axle Left  
Paired article numbers: 151-0K-K64  
Paired article numbers: 151K64  
Paired article numbers: ABS-K64  
Rated Voltage [V]: 12

### SS-F25RF

#### Wiper Blade



CITROEN C5 II Break (RE\_)  
CITROEN C5 III Break (TD\_)  
MINI MINI COUNTRYMAN (F60)  
RENAULT CLIO Grandtour IV  
RENAULT CLIO IV  
RENAULT CLIO IV Furgonato

**OE**  
6423 34

Fitting Position: Rear  
Length [mm]: 250  
Technical Information Number: Flat Retrofit

### SS-F27RF

#### Wiper Blade



**OE**

Fitting Position: Rear  
Length [mm]: 275  
Technical Information Number: Flat Retrofit

### SS-F30RF

#### Wiper Blade



ALPINA XD3 (F25)  
AUDI A1 CITY CARVER (GBH)  
AUDI A1 Sportback (8XA, 8XK)  
AUDI A1 Sportback (GBA)  
AUDI A3 (8V1)  
AUDI A3 Sportback (8VA)

**OE**

Fitting Position: Rear  
Length [mm]: 300  
Technical Information Number: Flat Retrofit

## Electrics

### SS-F32RF

#### Wiper Blade



AUDI A3 Sportback (8PA)  
AUDI A4 Avant (8E5, B6)  
AUDI A4 Avant (8ED, B7)  
SEAT IBIZA SPORTCOUPE Cassone / coda spiovente (6J1)  
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)

**OE**  
8E9 955 425 C

Fitting Position: Rear  
Length [mm]: 325  
Technical Information Number: Flat Retrofit

### SS-F35RF

#### Wiper Blade



SKODA FABIA (6Y2)  
SKODA FABIA Combi (6Y5)  
SKODA FABIA Praktik  
SKODA FABIA Tre volumi (6Y3)

**OE**  
6Y0 955 425

Fitting Position: Rear  
Length [mm]: 350  
Technical Information Number: Flat Retrofit

### SS-F37RF

#### Wiper Blade



**OE**

Fitting Position: Rear  
Length [mm]: 375  
Technical Information Number: Flat Retrofit

### SS-F40RF

#### Wiper Blade



SKODA FABIA Combi  
SKODA OCTAVIA (1Z3)  
SKODA OCTAVIA Combi (1Z5)  
VW CADDY III Furgonato (2KA, 2KH, 2CA, 2CH)  
VW CADDY III Station wagon (2KB, 2KJ, 2CB, 2CJ)

**OE**  
1Z5 955 425  
7E0 955 425  
7E0955425

Fitting Position: Rear  
Length [mm]: 400  
Technical Information Number: Flat Retrofit

### UP-026TR

#### Feed Module (AdBlue)



MAN TGL  
MAN TGL II  
MAN TGS II  
MAN TGX

**OE**  
81154036117  
81154036118  
81154036134  
81154036138  
81154036139  
81154036146

Specification: MAN TGS /TGX 2013-

## Engine

## Engine

### PU-412

#### Belt Pulley, crankshaft



HONDA HR-V  
HONDA JAZZ IV (GK)

**OE**  
13810-5R0-003

Number of grooves: 6  
Outer Diameter [mm]: 150,5

## Filter

### FA-0268JM

#### Air Filter




FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

**OE**  
0052180232

Filter Type: Filter Insert  
For OE number: 0052180232  
Height [mm]: 180  
Length 1 [mm]: 205  
Length 2 [mm]: 115  
Width 1 [mm]: 175  
Width 2 [mm]: 80

### FA-128JM

#### Air Filter



NISSAN CUBE (Z12)  
NISSAN EVALIA  
NISSAN JUKE (F15)  
NISSAN JUKE Van (F15)  
NISSAN MICRA III (K12)  
NISSAN NOTE (E11)

**OE**  
16 54 690 40R  
16546-00QAR  
16546-BC40A  
16546-BN701  
16546-BN70A  
16546BC40A

Filter Type: Filter Insert  
For OE number: 16546BC40A  
Height [mm]: 58  
Length [mm]: 237,4  
Width [mm]: 140,4

### FA-135JM

#### Air Filter



NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)  
NISSAN QASHQAI / QASHQAI +2 I VAN (J10, JJ10E)  
NISSAN X-TRAIL (T31)  
NISSAN X-TRAIL VAN (T31)  
RENAULT KOLEOS (HY\_)

**OE**  
16 54 661 31R  
16 54 6JD 20B  
16546- JD20A  
16546-JD20B  
16546-JG70A  
16546JD20B

Filter Type: Filter Insert  
For OE number: 16546JD20B  
Height [mm]: 60  
Length [mm]: 237  
Width 1 [mm]: 137  
Width [mm]: 162

### FA-165S

#### Air Filter



DACIA JOGGER  
MITSUBISHI ASX (VSX\_, VSE\_)  
MITSUBISHI COLT VII 2 volumi /Coda spiovente (VB\_)  
NISSAN JUKE (F16\_)  
RENAULT CAPTUR II


**OE**  
16 54 689 57R  
16546-00Q4M  
MQ 000140  
MQ000140

Filter Type: Filter Insert  
For OE number: MQ000140  
Height [mm]: 38  
Length [mm]: 225  
Width [mm]: 100

## Filter

### FAA-DR04

Filter, interior air



DR DR 3

**OE**  
3310100030  
A13-8107915

Filter Type: Pollen Filter  
For OE number: 3310100030  
Height [mm]: 11  
Length [mm]: 184  
Width [mm]: 125

### FC-142JM

Fuel filter



NISSAN QASHQAI  
NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)  
NISSAN X-TRAIL (T32)  
RENAULT KADJAR  
RENAULT KOLEOS II

**OE**  
16 40 04E A1B  
16 40 061 84R  
16400-4EA1B  
16400-4EA1D  
16400-4EA2B  
16400-4EA2D

Filter Type: In-Line Filter  
For OE number: 164004EA1B  
Height [mm]: 160  
Inlet [mm]: 10  
Outer Diameter [mm]: 98  
Outlet [mm]: 10

### FC-321JM

Fuel filter



FORD B-MAX (JK)  
FORD B-MAX Van  
FORD C-MAX II  
FORD C-MAX II Van  
FORD ECOSPORT  
FORD FIESTA Van

**OE**  
1 677 518  
1 677 518 SK1  
1 780 195  
1 881 228  
1 881 228 SK1  
1 882 099

Filter Type: In-Line Filter  
Fitted Diameter [mm]: 25  
For OE number: 1780195  
Length [mm]: 105  
Outer Diameter [mm]: 95

## Joints

### AC-0108

Propshaft, axle drive



NISSAN CABSTAR Pick-up

**OE**  
37300F3600

Fitting Position: Rear  
Length [mm]: 1063

### AC-0123

Propshaft, axle drive



FORD USA EXPEDITION  
FORD USA F-150  
FORD USA F-150 Crew Cab Pickup  
FORD USA F-150 Extended Cab Pickup  
FORD USA F-150 Standard Cab Pickup

**OE**  
7L1Z4A376A  
7L1Z4A376B  
AL3Z-4A376-C  
AL3Z4A376D

Length [mm]: 816

## Joins

### AC-0124

#### Propshaft, axle drive



FORD USA F-150 Standard Cab Pickup

#### OE

BL3Z4R602H  
DL3Z4R602AH  
DL3Z4R602B  
DL3Z4R602Q

Length [mm]: 2329

### AC-0125

#### Propshaft, axle drive



CHEVROLET CAMARO

#### OE

92194140

Length [mm]: 1315

### AC-0126

#### Propshaft, axle drive



JEEP COMMANDER (XK)  
JEEP GRAND CHEROKEE III (WH, WK)

#### OE

52105726AC  
52105726AD  
52105726AE  
52105726AF

Length [mm]: 1116

### AC-0127

#### Propshaft, axle drive



DODGE RAM Pick-up  
RAM 2500 Crew Cab Pickup (DJ)

#### OE

52105934AA  
52105934AB  
52105934AC  
52105934AD  
52105934AE  
52105934AF

Length [mm]: 809

### GI-0106

#### Joint Kit, drive shaft



BMW X3 (E83)

#### OE

31603450565  
31603450566  
31607524045  
31607524046  
31607529201  
31607529202

External Teeth, wheel side: 30  
Fitting Position: Front Axle left and right  
Internal Teeth, wheel side: 33  
Length [mm]: 137  
Seal Diameter [mm]: 64,8  
Thread Size: M27X1,5  
Transmission Type: trasmissione automat

### GI-0256

#### Joint Kit, drive shaft



CITROEN JUMPER Autobus  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Pianale piatto/Telaio  
FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

#### OE

1349789080  
46308399  
46308497  
71771311

External Teeth, diff.side: 41  
Fitting Position: Front Axle Left  
Fitting Position: Transmission End  
Int. teeth, diff.side, conn.to transm.: 27  
Length [mm]: 172  
Seal Diameter [mm]: 43  
Transmission Type: cambio manuale a 5 m

## Joins

### GI-0321

#### Joint Kit, drive shaft



VOLVO S80 II (AS)

**OE**  
30614441

Fitting Position: Front Axle  
Fitting Position: Rear Axle  
Length [mm]: 21  
Number of splines on input shaft: 20  
Outer Diameter [mm]: 86

### GI-0415

#### Joint Kit, drive shaft



OPEL CORSA D  
OPEL CORSA D Van

**OE**  
1603408  
93190190

External Teeth, diff.side: 25  
Int. teeth, diff.side, conn.to transm.: 23  
Length [mm]: 174,5  
Seal Diameter [mm]: 34,9

### GI-0621

#### Joint Kit, drive shaft



MERCEDES-BENZ CITAN Combi (415)  
MERCEDES-BENZ CITAN Furgonato (415)  
MERCEDES-BENZ CITAN Mixto (415)  
RENAULT KANGOO / GRAND KANGOO (KW0/1\_)  
RENAULT KANGOO BE BOP (KW0/1\_)  
RENAULT KANGOO Express (FW0/1\_)

**OE**  
8200687739  
8200687740  
8201235167  
8201235754

External Teeth, wheel side: 27  
Fitting Position: Front Axle left and right  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 22  
Length [mm]: 146  
Seal Diameter [mm]: 56,7  
Technical Information Number: Groove Type  
Inner  
Thread Size: M22X1,5

### GI-0944

#### Joint Kit, drive shaft



AUDI 80 (81, 85, B2)  
PORSCHE 924  
PORSCHE 944  
VW POLO (6R, 6C)  
VW TRANSPORTER II Autobus  
VW TRANSPORTER II Furgonato

**OE**  
211501331B  
211598101  
212501331  
251498103A  
251501331  
251598101

Bore [mm]: 8,2  
Int. teeth, diff.side, conn.to transm.: 33  
Length [mm]: 32  
Machined: Without groove in internal component  
Number of Bores: 6  
Pitch Circle [mm]: 86  
Specification: con viti/bulloni

### GI-0946

#### Joint Kit, drive shaft



AUDI A3 (8P1)  
AUDI A3 (8V1)  
AUDI A3 Cabriolet (8P7)  
AUDI A3 Cabriolet (8V7)  
AUDI A3 Limousine (8VS)  
AUDI A3 Sportback (8PA)

**OE**  
1J0407363E  
1J0498103L  
1J0498103LX  
1K0407271NM  
1K0498103E  
1K0498103EV

Bore [mm]: 10,1  
Fitting Position: Front Axle  
Fitting Position: Transmission End  
Int. teeth, diff.side, conn.to transm.: 34  
Length [mm]: 86  
Pitch Circle [mm]: 100  
Technical Information Number: AAR,original design

## Joins

### GI-0947

#### Joint Kit, drive shaft



AUDI Q7 (4L)  
 PORSCHE CAYENNE  
 PORSCHE CAYENNE (955)  
 VW AMAROK (2H\_, S1B)  
 VW AMAROK Pianale piatto/Telaio (S1B)  
 VW TOUAREG (7LA, 7L6, 7L7)

#### OE

16870648  
 19495343219  
 2H0407271DV  
 2H0498103  
 7L0407331A  
 7L0498103

Fitting Position: Front Axle  
 Fitting Position: Transmission End  
 Int. teeth, diff.side, conn.to conn.shaft: 28  
 Length [mm]: 34  
 Machined: Without groove in internal component  
 Number of Bores: 6  
 Pitch Circle [mm]: 96

### GI-923

#### Joint Kit, drive shaft



JEEP CHEROKEE (KJ)

#### OE

5066022AA  
 5066023AA  
 52111778AB  
 52111780AB  
 52111781AB

External Teeth, diff.side: 39  
 Fitting Position: Front Axle  
 Fitting Position: Wheel Side  
 Int. teeth, diff.side, conn.to transm.: 27  
 Length [mm]: 451  
 Seal Diameter [mm]: 30  
 Seal Diameter [mm]: 60

## Mounting

### BS-192R

#### Track Control Arm



NISSAN LEAF (ZE1)

#### OE

545004DA0A

Bar/Strut: Push Rod  
 Cone Size [mm]: 18  
 Fitting Position: Front Axle Right  
 Material: Sheet Steel  
 Paired article numbers: 72-01-192L  
 Paired article numbers: 72192L  
 Paired article numbers: BS-192L  
 Steering Type: Control Arm

### BS-H92L

#### Track Control Arm



HYUNDAI i30 (PDE)  
 HYUNDAI i30 FASTBACK (PDE)  
 HYUNDAI i30 Hatchback Van (PDE)  
 HYUNDAI i30 Station wagon  
 KIA CEED (CD)  
 KIA CEED Combi Van (CD)

#### OE

54500-G4AA0

Fitting Position: Front Axle Left  
 Steering Type: Control Arm  
 Thread Size: MM12X1,25R

### BS-H92R

#### Track Control Arm



HYUNDAI i30 (PDE)  
 HYUNDAI i30 FASTBACK (PDE)  
 HYUNDAI i30 Hatchback Van (PDE)  
 HYUNDAI i30 Station wagon  
 KIA CEED (CD)  
 KIA CEED Combi Van (CD)

#### OE

54501-G4AA0

Fitting Position: Front Axle Right  
 Steering Type: Control Arm  
 Thread Size: MM12X1,25R

## Mounting

### BS-K53L

#### Track Control Arm



KIA SORENTO III

#### OE

54500C5150  
54500C6000

Bar/Strut: Push Rod  
Cone Size [mm]: 17,9  
Fitting Position: Front Axle Left  
Material: Sheet Steel  
Paired article numbers: 72-0K-K53R  
Paired article numbers: 72K53R  
Paired article numbers: BS-K53R  
Steering Type: Control Arm

### BS-K53R

#### Track Control Arm



KIA SORENTO III

#### OE

54501C5150  
54501C6000

Bar/Strut: Push Rod  
Cone Size [mm]: 17,9  
Fitting Position: Front Axle Right  
Material: Sheet Steel  
Paired article numbers: 72-0K-K53L  
Paired article numbers: 72K53L  
Paired article numbers: BS-K53L  
Steering Type: Control Arm

### MM-01129

#### Shock Absorber



RENAULT TWINGO III  
SMART FORFOUR 2 volumi /Coda spiovente (453)  
SMART FORTWO Cabriolet (453)  
SMART FORTWO Coupé (453)

#### OE

453 326 03 00  
453 326 04 00  
453 326 05 00  
562103074R

Fitting Position: Rear Axle  
For OE number: 562103074R  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-01290

#### Shock Absorber



ALFA ROMEO STELVIO (949\_)

#### OE

50548513  
50551259  
50559657

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Monotube  
Shock Absorber Type: Gas Pressure

### MM-01292

#### Shock Absorber



AUDI A6 (C8, 4A2)  
AUDI A6 Allroad (4AH, C8)  
AUDI A6 Avant (C8, 4A5)  
AUDI Q5  
AUDI Q5 Sportback (FYT)  
AUDI Q5 Van (FYB, FYG)

#### OE

4K0413031AL  
4K0413031AM  
80A413031AA  
80A413031AB  
80A413031AD  
80A413031AE

Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-20104

#### Shock Absorber



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN BERLINGO Furgonato (K9)  
OPEL COMBO Cassone / Furgonato / Promiscuo (X19)  
OPEL COMBO MPV / Space wagon (X19)

#### OE

1611448580  
1611448680  
1612181380  
1612181480  
3550079  
3550389

Fitting Position: Front Axle  
For OE number: 9820363980  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-33121

#### Shock Absorber



ABARTH 124 Spider (348\_)  
FIAT 124 Spider (348\_)  
MAZDA MX-5 IV (ND)  
MAZDA MX-5 RF (ND)

#### OE

N270-34-700A  
N27034700A  
N293-34-700A  
NA2E-34-700A  
NA8W-34-700B  
NC3J-34-700

Fitting Position: Front Axle  
For OE number: N27034700A  
Shock Absorber Design: Spring-bearing  
Damper  
Shock Absorber Mounting Type: Bottom Fork  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-AS376

#### Boot, air suspension



LINCOLN NAVIGATOR

#### OE

3U2Z5580LA  
F75Z5A891BA

Drive Type: All-wheel Drive  
Fitting Position: Rear  
Shock Absorber Mounting Type: Bottom Yoke  
Shock Absorber Mounting Type: Top pin  
Spring Type: for pneumatic suspension  
vehicles

### MM-AS469

#### Pneumatic Suspension



MERCEDES-BENZ CLASSE E All-Terrain (S213)

#### OE

213 320 23 01  
213 320 87 00  
A213 320 23 01  
A213 320 87 00

Fitting Position: Front Axle Left  
Paired article numbers: MA-AS470  
Paired article numbers: MJAS470  
Paired article numbers: MM-AS470  
Shock Absorber Mounting Type: Bottom Fork  
Shock Absorber Type: Gas Pressure

### MM-AS470

#### Pneumatic Suspension



MERCEDES-BENZ CLASSE E All-Terrain (S213)

#### OE

213 320 24 01  
213 320 88 00  
A213 320 24 01  
A213 320 88 00

Fitting Position: Front Axle Right  
Paired article numbers: MA-AS469  
Paired article numbers: MJAS469  
Paired article numbers: MM-AS469  
Shock Absorber Mounting Type: Bottom Fork  
Shock Absorber Type: Gas Pressure

### RU-2869

#### Engine Mounting



TOYOTA YARIS (SCP9\_, NSP9\_, KSP9\_, NCP9\_, ZSP9\_)

#### OE

123720N010  
123720N030

Fitting Position: Transmission End