

**Japanparts®**



[www.japanparts.eu](http://www.japanparts.eu)

**CATALOGUE**

MG

SPARE PARTS

**CATALOGO**

MG

RICAMBI

## Brake system

### BPW-248

Warning Contact, brake pad wear



MG MG ZT  
MG MG ZT- T

#### OE

S0E100010  
S0E100010

Brake Type: Disc Brake  
Length [mm]: 850

### BPW-325

Warning Contact, brake pad wear



MG MG ZT  
MG MG ZT- T

#### OE

SCM100030  
SOM100030

Brake Type: Disc Brake  
For OE number: SOM100030  
Length [mm]: 1130

### CAL016LJM

Brake Caliper



MG MG ZT  
MG MG ZT- T

#### OE

34 11 6 765 881  
34116750149  
34116765881  
SEG000050

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Paired article numbers: CAL016RJM

### CAL016RJM

Brake Caliper



MG MG ZT  
MG MG ZT- T

#### OE

34 11 6 765 882  
34116750150  
34116765882  
SEG000040

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Paired article numbers: CAL016LJM

### CAL166LJM

Brake Caliper



MG MG ZT  
MG MG ZT- T

#### OE

34 21 6 758 135  
34211165033  
34216758135  
SMC000351  
SOB000050

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 19  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL166RJM

### CAL166RJM

Brake Caliper



MG MG ZT  
MG MG ZT- T

#### OE

34 21 6 758 136  
34211165034  
34216758136  
SMC000341  
SOB000040

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 19  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL166LJM

## Brake system

### CAL370LJM

#### Brake Caliper



MG MG ZR

#### OE

45012S6DE01  
45012S6DE02  
45013ST3E00  
45023SK3E00  
EJP1439  
GBC156

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 21  
Brake System: GIRLING  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Paired article numbers: CAL370RJM

### CAL370RJM

#### Brake Caliper



MG MG ZR

#### OE

45012ST3E00  
45013S6DE01  
45013S6DE02  
45021SK3E00  
EJP1440  
GBC154

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 21  
Brake System: GIRLING  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Paired article numbers: CAL370LJM

### CAL518LJM

#### Brake Caliper



MG MG ZR

#### OE

43013ST3E00  
43013ST3E01  
43023SK3E00  
EJP1423  
GBC158  
SOB000020

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: GIRLING  
Diameter [mm]: 30  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL518RJM

### CAL518RJM

#### Brake Caliper



MG MG ZR

#### OE

43012ST3E00  
43012ST3E01  
43021SK3E00  
EJP1424  
GBC161  
SOB000010

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: GIRLING  
Diameter [mm]: 30  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL518LJM

### DI-0166C

#### Brake Disc



MG MG 3

#### OE

10094756

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 64  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 19  
Number of mounting bores: 1  
Outer Diameter [mm]: 257  
Pitch Circle [mm]: 100  
Rim Hole Number: 4  
Surface: Painted  
Thickness [mm]: 38

## Brake system

### DI-0169C

#### Brake Disc



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

GBD90841  
SDB100500

Brake Disc Thickness [mm]: 13  
Brake Disc Type: Solid  
Centering Diameter [mm]: 64,2  
For OE number: GBD90841  
Height [mm]: 44,5  
Hole Arrangement / Number: 04/08  
Minimum Thickness [mm]: 11  
Outer Diameter [mm]: 261  
Pitch Circle [mm]: 100  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Painted

### DI-0172C

#### Brake Disc



MG MG 5 Station wagon  
MG MG ZS Fuoristrada chiuso


#### OE

10282168  
11193996

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 65  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 23  
Number of mounting bores: 1  
Outer Diameter [mm]: 300  
Pitch Circle [mm]: 112  
Rim Hole Number: 5  
Surface: Coated  
Thickness [mm]: 47

### DI-0177C

#### Brake Disc



MG MG ZS Fuoristrada chiuso

#### OE


10266048

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 64,1  
Height [mm]: 43,5  
Hole Arrangement / Number: 05/12  
Inner Diameter [mm]: 144,2  
Minimum Thickness [mm]: 20  
Outer Diameter [mm]: 280  
Pitch Circle [mm]: 100  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Coated  
Wheel Bolt Bore [mm]: 14,6

## Brake system

### DI-0183C

#### Brake Disc



MG MG 4  
MG MG HS  
MG MG HS (AS33)


#### OE

1025099  
102509900A  
102509900B  
10464822  
6006420  
600642000A

Brake Disc Thickness [mm]: 32  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 70,2  
Fitting Position: Front Axle  
Height [mm]: 70,7  
Inner Diameter [mm]: 166  
Minimum Thickness [mm]: 30  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 355  
Pitch Circle [mm]: 120  
Surface: Painted  
Wheel Bolt Bore [mm]: 16,6

### DI-0184C

#### Brake Disc



MG MG HS

#### OE

10174827

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 65  
Fitting Position: Front  
Height [mm]: 46,6  
Inner Diameter [mm]: 139  
Minimum Thickness [mm]: 23  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 312  
Pitch Circle [mm]: 112  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Coated  
Wheel Bolt Bore [mm]: 15

### DI-0612C

#### Brake Disc



MG MG 6 Tre volumi

#### OE

10008343  
10023289  
1325772080  
1331301080  
1340179080  
1340193080

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 4249H7  
Height [mm]: 43,5  
Minimum Thickness [mm]: 26  
Number of Holes: 5  
Outer Diameter [mm]: 285  
Surface: Painted  
Tightening Torque [Nm]: 100

### DI-426C

#### Brake Disc



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

45251S06000  
45251S5DA10  
45251S5HT10  
45251S6DE10  
45251SCC000  
45251SCC900

Brake Disc Thickness [mm]: 21  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 45251TARG00  
Height [mm]: 45  
Minimum Thickness [mm]: 19  
Number of Bores: 4  
Outer Diameter [mm]: 261,7  
Pitch Circle [mm]: 64  
Surface: Painted  
Tightening Torque [Nm]: 108

## Brake system

### DI-442C

#### Brake Disc



MG MG 6 Tre volumi  
MG MG ZT  
MG MG ZT- T

#### OE

10002710  
10002711  
GBD90844  
SDB000808  
SDB000870  
SDB000880

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Centering Diameter [mm]: 64,2  
Fitting Position: Front Axle  
For OE number: SDB000880  
Height [mm]: 38  
Minimum Thickness [mm]: 19  
Number of Holes: 5  
Outer Diameter [mm]: 284  
Pitch Circle [mm]: 100  
Surface: Painted  
Tightening Torque [Nm]: 125

### DI-491C

#### Brake Disc



MG MIDGET

#### OE

45251S2G000  
45251S50G00  
45251S50J00  
45251S50J01  
45251SAAG00  
45251SAAG10

Brake Disc Thickness [mm]: 21  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
For OE number: 45251SAAG12  
Height [mm]: 39,5  
Minimum Thickness [mm]: 19  
Number of Bores: 4  
Outer Diameter [mm]: 239,3  
Pitch Circle [mm]: 61  
Surface: Painted  
Tightening Torque [Nm]: 108

### DP-0157C

#### Brake Disc



MG MG HS


#### OE

10491104

Brake Disc Thickness [mm]: 12  
Brake Disc Type: Solid  
Centering Diameter [mm]: 65  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 10  
Number of Bores: 5  
Outer Diameter [mm]: 304  
Pitch Circle [mm]: 112  
Thickness [mm]: 37

### DP-0161C

#### Brake Disc



MG MG 5 Station wagon

#### OE


10347628

Brake Disc Thickness [mm]: 19  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 65  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 17  
Number of mounting bores: 1  
Outer Diameter [mm]: 265  
Pitch Circle [mm]: 112  
Rim Hole Number: 5  
Surface: Coated  
Thickness [mm]: 62

## Brake system

### DP-0166C

#### Brake Disc



MG MG ZS Fuoristrada chiuso

**OE**  
10266049

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Centering Diameter [mm]: 64  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 7  
Number of mounting bores: 2  
Outer Diameter [mm]: 255  
Pitch Circle [mm]: 100  
Rim Hole Number: 5  
Thickness [mm]: 37

### DP-0167C

#### Brake Disc



MG MG HS

**OE**  
10174828

Brake Disc Thickness [mm]: 12  
Brake Disc Type: Solid  
Centering Diameter [mm]: 65  
Fitting Position: Rear Axle  
Height [mm]: 48,7  
Number of Bores: 5  
Number of mounting bores: 1  
Outer Diameter [mm]: 282  
Surface: Painted

### DP-402C

#### Brake Disc



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

**OE**  
42510 SE0 000  
42510 SE0-010  
42510 SH3-G00  
42510 SH3-G01  
42510-SE0-010  
42510-SH3-000

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 42510SH3000  
Height [mm]: 48  
Inspection Tag: ECE R90 APPROVED  
Minimum Thickness [mm]: 8  
Number of Bores: 4  
Outer Diameter [mm]: 238  
Pitch Circle [mm]: 61  
Surface: Painted  
Tightening Torque [Nm]: 108

### DP-405C

#### Brake Disc



MG MGR V8

**OE**  
42510SG9000  
42510SG9010  
CLP3758  
GBD802  
GBD90802  
GBD90834

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 42510SG9010  
Height [mm]: 43,6  
Inspection Tag: ECE R90 APPROVED  
Minimum Thickness [mm]: 8,5  
Number of Bores: 4  
Outer Diameter [mm]: 260  
Pitch Circle [mm]: 64  
Surface: Painted

## Brake system

### DP-426C

#### Brake Disc



MG MG 6 Tre volumi  
MG MG ZT  
MG MG ZT- T

#### OE

GBD 90847  
SDB 000870  
SDB 000871  
SDB 101100  
SDB000870  
SDB000871

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Centering Diameter [mm]: 64,15  
Fitting Position: Rear Axle  
For OE number: SDB101100  
Minimum Thickness [mm]: 8  
Number of mounting bores: 1  
Number of mounting bores: 5  
Outer Diameter [mm]: 280,0  
Pitch Circle [mm]: 100  
Surface: Painted  
Thickness [mm]: 62,2

### DP-495C

#### Brake Disc



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

42510S5A000  
42510S5AA00  
42510S5HT00  
SDB000290

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
For OE number: 42510S5HT00  
Height [mm]: 49  
Inspection Tag: ECE R90 APPROVED  
Minimum Thickness [mm]: 8  
Number of Bores: 4  
Outer Diameter [mm]: 259,5  
Pitch Circle [mm]: 61  
Surface: Painted  
Tightening Torque [Nm]: 108

### GF-0002AF

#### Brake Shoe Set



MG METRO  
MG MIDGET

#### OE

18G8647  
18G8682  
31004381  
38722114  
701788  
G85101

Brake System: LOCKHEED AP  
Diameter [mm]: 177,8  
Fitting Position: Front Axle  
Fitting Position: Rear Axle  
Width [mm]: 32

### GF-0003AF

#### Brake Shoe Set



MG MG ZT  
MG MG ZT- T

#### OE

GBS90838AF  
SFS100190  
SFS100190SLP

Brake System: TEVES  
Diameter [mm]: 160  
Fitting Position: Rear Axle  
Width [mm]: 20

### GF-L14AF

#### Brake Shoe Set



MG MAESTRO  
MG MONTEGO

#### OE


GBS1106  
GBS817  
GBS90820  
GBS90828  
GBS90828AF

Brake System: LUCAS GIRLING  
Diameter [mm]: 203,2  
Fitting Position: Rear Axle  
Width [mm]: 38

## Brake system

### PA-0097AF

#### Brake Pad Set, disc brake



MG MG ZS Fuoristrada chiuso

#### OE

10088104  
10197211  
10343249

Fitting Position: Front Axle  
For OE number: 10343249  
Height 1 [mm]: 62,5  
Height 2 [mm]: 56,2  
Number of Wear Indicators: 2  
Thickness/Strength 1 [mm]: 17,5  
Wear Warning Contact: With acoustic wear warning  
Width 1 [mm]: 156,4  
Width 2 [mm]: 155,2  
WVA Number: 22409  
WVA Number: 22410  
WVA Number: 22411

### PA-0112AF

#### Brake Pad Set, disc brake



MG MG ZT  
MG MG ZT- T

#### OE

34111164629  
34112357229  
34113404362  
34116750148  
34116754705  
34116761243

Article number of recommended accessories:  
BPW-081  
Article number of recommended accessories:  
BPW-131  
Fitting Position: Front Axle  
For OE number: 34111164629  
Height [mm]: 63,9  
Width [mm]: 156  
WVA Number: 21676  
WVA Number: 21677  
WVA Number: 23183

### PA-0160AF

#### Brake Pad Set, disc brake



MG MG TF  
MG MGF (RD)

#### OE

GBP90318  
GBP90320  
GBP90320AF  
GBP90337  
GBP90337AF  
GBP90345AF

Brake System: Lucas  
Fitting Position: Front Axle  
For OE number: SEM100020  
Height [mm]: 60,2  
Supplementary Article/Supplementary Info 2:  
with brake caliper screws  
Thickness [mm]: 17  
Wear Warning Contact: Not prepared for wear indicator  
Width [mm]: 114,9  
WVA Number: 21518

### PA-0340AF

#### Brake Pad Set, disc brake



MG MG ZS Fuoristrada chiuso

#### OE

10248966  
C2C27290  
C2C35612  
C2C39929  
C2C42014

Brake System: ATE  
Fitting Position: Front Axle  
For OE number: C2C35612  
Height 1 [mm]: 72  
Height [mm]: 66,7  
Thickness [mm]: 19  
Width 1 [mm]: 156  
Width [mm]: 155,3  
WVA Number: 24123  
WVA Number: 24124

## Brake system

### PA-0371AF

#### Brake Pad Set, disc brake



MG MGC  
MG MGC GT

#### OE

899.4790  
8993263  
8993297  
8994790  
9102690  
VBP289

Brake System: LUCAS GIRLING  
Fitting Position: Front Axle  
For OE number: 8993263  
Height [mm]: 64,2  
Length [mm]: 78,4  
Thickness [mm]: 15,5  
WVA Number: 20030

### PA-0374AF

#### Brake Pad Set, disc brake



MG MGB GT

#### OE

1571569  
1642643  
5010540  
5015932  
5018907  
5022397

Brake System: LOCKHEED  
Fitting Position: Front Axle  
For OE number: 6567001  
Height [mm]: 70,8  
Length [mm]: 88,6  
Thickness [mm]: 15  
WVA Number: 20364  
WVA Number: 20365

### PA-042AF

#### Brake Pad Set, disc brake



MG MGR V8

#### OE

GBP219  
GBP244

Brake System: Lockheed  
For OE number: GBP219  
Height 1 [mm]: 72  
Inspection Tag: R90 Homologated  
Length [mm]: 100  
Supplementary Article/Supplementary Info:  
with guide pin  
Thickness [mm]: 15  
Wear Warning Contact: Not prepared for wear  
indicator  
WVA Number: 20577

### PA-427AF

#### Brake Pad Set, disc brake



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

45022-S6D-E51  
45022-SK3-E00  
45022-ST3-E00  
45022-ST3-E01  
45022-ST3-E30  
45022-ST3-G00

Brake System: TRW  
Brake Type: Disc Brake  
Fitting Position: Front Axle  
For OE number: 45022S6DE01  
Height [mm]: 68,6  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 129,4  
Thickness [mm]: 17,6  
WVA Number: 21515  
WVA Number: 21516  
WVA Number: 21517

### PA-459AF

#### Brake Pad Set, disc brake



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

45022-S1A-E02  
45022-S1A-E50  
45022-S1A-E51  
45022-S1A-E64  
45022S1AE00  
45022S1AE02

Brake System: SUMITOMO  
Fitting Position: Front Axle  
For OE number: 45022S1AE00  
Height [mm]: 58,6  
Length [mm]: 131,6  
Thickness [mm]: 17,2  
WVA Number: 23094  
WVA Number: 23095  
WVA Number: 23563  
WVA Number: 23564

## Brake system

### PA-494AF

#### Brake Pad Set, disc brake



MG MG ZT  
MG MG ZT- T

#### OE

10002727  
10008675  
10086234  
GBP90342 AF  
GBP90342AF  
SFP100511

For OE number: SFP100511

### PA-L00AF

#### Brake Pad Set, disc brake



MG MG HS

#### OE

10203163  
10767908  
1379971  
1427386  
1432363  
1436498

Brake System: TEVES  
Brake Type: Disc Brake  
Fitting Position: Front Axle  
For OE number: 1379971  
Height 1 [mm]: 66,5  
Height [mm]: 72  
Inspection Tag: ECE R90 APPROVED  
Length 1 [mm]: 156,5  
Length [mm]: 155  
Thickness [mm]: 20  
WVA Number: 24123

### PA-L22AF

#### Brake Pad Set, disc brake



MG MIDGET

#### OE

3653022  
75242565  
8830740  
8830741  
8856491  
91014519

Brake System: LOCKHEED  
Fitting Position: Front Axle  
For OE number: GBP177  
Height [mm]: 64,4  
Length [mm]: 74,2  
Thickness [mm]: 13,8  
WVA Number: 20038  
WVA Number: 20217

### PA-W16AF

#### Brake Pad Set, disc brake



MG MARVEL R

#### OE

10424274  
13237751  
1605186  
1605232  
1605265  
1605317

Brake System: MANDO  
Brake Type: Disc Brake  
Fitting Position: Front Axle  
For OE number: 13237751  
Height [mm]: 66  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 142  
Thickness [mm]: 18  
WVA Number: 24412  
WVA Number: 24413  
WVA Number: 24414

## Brake system

### PP-0009AF

#### Brake Pad Set, disc brake



MG MG 6 Tre volumi  
MG MG X-POWER  
MG MG ZT  
MG MG ZT- T

#### OE

1020321  
1164499  
1164501  
2157574  
2157575  
2157620

Brake System: ATE

Fitting Position: Rear Axle

For OE number: 1164499

Height 1 [mm]: 45

Inspection Tag: R90 Homologated

Length [mm]: 123,1

Packing Type: Box

Supplementary Article/Supplementary Info 2:

With piston clip

Supplementary Article/Supplementary Info:

Without accessories

Thickness [mm]: 16,1

Wear Warning Contact: Prepared for wear indicator

WVA Number: 21934

### PP-0018AF

#### Brake Pad Set, disc brake



MG MG ZS Fuoristrada chiuso

#### OE

1 001 096  
1001096  
10030811  
1027640  
1027650  
1029782

Brake System: TRW Lucas

Fitting Position: Rear Axle

For OE number: 4D0698451C

Length [mm]: 87

Thickness [mm]: 17

Width [mm]: 53

WVA Number: 20961

### PP-0033AF

#### Brake Pad Set, disc brake



MG MARVEL R  
MG MG 5 Station wagon

#### OE

10413013

Fitting Position: Rear Axle

Inspection Tag: ECE R90 Approved

Length [mm]: 117

Supplementary Article/Supplementary Info 2:

With anti-squeak plate


Thickness/Strength 1 [mm]: 16

Wear Warning Contact: Not prepared for wear indicator

Width [mm]: 47

### PP-0039AF

#### Brake Pad Set, disc brake



MG MG HS

#### OE

10172328  
10332331

Fitting Position: Rear Axle

Thickness [mm]: 16

Wear Warning Contact: With acoustic wear warning

Width [mm]: 48,4

### PP-0040AF

#### Brake Pad Set, disc brake



MG MG ZS Fuoristrada chiuso

#### OE

10489774  
10634449

Fitting Position: Rear Axle

Length [mm]: 117,3

Thickness [mm]: 15

Wear Warning Contact: With acoustic wear warning

Width [mm]: 48,8

## Brake system

### PP-0105AF

#### Brake Pad Set, disc brake



MG MG ZT  
MG MG ZT- T

#### OE

1160340  
1160341  
1160533  
1161455  
1161456  
1162446

Article number of recommended accessories:  
BPW-126  
Article number of recommended accessories:  
BPW-203  
Brake System: ATE  
Fitting Position: Rear Axle  
For OE number: 1160340  
Height 1 [mm]: 43,6  
Inspection Tag: R90 Homologated  
Length [mm]: 123  
Packing Type: Box  
Supplementary Article/Supplementary Info 2:  
With piston clip  
Supplementary Article/Supplementary Info:  
Without accessories  
Thickness [mm]: 16,7  
Wear Warning Contact: Prepared for wear indicator  
WVA Number: 20180  
WVA Number: 20181

### PP-404AF

#### Brake Pad Set, disc brake



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

06022SP8000  
43022-SAA-J50  
43022-TG0T00  
43022S04E01  
43022SF1000  
43022SF1010

Brake Type: Disc Brake  
Fitting Position: Rear Axle  
For OE number: 06022SP8000  
Height [mm]: 35,3  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 89  
Thickness [mm]: 12,4  
WVA Number: 21312  
WVA Number: 21313  
WVA Number: 21314

### PP-405AF

#### Brake Pad Set, disc brake



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback


#### OE

06430S5AE50  
43022S2AE50  
5580080J02  
5580080J02000  
5580080J03  
5580080J03000

Brake Type: Disc Brake  
Fitting Position: Rear Axle  
For OE number: 6000628642  
Height [mm]: 47,2  
Inspection Tag: ECE R90 APPROVED  
Length [mm]: 88,7  
Thickness [mm]: 14  
WVA Number: 21719  
WVA Number: 21720  
WVA Number: 21721

### PP-421AF

#### Brake Pad Set, disc brake



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

06430S0AJ00  
06430S2A000  
06430S2AE50  
06430S5AJ00  
06430S6DE50  
06430S84A00

Brake System: Akebono  
Height [mm]: 47,5  
Number of Wear Indicators: 2  
Thickness [mm]: 14,6  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 89  
WVA Number: 21719  
WVA Number: 21720  
WVA Number: 21721

## Clutch

## Clutch

### CF-RV01

#### Releaser



MG MG ZT  
MG MG ZT- T

#### OE

UUB100191  
UUB100192  
UUB100193  
UUB100194

Height [mm]: 66  
Inner Diameter [mm]: 30  
Outer Diameter [mm]: 80

### CF-RV02

#### Releaser



MG MG ZT  
MG MG ZT- T

#### OE

GSY90187  
UUB105300  
UUB105301  
UUB105302

Height [mm]: 66  
Inner Diameter [mm]: 30  
Outer Diameter [mm]: 80

### KF-459

#### Clutch Kit



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

22105P5T305  
8510210  
GCK2000AF  
GCK2145AF  
GCK553AF  
GCK688AF

Centering Diameter [mm]: 25  
Diameter [mm]: 225  
Fitted Diameter [mm]: 270  
Inner Diameter [mm]: 142  
Number of Teeth: 24

## Cooling System

### KH-015

#### Radiator Cap



MG MG ZT  
MG MG ZT- T

#### OE

17111719167  
17111742232  
17112242256  
17114379048  
17137639023  
ESR1480

Pressure [bar]: 1,4

### KH-022

#### Radiator Cap



MG MG ZS Hatchback

#### OE

1301AE  
1301FE  
1301JF  
1301JG  
1301JH  
1301JJ

Pressure [bar]: 1,4

## Cooling System

### KH-023

#### Radiator Cap



MG MG ZS Hatchback

#### OE

01306.J5  
03637680  
1306-C9  
1306.E4  
1306.J5  
1306E4

Pressure [bar]: 1,4

### KH-026

#### Radiator Cap



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

1303101080  
46402982  
46402983  
46457390  
46556737  
46556738

Pressure [bar]: 0,7

### PQ-L03

#### Water Pump



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MGF (RD)

#### OE

GWP2168  
GWP333  
PEB10051  
PEB102510  
PEB102510L  
PEB102510SLP

Number of Teeth: 24  
Overall Height [mm]: 82

### PQ-L10

#### Water Pump



MG MG ZT  
MG MG ZT- T

#### OE

GWP2604  
PEB102440  
PEB102440L  
PEB102470  
PEB102470L

Belt Pulley [mm]: 65  
Diameter [mm]: 95  
Number of Ribs: 5  
Overall Height [mm]: 89

### VT-L06

#### Thermostat, coolant



MG MG ZT  
MG MG ZT- T

#### OE

PEL000090  
PEL100570  
PEL100570L  
PEM100570

Opening Temperature [°C]: 88

### VT-L10

#### Thermostat, coolant



MG MG ZS  
MG MG ZT  
MG MG ZT- T

#### OE

GTS341  
PEH101050  
PEM101050

Opening Temperature [°C]: 82  
Supplementary Article/Supplementary Info 2:  
Without sensor  
Supplementary Article/Supplementary Info:  
Without gasket / seal

## Electrics

### AL201020

#### Alternator



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MGF (RD)

#### OE

GNU2630  
GNU2631  
GNU2632  
YLE102420  
YLE102420E  
YLE102430

Alternator Charge Current [A]: 85  
Voltage [V]: 12

### ALH301

#### Alternator



MG MG ZT  
MG MG ZT- T

#### OE

GNU2562  
YLE000260  
YLE000260E  
YLE000261  
YLE102020  
YLE102500

Alternator Charge Current [A]: 100  
Voltage [V]: 12

### ALH417

#### Alternator



MG MG ZR  
MG MG ZS


#### OE

GNU2396  
SA036  
YLE101650  
YLE101650E  
YLE102010

Alternator Charge Current [A]: 80  
Voltage [V]: 12

### ALH750

#### Alternator



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

GNU2396  
GNU2397  
GNU2728  
YLE000010  
YLE101500  
YLE102000

Alternator Charge Current [A]: 90  
Number of grooves: 6  
Voltage [V]: 12

### B077

#### Glow plug HKT



MG MG ZT- T

#### OE

1037204  
1106500Q00  
1106500QAA  
1106500QAF  
1106500QAG  
11065BN701

Diameter [mm]: 5  
Length 1 [mm]: 46  
Length 2 [mm]: 24  
Length [mm]: 91,5  
Technical Information Number: HKT  
Voltage [V]: 11

### B085

#### Glow plug HKT



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

100226184  
12291P5TG00  
77 00 858 208

Diameter [mm]: 5  
Length 1 [mm]: 46  
Length 2 [mm]: 24  
Length [mm]: 83  
Technical Information Number: HKT  
Voltage [V]: 11

## Electrics

### B086

#### Glow plug HKT



MG MG ZS

**OE**  
1207068  
1207069  
1214427  
1690048  
4863826  
606 17 002

Diameter [mm]: 5  
Length 1 [mm]: 46  
Length 2 [mm]: 29  
Length [mm]: 97  
Technical Information Number: HKT  
Voltage [V]: 11

### B087

#### Glow plug HKT



MG MGR V8  
MG MONTEGO

**OE**  
11065-6F900  
110656F900  
110656F90A  
1610429080  
270215409901  
270215409912

Diameter [mm]: 5  
Length 1 [mm]: 46  
Length 2 [mm]: 29  
Length [mm]: 89  
Technical Information Number: HKT  
Voltage [V]: 11

### B096

#### Glow plug HKT



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

**OE**  
12291P5TG02  
30862690  
77 00 100 586  
77 00 861 906  
7700100586  
7700858208

Diameter [mm]: 5  
Length 1 [mm]: 43  
Length 2 [mm]: 24  
Length [mm]: 83  
Technical Information Number: HKT  
Voltage [V]: 11

### B103

#### Glow plug HKT



MG MG ZT- T

**OE**  
1106500QAA  
1106500QAF  
1106500QAG  
11065BN701

Diameter [mm]: 5  
Length 1 [mm]: 44  
Length 2 [mm]: 24  
Length [mm]: 89,5  
Technical Information Number: HKT  
Voltage [V]: 11

### B104

#### Glow plug HKT



MG MG ZT  
MG MG ZT- T

**OE**  
12 23 2 248 059  
1214018  
12232248059  
2248059  
88900721  
93171875

Diameter [mm]: 5  
Length 1 [mm]: 46  
Length 2 [mm]: 32  
Length [mm]: 104,5  
Technical Information Number: HKT  
Voltage [V]: 11

### BKR6EKPA

#### Spark plug NGK



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT  
MG MG ZT- T

**OE**  
46449690  
46521529  
71753260  
71754863  
71765056  
71765650

Technical Information Number: NGK

## Electrics

### BKR6EP-13

Spark plug NGK



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT  
MG MG ZT- T

**OE**  
90919-01188

Technical Information Number: NGK

### BKUR6ET

Spark plug NGK



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT  
MG MG ZT- T

**OE**  
101 000 033 AA  
101 000 31 AA  
12 12 9 064 619  
12129059162  
12129059209  
162 159 31 03

Technical Information Number: NGK

### BKUR6ET/VL27

Spark plug NGK V-LINE



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT  
MG MG ZT- T

**OE**

Technical Information Number: NGK

### BO-0100JM

Coil, ignition




MG MG ZS  
MG MG ZS Hatchback

**OE**  
1404309

For OE number: 1 404 309  
Ignition Coil: Coupling Type SAE  
Number of Inlets / Outlets: 1  
Number of Poles: 3

### BO-0107JM

Coil, ignition



MG MAESTRO  
MG METRO  
MG MGR V8  
MG MONTEGO

**OE**  
000 395 308 1  
035 905 105 A  
12 13 1 363 629  
1317810  
13178108  
1317815

Coil Ignition System: For transistor ignition (TI)  
Ignition Coil: Coupling Type DIN  
Number of ports: 2  
Port Thread: M5 - Klemme 1/15  
Vehicle Equipment: For vehicles with distributor  
Voltage [V]: 12

### BO-0237JM

Coil, ignition



MG MAGNETTE  
MG MGB Cabriolet  
MG MGB GT  
MG MGC  
MG MGC GT  
MG MIDGET

**OE**  
000 158 00 03  
000 158 02 03  
000 158 07 03  
000 158 26 03  
000 158 32 03  
000 158 34 03

Number of Poles: 2  
Voltage [V]: 12

## Electrics

### BO-0619JM

Coil, ignition



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT  
MG MG ZT- T

**OE**

1388-77  
2450 71  
DMB 202  
GCL 201  
NEC 100630  
NEC 100631

Number of ports: 2

### BO-L05

Coil, ignition



MG MG TF  
MG MG ZR  
MG MGF (RD)

**OE**

1338-38  
GCL219  
NEC 000130  
NEC 100870

Number of ports: 2

### BP5E

Spark plug NGK



MG MIDGET

**OE**

98079-55811

Technical Information Number: NGK

### BP5E/VL08

Spark plug NGK V-LINE



MG MIDGET

**OE**

98079-55811

Technical Information Number: NGK

### BP5ES

Spark plug NGK



MG MIDGET

**OE**

002 159 22 03  
002 159 29 03  
002 159 31 03  
002 159 48 03  
04195-34140  
0660 18 110

Technical Information Number: NGK

### BP5HS

Spark plug NGK



MG MGB GT

**OE**

04886 204  
09482-00120  
09482-00124  
09482-00228  
09482-00305  
101 000 048 AA

Technical Information Number: NGK

## Electrics

### BP5HS-10

Spark plug NGK



MG MGB GT

#### OE

04886 204  
09482-00120  
09482-00124  
09482-00228  
09482-00305  
101 000 048 AA

Outer Thread [mm]: 14,0  
Spanner Size: 20,8  
Spark Plug: 1 - Earthed Electrode  
Spark Plug: Nickel Middle Electrode  
Spark Plug: No interference suppression  
Spark Plug: Unscrewable SAE connector  
Spark Plug: With gasket seat  
Spark Position [mm]: 3,5  
Thread Length [mm]: 12,7

### BP6ES

Spark plug NGK



MG MGB Cabriolet  
MG MGB GT

#### OE

002 159 24 03  
002 159 28 03  
002 159 41 03  
002 159 42 03  
0025918110  
0259 18 110

Technical Information Number: NGK

### BPR5EIX-11

Spark plug NGK



MG MIDGET

#### OE

1UD0-18-110  
90919-01096  
99000-79K60-PR5  
99906-910X9-001  
BY481-BPR5E  
MZ602060

Technical Information Number: NGK

### BPR6E

Spark plug NGK



MG MAESTRO  
MG METRO  
MG MGB Cabriolet  
MG MGB GT  
MG MONTEGO

#### OE

12121265595  
12129062594  
4249164  
9004851096  
94837756  
96110493

Technical Information Number: NGK

### BPR6E/VL02

Spark plug NGK V-LINE



MG MAESTRO  
MG METRO  
MG MGB Cabriolet  
MG MGB GT  
MG MONTEGO

#### OE

12121265595  
12129062594  
4249164  
9004851096  
94837756  
96110493

Technical Information Number: NGK

## Electrics

### BPR6EIX

#### Spark plug NGK



MG MAESTRO  
MG METRO  
MG MGB Cabriolet  
MG MGB GT  
MG MONTEGO

#### OE

0370-18-110  
49001-0013  
5-8138-0004-0  
5962.22  
90098-70033  
98079-56844

Technical Information Number: NGK

### BPR6ES

#### Spark plug NGK



MG MGR V8

#### OE

0000-18-1690  
09482-00299  
09482-00409  
09482-00487  
0948200118  
0948200118000

Technical Information Number: NGK

### DOX-0119

#### Lambda Sensor



MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT  
MG MG ZT- T

#### OE

030906262C  
030906262F  
036906262AA  
036906262D  
036906262F  
036906262M

Cable Length [mm]: 750  
Height [mm]: 45  
Length [mm]: 145  
Manufacturer Restriction: Denso  
Thread Size: M18x1.5  
Width [mm]: 70

### HY-035

#### Wiper Blade



MG MG ZS Fuoristrada chiuso

#### OE

Length [mm]: 350

### HY-040

#### Wiper Blade



MG CYBERSTER  
MG METRO  
MG MG 4

#### OE

Length [mm]: 400

### HY-045

#### Wiper Blade



MG MG 5 Station wagon  
MG MG 6 2 volumi /Coda spiovente  
MG MG 6 Tre volumi  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

1272337  
1272346  
4708240200  
6000613513  
61 61 0 040 534  
61610040534

Length [mm]: 450

## Electrics

### HY-050

#### Wiper Blade



MG MAESTRO  
MG MARVEL R  
MG MG TF  
MG MG ZS  
MG MG ZS Hatchback  
MG MGF (RD)

#### OE

2 206 402  
2 206 429  
6423.03  
6423.04  
76630-SZT-E01  
77 11 1 172 583

Length [mm]: 500

### HY-060

#### Wiper Blade




MG CYBERSTER  
MG MARVEL R  
MG MG 350 (AP11)  
MG MG 4  
MG MG 5 Station wagon  
MG MG 6 2 volumi /Coda spiovente

#### OE

Length [mm]: 600

### IC-422

#### Ignition Cable Kit



MG MG ZR  
MG MGF (RD)

#### OE

NGC000070  
RC-RV1203  
RCRV1203

Length 1 [mm]: 970  
Length 2 [mm]: 1090  
Length 3 [mm]: 1170  
Length 4 [mm]: 1210  
Number of circuits: 4  
Outer Diameter [mm]: 7

### IC-423

#### Ignition Cable Kit



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT  
MG MG ZT- T


#### OE

134373  
GHT 291  
GHT291  
NGC 000 040  
NGC000040

Length 1 [mm]: 440  
Length 2 [mm]: 440  
Number of circuits: 2  
Outer Diameter [mm]: 7

### IC-424

#### Ignition Cable Kit



MG MG TF  
MG MG ZR  
MG MGF (RD)

#### OE

134287  
GHT284  
NGC 000 090  
NGC000090

Length 1 [mm]: 510  
Length 2 [mm]: 540  
Length 3 [mm]: 680  
Length 4 [mm]: 730  
Length 5 [mm]: 490  
Number of circuits: 5  
Outer Diameter [mm]: 7

### IW20

#### Spark plug DENSO



MG MAESTRO  
MG METRO  
MG MGB Cabriolet  
MG MGB GT  
MG MONTEGO

#### OE

08922-01017-83  
09482-00284  
09482-00286  
09482-00421  
0948200285000  
0948200421000

Quality: Iridium  
Technical Information Number: DENSO

## Electrics

### IZFR6H11

Spark plug NGK



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT  
MG MG ZT- T

**OE**

12120032134  
12120032135  
12122158252  
12127526799

Technical Information Number: NGK

### K20TT

Spark plug DENSO



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT  
MG MG ZT- T

**OE**

1WT3-18-110  
99000-79X12-K20

Diameter [mm]: 14  
Spanner Size: 16  
Standard:  
Technical Information Number: DENSO

### KH16TT

Spark plug DENSO



MG MG TF  
MG MG ZS

**OE**

5960.F7  
596013  
596014  
596016  
596017  
596057

Diameter [mm]: 14  
Spanner Size: 16  
Spark Plug: With resistance  
Standard:  
Technical Information Number: DENSO

### LFR6C-11

Spark plug NGK



MG MG TF  
MG MG ZS

**OE**

596085  
596086  
596097  
596098  
5960L2  
90919-01258

Technical Information Number: NGK

### LPG2

Spark plug NGK



MG MGB Cabriolet  
MG MGB GT  
MG MGR V8  
MG MIDGET

**OE**

BY482-BPR6E  
BY482BPR6E  
MZ 602 074

Fuel Type: CNG/LPG  
Outer Thread [mm]: 14,0  
Recommended replace interval [km]: 60000  
Spanner Size: 20,8  
Spark Plug: Iridium Middle Electrode  
Spark Plug: Unscrewable SAE connector

### MTH207

Starter



MG MG ZT  
MG MG ZT- T

**OE**


GNU4821  
NAD100952  
NAD100952E  
NAD100952L

Rated Power [kW]: 2  
Voltage [V]: 12

## Electrics

### MTH704

#### Starter



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

31200P5T505  
31200P5TG00  
31200P9M505  
31200P9ME00  
GNU4739  
NAD100790

Fitted Diameter [mm]: 75  
Number of Teeth: 11  
Rated Power [kW]: 1,4  
Rotation Direction: Anti-clockwise rotation  
Voltage [V]: 12

### MTH707

#### Starter



MG MG ZT  
MG MG ZT- T

#### OE

NAD101140  
NAD101140E  
NAD101500  
NAD101500E

Rated Power [kW]: 2  
Voltage [V]: 12

### OO-U03

#### Lambda Sensor



MG MGR V8


#### OE

06A906262CM  
1112475  
1628VN  
226A0-EA200  
39210-26700  
39210-26800

Lambda Sensor: Regulating Probe  
Number of Poles: 3  
Overall Length [mm]: 315  
Technical Information Number: Universal

### OO-U04

#### Lambda Sensor



MG MGF (RD)

#### OE

06B 906 265 E  
06B906265A  
1053108  
18213-86G01  
1A08-18-861A  
22690-KA331

Lambda Sensor: Regulating Probe  
Number of Poles: 4  
Overall Length [mm]: 325  
Technical Information Number: Universal

### PFR5G-13E

#### Spark plug NGK



MG MG 6 2 volumi /Coda spiovente  
MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT

#### OE

18817-11051  
1882611101  
1N0818110  
2741037100

Technical Information Number: NGK

### PFR5R-11

#### Spark plug NGK



MG MG 6 2 volumi /Coda spiovente  
MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT

#### OE

004 159 19 03  
09482-00549  
22401-58S15  
27410-23700  
274103C000  
55182623

Technical Information Number: NGK

## Electrics

<b>PFR6B</b> 	<b>Spark plug NGK</b> MG MG X-POWER MG MG ZR MG MGF (RD)	<b>OE</b> 0060569957 0060810689 22401-AA400 60569957 60579903 60810689	Technical Information Number: NGK
<b>PFR6N-11</b> 	<b>Spark plug NGK</b> MG MG TF MG MG ZR MG MG ZS MG MG ZS Hatchback MG MG ZT MG MG ZT- T	<b>OE</b> 0K558-18-110	Technical Information Number: NGK
<b>PFR6T-10G</b> 	<b>Spark plug NGK</b> MG MG TF MG MG ZR MG MG ZS MG MG ZS Hatchback MG MG ZT MG MG ZT- T	<b>OE</b> 22401-58S17 90048-51173-000 90919-01211 96 307 562 96307562 98079-5614H	Technical Information Number: NGK
<b>PK20PR-P8</b> 	<b>Spark plug DENSO</b> MG MG X-POWER MG MG ZR MG MGF (RD)	<b>OE</b> 06H905611 09019-01211 101 000 063 AA 101 905 631 B 101000016AB 101905631C	Technical Information Number: DENSO
<b>SS-F35</b> 	<b>Wiper Blade</b> MG MG ZS Fuoristrada chiuso	<b>OE</b> 1554033 1793883 288901164R 288904685R 288905351R 288905875R	Length [in]: 14 Length [mm]: 350 Technical Information Number: Flat
<b>SS-F40</b> 	<b>Wiper Blade</b> MG CYBERSTER MG METRO MG MG 4	<b>OE</b> 1611348480 1613157180 1613158080 1613158380 1613159180 1618843180	Length [in]: 16 Length [mm]: 400 Technical Information Number: Flat

## Electrics

### SS-F45 Wiper Blade



MG MAESTRO  
MG MARVEL R  
MG MG 5 Station wagon  
MG MG 6 2 volumi /Coda spiovente  
MG MG 6 Tre volumi  
MG MG TF

#### OE

16 113 485 80  
1610112480  
1611348580  
1611631080  
1T1998002A  
288901962R

Length [in]: 18  
Length [mm]: 450  
Technical Information Number: Flat

### SS-F50 Wiper Blade



MG MAESTRO  
MG MARVEL R  
MG MG TF  
MG MG ZS  
MG MG ZS Hatchback  
MG MGF (RD)

#### OE

80B955426  
80B998002  
80C955425

Length [in]: 20  
Length [mm]: 500  
Technical Information Number: Flat

### SS-F50-50 Wiper Blade



MG MAESTRO  
MG MG TF  
MG MGF (RD)  
MG MONTEGO

#### OE

0390494  
0420549  
151539  
390494  
420549  
61607122140

Fitting Position: Front  
Length 1 [mm]: 500  
Length 2 [mm]: 500  
Quantity Unit: Set  
Quantity: 2  
Wiper blade type: Flat wiper blade

### SS-F55 Wiper Blade



MG MG HS  
MG MG X-POWER  
MG MG ZT  
MG MG ZT- T

#### OE

1611346580  
1718200645  
1718202500  
1832131  
2 219 147  
2048201400

Length [in]: 22  
Length [mm]: 550  
Technical Information Number: Flat

### SS-F60 Wiper Blade



MG CYBERSTER  
MG MARVEL R  
MG MG 350 (AP11)  
MG MG 4  
MG MG 5 Station wagon  
MG MG 6 2 volumi /Coda spiovente

#### OE

2048201845  
2048202200  
2128201700  
2128201800  
2128201900  
9829426780

Length [in]: 24  
Length [mm]: 600  
Technical Information Number: Flat

### SS-F60-40 Wiper Blade



MG MG 4  
MG MG HS

#### OE

1609068880  
1609069080  
1613157180  
1613158380  
1642332780  
288819784R

Fitting Position: Front  
Length 1 [mm]: 600  
Length 2 [mm]: 400  
Quantity Unit: Set  
Quantity: 2  
Wiper blade type: Flat wiper blade

## Electrics

### SS-F60-43

#### Wiper Blade



MG MG GS  
MG MG HS  
MG MG HS (AS33)

#### OE

52131451  
52131452  
95528210  
9820343580  
9820344280  
9833976580

Fitting Position: Front  
Length 1 [mm]: 600  
Length 2 [mm]: 430  
Quantity Unit: Set  
Quantity: 2  
Wiper blade type: Flat wiper blade

### SS-F60-45

#### Wiper Blade



MG MG 5 Station wagon

#### OE

288901962R  
288903994R  
288905565R  
288905769R  
288906926R  
288907739R

Fitting Position: Front  
Length 1 [mm]: 600  
Length 2 [mm]: 450  
Quantity Unit: Set  
Quantity: 2  
Wiper blade type: Flat wiper blade

### SS-F60-50

#### Wiper Blade



MG MARVEL R

#### OE

8F1998002A  
8K1955425  
8K1955426  
8K1998002A  
8R1998002  
8U1955425

Fitting Position: Front  
Length 1 [mm]: 600  
Length 2 [mm]: 500  
Quantity Unit: Set  
Quantity: 2  
Wiper blade type: Flat wiper blade

### SS-X33C

#### Wiper Blade



MG MG ZS Fuoristrada chiuso

#### OE

Length [mm]: 330

### SS-X35R

#### Wiper Blade



MG MG GS  
MG MG HS  
MG MG ZT- T

#### OE

28790 BN701  
46775472  
6426 LV  
6426 LW  
6426 V3  
77 01 047 871

Fitting Position: Rear  
Length [mm]: 350

### SS-X40C

#### Wiper Blade



MG CYBERSTER  
MG METRO  
MG MG 4

#### OE

Length [mm]: 400

## Electrics

### SS-X43C

#### Wiper Blade



MG MG 350 (AP11)  
MG MG GS  
MG MG HS  
MG MG HS (AS33)

OE

Length [mm]: 430

### SS-X45C

#### Wiper Blade



MG MG 5 Station wagon  
MG MG 6 2 volumi /Coda spiovente  
MG MG 6 Tre volumi  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

OE

Length [mm]: 430

8522205090  
GB93673309A  
GB93673309S  
MGB3967330A  
N05367330  
N05467330

### SS-X45S

#### Wiper Blade



MG MG ZS

OE

Length [mm]: 450  
Styling: with spoiler

28890-JR81A  
65081600  
66348000  
8250A186  
8250A375  
85212-YZZAJ

### SS-X48C

#### Wiper Blade



MG MG 3 (\_5LFP\_)

OE

Length [mm]: 480

### SS-X48S

#### Wiper Blade



MG MG 3 (\_5LFP\_)

OE

Length [mm]: 480  
Styling: with spoiler

8522253010  
8971374682

### SS-X50C

#### Wiper Blade



MG MAESTRO  
MG MARVEL R  
MG MG TF  
MG MG ZS  
MG MG ZS Hatchback  
MG MGF (RD)

OE

Length [mm]: 500

0443590  
28890-1FC1A  
28890-1FG0A  
3424490  
61 61 0 443 590  
61 61 3 424 490

## Electrics

### SS-X50S

#### Wiper Blade



MG MAESTRO  
MG MARVEL R  
MG MG TF  
MG MG ZS  
MG MG ZS Hatchback  
MG MGF (RD)

#### OE

0443590  
28890-1FC1A  
28890-1FG0A  
3424490  
61 61 0 443 590  
61 61 3 424 490

Length [mm]: 500  
Styling: with spoiler

### SS-X53C

#### Wiper Blade



MG MG X-POWER  
MG MG ZT  
MG MG ZT- T

#### OE

Length [mm]: 530

### SS-X53S

#### Wiper Blade



MG MG ZT  
MG MG ZT- T

#### OE

64610000  
64610400  
85212-YZZCL  
85212-YZZCT  
85222-0K031  
85222-33090

Length [mm]: 530  
Styling: with spoiler

### SS-X55C

#### Wiper Blade



MG MG ZT  
MG MG ZT- T

#### OE

1638200845  
25925620  
6426V5  
95980790  
95980791  
96380628

Length [mm]: 550

### SS-X55S

#### Wiper Blade



MG MG ZT  
MG MG ZT- T

#### OE

0443590  
16 113 454 80  
3424489  
5Z0 955 425 C  
5Z0 998 002 C  
5Z0 998 002 D

Length [mm]: 550  
Styling: with spoiler

### SS-X58C

#### Wiper Blade



MG ONE

#### OE

Length [mm]: 580

## Electrics

### SS-X60C

#### Wiper Blade



MG CYBERSTER  
MG MARVEL R  
MG MG 350 (AP11)  
MG MG 4  
MG MG 5 Station wagon  
MG MG 6 2 volumi /Coda spiovente

#### OE

263709C004  
263709C006  
263709C008  
288907C900  
288909C000  
288909C004

Length [mm]: 600

### SS-X60S

#### Wiper Blade



MG MARVEL R  
MG MG 350 (AP11)  
MG MG 4  
MG MG 5 Station wagon  
MG MG 6 2 volumi /Coda spiovente  
MG MG 6 Tre volumi

#### OE

Length [mm]: 600  
Styling: with spoiler

### VK20Y

#### Spark plug DENSO



MG MG X-POWER  
MG MG ZR  
MG MGF (RD)

#### OE

1822A002  
90919-01231  
9900079L65  
MR984646  
NDVK20Y  
NDVK20YA

Electrode Gap [mm]: 0,8  
Technical Information Number: DENSO

### W16EPR-U

#### Spark plug DENSO



MG MIDGET

#### OE

0242229531  
0242229611.  
066018110  
09482-00131  
09482-00138  
09482-00155

Technical Information Number: DENSO

### W20EPR-U

#### Spark plug DENSO



MG MAESTRO  
MG METRO  
MG MGB Cabriolet  
MG MGB GT  
MG MONTEGO

#### OE

025918110  
02591811000  
030418110  
074524210  
09482-00118  
09482-00160

Technical Information Number: DENSO

### W20EX-U

#### Spark plug DENSO



MG METRO

#### OE

0222-18-110  
09482-00303  
100377550  
1367526  
380280102  
490010053

Technical Information Number: DENSO

## Engine

### OP-00053

#### Oil Pump



MG MG 6 Tre volumi  
MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT

#### OE

LPF000030L

For OE number: LPF000030L

## Engine Timing Control

### DV-6PK1563

#### V-Ribbed Belts



MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT  
MG MG ZT- T

#### OE

11281735190  
11281735194  
11281738645  
11281738983  
11287520072  
5750GY

Length [mm]: 1563  
Number of Ribs: 6

### KDD-482

#### Timing Belt Kit



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

14320P5TG00  
14325P5TG00  
14400P5TG00  
14510P5TG00  
14520P5TG00  
LHP100550

Number of Teeth 1: 78  
Number of Teeth 2: 112  
Width 1 [mm]: 22  
Width 2 [mm]: 28

### KDD-L03

#### Timing Belt Kit



MG EXPRESS Furgonato  
MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MG ZT

#### OE

LHN100560L  
LHP100900L

Number of Teeth: 145  
Width [mm]: 26

### KDD-L06

#### Timing Belt Kit



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

14325P5TG00  
LHN100760  
LHP100550  
LHP100550L  
LHP100840  
LHV100160

Number of Teeth: 112  
Number of Teeth: 78  
Width [mm]: 24  
Width [mm]: 30

## Engine Timing Control

### KDK-412

#### Timing Chain Kit



MG MG ZS Fuoristrada chiuso

#### OE

10109226  
10177077

Chain Type: Low-noise chain  
Chain Type: Simplex  
Fitting Position: Lower  
Fitting Position: Upper  
Number of Chain Links: 170  
Number of Chain Links: 66  
Number of Parts [parts]: 9  
Number of Teeth: 25  
Number of Teeth: 50  
Supplementary Article/Supplementary Info 2:  
With gear  
Supplementary Article/Supplementary Info:  
Without gaskets/seals

## Filter

### FA-0135JM

#### Air Filter



MG MG 3

#### OE

10377350

Filter Type: Filter Insert  
For OE number: 10377350  
Height [mm]: 28  
Length [mm]: 412  
Width [mm]: 238

### FA-0136JM

#### Air Filter



MG MG HS

#### OE

10296746  
10349552  
151000190AA

Filter Type: Filter Insert  
For OE number: 10349552  
Height [mm]: 51  
Length [mm]: 262  
Width [mm]: 201

### FA-0137JM

#### Air Filter



MG MG GS  
MG MG HS

#### OE

10177398  
30059199

Filter Type: Filter Insert  
For OE number: 30059199  
Height [mm]: 58  
Length [mm]: 256  
Width [mm]: 191

### FA-0138JM

#### Air Filter



MG MG 3

#### OE

10144394  
30005099

Filter Type: Filter Insert  
For OE number: 10144394  
Height [mm]: 41  
Length [mm]: 374  
Supplementary Article/Supplementary Info 2:  
With pre-filter  
Width [mm]: 181

## Filter

### FA-0143JM

#### Air Filter




MG MG ZS Fuoristrada chiuso

**OE**  
10334315

Filter Type: Filter Insert  
Height [mm]: 38  
Length [mm]: 418  
Width [mm]: 236

### FA-0144JM

#### Air Filter



MG MG HS (AS33)

**OE**  
10727242

Filter Type: Filter Insert  
Height [mm]: 53  
Length [mm]: 266  
Width [mm]: 207

### FA-0147JM

#### Air Filter




MG MG ZS Fuoristrada chiuso

**OE**  
10355807

Filter Type: Filter Insert  
Height [mm]: 51  
Length [mm]: 245  
Weight [kg]: 0,248  
Width [mm]: 195

### FA-447JM

#### Air Filter




MG MG ZR

**OE**  
PHE 000120  
PHE 000121  
PHE 10012  
PHE000120  
PHE10012

Filter Type: Filter Insert  
For OE number: PHE 000120  
Height [mm]: 57  
Length [mm]: 268  
Width [mm]: 108

### FA-447S

#### Air Filter



MG MG ZR

**OE**  
PHE 000120  
PHE 000121  
PHE 10012  
PHE000120  
PHE10012

Filter Type: Filter Insert  
For OE number: PHE 10012  
Height [mm]: 57  
Length [mm]: 268  
Width [mm]: 108

### FAA-039JM

#### Filter, interior air



MG MARVEL R


**OE**  
10452996

Filter Type: Pollen Filter  
For OE number: 10452996  
Height [mm]: 28  
Length [mm]: 291  
Width [mm]: 179

## Filter

### FAA-040JM

Filter, interior air




MG MG 4

**OE**  
11263391

Filter Type: Pollen Filter  
For OE number: 11263391  
Height [mm]: 30  
Length [mm]: 365  
Width [mm]: 178

### FAA-075JM

Filter, interior air




MG MG ZS Fuoristrada chiuso

**OE**  
10632431

Filter Type: Pollen Filter  
For OE number: 10632431  
Height [mm]: 37  
Length [mm]: 195  
Width [mm]: 190

### FAA-076JM

Filter, interior air




MG MG 5

**OE**  
10502976  
10869011  
11238108

Filter Type: Activated Carbon Filter  
For OE number: 10502976  
Height [mm]: 30  
Length [mm]: 213  
Width [mm]: 202

### FAA-077JM

Filter, interior air




MG MG ZS Fuoristrada chiuso

**OE**  
10365251  
10365455  
10967775  
30143909

Filter Type: Pollen Filter  
For OE number: 30143909  
Height [mm]: 35  
Length [mm]: 194  
Width [mm]: 192

### FAA-078JM

Filter, interior air




MG MG 3

**OE**  
10193400  
10289138  
30005704

Filter Type: Pollen Filter  
For OE number: 10193400  
Height [mm]: 23  
Length [mm]: 194  
Width [mm]: 190

### FAA-087JM

Filter, interior air



MG MG 3 (\_5LFP\_)  
MG MG ZS Fuoristrada chiuso

**OE**  
11442625  
11442626

Filter Type: Pollen Filter  
Height [mm]: 30  
Length [mm]: 207  
Width [mm]: 189

## Filter

### FAA-095JM

Filter, interior air



MG MG 5 Station wagon


#### OE

10448178  
10448180

Filter Type: Pollen Filter  
Height [mm]: 30  
Length [mm]: 230  
Weight [kg]: 0,100  
Width [mm]: 202

### FAA-099JM

Filter, interior air



MG MG HS


#### OE

10354972  
10869026

Filter Type: Activated Carbon Filter  
Height [mm]: 24  
Length [mm]: 208  
Width [mm]: 198

### FAA-103JM

Filter, interior air



MG MG HS

#### OE

11124596

Filter Type: Pollen Filter  
Height [mm]: 25  
Length [mm]: 207  
Width [mm]: 198

### FA-L05S

Air Filter



MG MG ZT  
MG MG ZT- T

#### OE

13 71 2 246 997  
13712246997  
2246995  
2246997  
2249680  
LR 007478

Filter Type: Filter Insert  
For OE number: LR 007478  
Height [mm]: 88,1  
Length [mm]: 376  
Width 1 [mm]: 122  
Width [mm]: 145,1

### FA-L05SJM

Air Filter



MG MG ZT  
MG MG ZT- T

#### OE

13 71 2 246 997  
13712246997  
2246995  
2246997  
2249680  
LR 007478

Filter Type: Filter Insert  
For OE number: 2246995  
Height [mm]: 88,1  
Length [mm]: 376  
Width 1 [mm]: 122  
Width [mm]: 145,1

### FA-L10S

Air Filter



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

17200-P9M-E00  
17220-P5T-G00  
17220P5TG00  
C 40749  
ESR 4103  
GFE 2254

Filter Type: Filter Insert  
For OE number: 17220P5TG00  
Height [mm]: 58  
Length [mm]: 271  
Width [mm]: 121

## Filter

### FC-027JM

#### Fuel filter



MG MG ZS Fuoristrada chiuso

**OE**  
10137854

Filter Type: In-Line Filter  
For OE number: 10137854  
Height [mm]: 121  
Housing material: Metal  
Outer Diameter [mm]: 55  
Pipe [mm]: 8

### FC-028JM

#### Fuel filter



MG MG 3

**OE**  
10096408

Filter Type: In-Line Filter  
Length [mm]: 156  
Material: Paper  
Outer Diameter [mm]: 60  
Pipe [mm]: 8

### FC-990S

#### Fuel filter



MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback  
MG MGF (RD)

**OE**  
23300-79045  
23300-79046  
25121150  
25121160  
4801358  
8-25121-150-0

Filter Type: Screw-on Filter  
For OE number: 8251211500  
Inner Thread [mm]: IN/OUT: M14 x 1,5  
Length [mm]: 106  
Outer Diameter [mm]: 60

### FC-L02S

#### Fuel filter



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

**OE**  
058 212 08  
1655 556  
16901-S37-E30  
16901S37E30  
16901S6FE01  
16901S6FE02

Diameter 1/ Diameter 2 [mm]: IN/OUT: 8  
Filter Type: In-Line Filter  
For OE number: 16901S37E30  
Length [mm]: 167  
Outer Diameter [mm]: 90,5

### FC-L03JM

#### Fuel filter



MG MG ZT  
MG MG ZT- T

**OE**  
MUN 000010  
WJI 100000  
WJI 100000L  
WJI100000L  
WJN 101 762 L

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 70  
For OE number: WJI 100000L  
Inner Thread [mm]: M16 x 1,5  
Length [mm]: 161  
Outer Diameter [mm]: 83,3

### FC-L03S

#### Fuel filter



MG MG ZT  
MG MG ZT- T

**OE**  
MUN000010  
WJI100000L  
WJL100000L

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 70  
For OE number: MUN000010  
Inner Thread [mm]: M16 x 1,5  
Length [mm]: 161  
Outer Diameter [mm]: 83,3

## Filter

### FO-003JM

#### Oil Filter



MG MG GS


#### OE

00K04892339WE  
10604737  
12640445  
12667194  
12670058  
12674698

Bypass Valve Opening Pressure [bar]: 1,8  
Filter Type: Screw-on Filter  
Gasket inner diameter: 63  
Gasket outer diameter: 70  
Height [mm]: 75  
Outer Diameter [mm]: 76  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M22x1.5

### FO-010S

#### Oil Filter



MG MG HS  
MG MG ZS Fuoristrada chiuso

#### OE

00K04884900AB  
00K04892339AA  
00K04892339AB  
00K04892339BE  
00K04892339WE  
04884900AB

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 64  
For OE number: 50055447  
Inner Thread [mm]: M22 x 1,5  
Length [mm]: 76  
Outer Diameter [mm]: 81

### FO-279JM

#### Oil Filter



MG MGR V8

#### OE

00K05281090AB  
0122-0645  
0306483  
03549957  
04152-03002  
04152-64010

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 71,4  
For OE number: 90915YZZJ4  
Inner Thread [mm]: 3/4 x 16  
Length [mm]: 87,2  
Outer Diameter [mm]: 76,5

### FO-279S

#### Oil Filter



MG MGR V8


#### OE

00K05281090AB  
0122-0645  
0306483  
03549957  
04152-03002  
04152-64010

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 71,4  
For OE number: 90915YZZJ4  
Inner Thread [mm]: 3/4 x 16  
Length [mm]: 87,2  
Outer Diameter [mm]: 76,5

### FO-902JM

#### Oil Filter



MG MGC GT

#### OE


00 00 574 002  
00 00 930 023  
00 00 930 026  
00 00 930 028  
00 00 950 196  
00 01 226 727

Filter Type: Filter Insert  
Fitted Diameter [mm]: 43  
For OE number: 7961063  
Inner Diameter 1 [mm]: 34  
Inner Diameter [mm]: 34  
Length [mm]: 142  
Outer Diameter [mm]: 72

## Filter

### FO-902S

#### Oil Filter



MG MGC GT

#### OE

00 00 574 002  
00 00 930 023  
00 00 930 026  
00 00 930 028  
00 00 950 196  
00 01 226 727

Filter Type: Filter Insert  
Fitted Diameter [mm]: 73  
For OE number: VA3124053054  
Inner Diameter 1 [mm]: 34  
Inner Diameter [mm]: 34  
Length [mm]: 142  
Outer Diameter [mm]: 72

### FO-985S

#### Oil Filter



MG MGR V8


#### OE

000 389 7992  
0000005889209  
0003938626  
0004449040  
0060507080  
0060574554

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 72  
For OE number: 210101012005  
Inner Thread [mm]: 3/4 - 16 UNF  
Length [mm]: 97  
Outer Diameter [mm]: 94

### FO-ECO021

#### Oil Filter



MG MG ZT  
MG MG ZT- T


#### OE

11 42 2 247 018  
11422247018  
15430RBDE01  
15430RBDE02  
2247018  
GFE391

Filter Type: Filter Insert  
Height [mm]: 115  
Inner Diameter 1 [mm]: 31  
Inner Diameter [mm]: 31  
Outer Diameter [mm]: 64  
Supplementary Article/Supplementary Info:  
with seal

### FO-L01JM

#### Oil Filter



MG MAESTRO  
MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Fuoristrada chiuso  
MG MG ZS Hatchback


#### OE

10073599  
5005630  
5007 165  
5020 120  
86 71 000 496  
880X6714AA

Bypass Valve Opening Pressure [bar]: 1,0  
Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 70  
For OE number: STC974  
Inner Thread [mm]: 13/16 X 16  
Length [mm]: 95  
Outer Diameter [mm]: 78  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve

### FO-L01S

#### Oil Filter



MG MAESTRO  
MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Fuoristrada chiuso  
MG MG ZS Hatchback


#### OE


10073599  
5005630  
5007 165  
5020 120  
86 71 000 496  
880X6714AA

Bypass Valve Opening Pressure [bar]: 1,0  
Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 70  
For OE number: STC974  
Inner Thread [mm]: 13/16 X 16  
Length [mm]: 95  
Outer Diameter [mm]: 78  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve

## Joists

## Joins

<b>GI-462</b> 	<b>Joint Kit, drive shaft</b> MG MG ZR	<b>OE</b> GCV1088 TFB000090 TFB000090E TFB000090SLP	External Teeth, wheel side: 26 Fitting Position: Wheel Side Internal Teeth, wheel side: 22 Length 1 [mm]: 78,8 Number of Teeth, ABS ring: 43 Outer Thread [mm]: 22X1,5 Overall Length [mm]: 133,8 Seal Diameter [mm]: 49 Specification: Groove type: INNER
---	---	---	--

<b>GI-465</b> 	<b>Joint Kit, drive shaft</b> MG MG ZR	<b>OE</b> GCV1146 TFB000140 TFB000140E TFB000141	External Teeth, wheel side: 26 Fitting Position: Wheel Side Internal Teeth, wheel side: 32 Length 1 [mm]: 78 Number of Teeth, ABS ring: 43 Outer Thread [mm]: 22X1,5 Overall Length [mm]: 146,5 Seal Diameter [mm]: 49 Specification: Groove type: INNER
---	---	--	--

<b>GI-471</b> 	<b>Joint Kit, drive shaft</b> MG MG ZR	<b>OE</b> GCV1076 TDJ10016 TDJ10016E	External Teeth, wheel side: 26 Fitting Position: Wheel Side Internal Teeth, wheel side: 32 Length 1 [mm]: 78 Overall Length [mm]: 146 Seal Diameter [mm]: 52 Specification: Groove type: INNER
--	---	---	--

## Mounting

<b>BJ-027</b> 	<b>Ball Joint</b> MG MG ZS Fuoristrada chiuso	<b>OE</b> 10228250 10319413 10727533	Cone Size [mm]: 18 Fitting Position: Front Axle Right Hole Pitch 1/ Hole Pitch 2: 53 Hole Spacing [mm]: 50,5
---	--	---	---

<b>BJ-028</b> 	<b>Ball Joint</b> MG MG ZS Fuoristrada chiuso	<b>OE</b> 10228150 10319331 10727509	Cone Size [mm]: 18 Fitting Position: Front Axle Left Hole Pitch 1/ Hole Pitch 2: 53 Hole Spacing [mm]: 50,5
---	--	---	--

## Mounting

### BS-0150L

#### Track Control Arm



MG MG 5 Station wagon

#### OE

10580150  
11060291  
11631921

Cone Size [mm]: 20

Fitting Position: Front Axle Left

Steering Type: Control Arm

Supplementary Article/Supplementary Info 2:

With ball joint

Supplementary Article/Supplementary Info:  
with rubberised bearings

### BS-0150R

#### Track Control Arm



MG MG 5 Station wagon

#### OE

10580160  
11060292  
11631923

Cone Size [mm]: 20

Fitting Position: Front Axle Right

Steering Type: Control Arm

Supplementary Article/Supplementary Info 2:

With ball joint

Supplementary Article/Supplementary Info:  
with rubberised bearings

### BS-485L

#### Track Control Arm



MG MG ZS Fuoristrada chiuso

#### OE

10228100  
10252196  
10727535  
10803554  
10805152  
11048892

Bar/Strut: Push Rod

Cone Size [mm]: 18

Fitting Position: Front Axle Left

Material: Sheet Steel

Paired article numbers: 72-04-485R

Paired article numbers: 72485R

Paired article numbers: BS-485R

Steering Type: Control Arm

### BS-485R

#### Track Control Arm



MG MG ZS Fuoristrada chiuso

#### OE

10228200  
10319515  
10727561  
10803555  
10805153  
11048895

Bar/Strut: Push Rod

Cone Size [mm]: 18

Fitting Position: Front Axle Right

Material: Sheet Steel

Paired article numbers: 72-04-485L

Paired article numbers: 72485L

Paired article numbers: BS-485L

Steering Type: Control Arm

### KK-0368JM

#### Wheel Hub



MG EXPRESS Furgonato  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

GHK1561  
GHK1597  
RLB000060

For OE number: GHK1561

Inner Diameter 2 [mm]: 30

Inner Diameter [mm]: 30

Number of Teeth, ABS ring: 43

Outer Diameter [mm]: 136

Rim Hole Number: 4

Supplementary Article/Supplementary Info 2:

With ABS sensor ring

Thread Size: M12X1,5

## Mounting

### KK-0372JM

#### Wheel Hub



MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

GHB373INC01  
GHK1560  
GHK1560INC01  
GHK1596  
RLB000050

Flange [mm]: 136  
Rim Hole Number: 4

### KK-0379JM

#### Wheel Hub



MG EXPRESS Furgonato  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback

#### OE

GHK1685  
RLB000070  
ROVKR010

For OE number: GHK1685  
Inner Diameter 2 [mm]: 30  
Inner Diameter [mm]: 30  
Number of Teeth, ABS ring: 43  
Outer Diameter [mm]: 135,8  
Rim Hole Number: 4  
Supplementary Article/Supplementary Info 2:  
With ABS sensor ring  
Thread Size: M12X1,5

### KK-0419JM

#### Wheel Bearing Kit



MG MG ZS  
MG MG ZS Hatchback


#### OE

GHK1559  
RUD100070

Inner Diameter 1 [mm]: 43  
Outer Diameter 1 [mm]: 79  
Width 1 [mm]: 41

### KK-14004

#### Wheel Bearing Kit



MG MG ZR

#### OE

44300SE0003  
GHK1933  
RFM000060

Inner Diameter [mm]: 40  
Outer Diameter [mm]: 76  
Width [mm]: 41

### KK-29094

#### Wheel Hub



MG MG ZS Fuoristrada chiuso

#### OE

10509505  
1K0501611  
1K0501611G  
1K0598611  
5Q0598611  
5QD598611B

Fitting Position: Rear Axle  
Inner Diameter 2 [mm]: 30  
Inner Diameter [mm]: 30  
Number of Teeth, ABS ring: 43  
Outer Diameter [mm]: 136,5  
Rim Hole Number: 5  
Standard: One  
Supplementary Article/Supplementary Info 2:  
With integrated ABS sensor  
Thread Size: M14X1,5

## Mounting

### KK-29095

#### Wheel Hub



MG MG ZS Fuoristrada chiuso

#### OE

10509500  
1K0407621D  
1K0407621E  
1K0498621  
2K0498621  
57BWKH04

Fitting Position: Front Axle  
For OE number: 1K0407621D  
Number of Teeth, ABS ring: 43  
Number of Teeth: 36  
Outer Diameter [mm]: 136,5  
Rim Hole Number: 5  
Supplementary Article/Supplementary Info 2:  
With integrated ABS sensor  
Thread Size: M14X1,5

### MM-00458

#### Shock Absorber



MG MGF (RD)

#### OE

RNB000260

Fitting Position: Front Axle  
For OE number: RNB000260  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-00459

#### Shock Absorber



MG MGF (RD)

#### OE

RPD000180

Fitting Position: Rear Axle  
For OE number: RPD000180  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-01345

#### Shock Absorber



MG MG ZS Fuoristrada chiuso

#### OE

10573459

Fitting Position: Front Axle Right  
Paired article numbers: MA-01346  
Paired article numbers: MJ01346  
Paired article numbers: MM-01346  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Bottom Pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-01351

#### Shock Absorber



MG MG HS

#### OE

10671727

Fitting Position: Left Front  
Paired article numbers: MA-01352  
Paired article numbers: MJ01352  
Paired article numbers: MM-01352  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-01352

#### Shock Absorber



MG MG HS

**OE**  
10671729

Fitting Position: Right Front  
Paired article numbers: MA-01351  
Paired article numbers: MJ01351  
Paired article numbers: MM-01351  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### RD-011

#### Tie Rod Axle Joint



MG MG HS

**OE**  
10178374

Fitting Position: Front Axle left and right  
Length [mm]: 296  
Outer Diameter [mm]: 40  
Outer Thread 1 [mm]: M16x1,5

### SI-0001

#### Rod/Strut, stabiliser



MG MG ZS Fuoristrada chiuso

**OE**  
10227851

Bar/Strut: Pull Rod  
Fitting Position: Front Axle  
Length [mm]: 300  
Material: Metal  
Thread Size: M10 x 1.5 RHT

### TI-00002

#### Tie Rod End



MG MG ZS Fuoristrada chiuso

**OE**  
10353668

Cone Size 1 [mm]: 13  
Cone Size 2 [mm]: 16  
Fitting Position: Front Axle Left  
Inner Thread [mm]: M14x1,5  
Length [mm]: 185  
Outer Thread [mm]: M10x1,25

### TI-00003

#### Tie Rod End



MG MG ZS Fuoristrada chiuso

**OE**  
10353669

Cone Size 1 [mm]: 13  
Cone Size 2 [mm]: 16  
Fitting Position: Front Axle Right  
Inner Thread [mm]: M14x1,5  
Length [mm]: 185  
Outer Thread [mm]: M10x1,25

## Mounting

### TI-406L

#### Tie Rod End



MG MG ZS

#### OE

53560-SH3-003  
53560-SH3-013  
53560-SR0-A01  
53560-SR3-003  
53560-ST7-003  
53560S04003

Fitted Diameter [mm]: 13  
Fitting Position: Left  
Inner Thread [mm]: 14 X 1,5  
Outer Thread [mm]: 10 X 1,25  
Overall Height [mm]: 67,5  
Overall Length [mm]: 199  
Thread Length [mm]: 45

### TI-406R

#### Tie Rod End



MG MG ZS

#### OE

53540-SH3-003  
53540-SH3-013  
53540-SR0-A01  
53540-SR3-003  
53540-ST3-E03  
53540-ST7-003

Fitted Diameter [mm]: 13  
Fitting Position: Right  
Inner Thread [mm]: 14 X 1,5  
Outer Thread [mm]: 10 X 1,25  
Overall Height [mm]: 67,5  
Overall Length [mm]: 200  
Thread Length [mm]: 45

### TI-487

#### Tie Rod End



MG MG ZR

#### OE

53540-SK3-E01  
GSJ 1011  
QJB100240  
QJB100241

Fitted Diameter [mm]: 13  
Fitting Position: Front Axle  
Inner Thread [mm]: M14X1,5  
Outer Thread [mm]: M 10X1,25  
Overall Height [mm]: 69  
Overall Length [mm]: 108  
Thread Length [mm]: 60

### TI-488L

#### Track Control Arm



MG MG ZR

#### OE

51365-SK3-000  
51365SK3000  
51365SK3010  
GSJ 1085  
GSJ286  
GSJ413

Fitted Diameter [mm]: 15  
Fitting Position: Front Axle Left  
Inner Diameter [mm]: 10  
Outer Thread 1 [mm]: 12 x 1,25  
Overall Height [mm]: 81

### TI-488R

#### Track Control Arm



MG MG ZR


#### OE

51355-SK3-000  
51355SK3000  
51355SK3010  
GSJ 1086  
GSJ287  
GSJ414

Fitted Diameter [mm]: 15,2  
Fitting Position: Front Axle Right  
Inner Diameter [mm]: 10  
Outer Thread 1 [mm]: 12 x 1,25  
Overall Height [mm]: 81  
Overall Length [mm]: 376

### ZC1039A

#### Coil Spring



MG MG ZS

#### OE

GRS464  
REB000380  
REB000620  
REB000621

Fitting Position: Front Axle

## Mounting

**ZC1040A**

Coil Spring



MG MG ZT  
MG MG ZT- T

**OE**  
REB000890

Fitting Position: Front Axle  
Spring Design: Coil Spring

**ZC2553F**

Coil Spring




MG MG TF

**OE**  
REB000670

Fitting Position: Front Axle  
Length [mm]: 242  
Outer Diameter [mm]: 86  
Thickness [mm]: 11,5

**ZC2935C**

Coil Spring



MG MG ZT  
MG MG ZT- T

**OE**  
REB000430  
REB000650  
REB000900

Fitting Position: Front Axle  
Length [mm]: 260  
Outer Diameter [mm]: 177  
Thickness [mm]: 16

**ZC2937C**

Coil Spring



MG MG ZT  
MG MG ZT- T

**OE**  
GRS449  
GRS450

Fitting Position: Front Axle  
Length [mm]: 282  
Outer Diameter [mm]: 182  
Thickness [mm]: 16

**ZC3487A**

Coil Spring



MG MG ZR

**OE**  
GRS459  
REB000400

Fitting Position: Front Axle

**ZC3796A**

Coil Spring



MG MG ZS

**OE**  
REB000630

Fitting Position: Front Axle

## Mounting

**ZC6039F**

**Coil Spring**



MG MG TF

**OE**

RKB 000520  
RKB000520

Fitting Position: Rear Axle  
Length [mm]: 228  
Outer Diameter [mm]: 94  
Thickness [mm]: 13,5

**ZC6220A**

**Coil Spring**



MG MG ZR

**OE**

GRS462  
RKB000410

Fitting Position: Rear Axle

**ZC6790X**

**Coil Spring**



MG MG ZT

**OE**

GRS455  
RKB000240  
RKB000241  
RKB000580SLP  
RKB000910SLP

Fitting Position: Rear Axle  
Length [mm]: 241  
Outer Diameter [mm]: 131  
Thickness [mm]: 14,25

**ZS00213**

**Gas Spring, boot-/cargo area**



MG MG HS

**OE**

10393725  
10393726

Eject Force [N]: 495  
Length [mm]: 563,5  
Stroke [mm]: 195,5

**ZS40029**

**Gas Spring, boot-/cargo area**



MG MG 7  
MG MG ZS Hatchback

**OE**

BHE140010  
GTS157

Diameter [mm]: 8  
Eject Force [N]: 510  
Housing Diameter [mm]: 18  
Length [mm]: 515  
Stroke [mm]: 200

**ZS40031**

**Gas Spring, bonnet**



MG MG ZT  
MG MG ZT- T

**OE**

BKK500010  
BKK50010  
GST124

Diameter [mm]: 8  
Eject Force [N]: 420  
Housing Diameter [mm]: 18  
Length [mm]: 338  
Stroke [mm]: 129

## Mounting

### ZS40032

Gas Spring, boot-/cargo area



MG MG ZT- T

**OE**  
BHE500050

Diameter [mm]: 8  
Eject Force [N]: 560  
Housing Diameter [mm]: 18  
Length [mm]: 565  
Stroke [mm]: 210

### ZS40033

Gas Spring, boot-/cargo area



MG MG ZT

**OE**  
BMH500010  
GST123

Diameter [mm]: 8  
Eject Force [N]: 370  
Housing Diameter [mm]: 18  
Length [mm]: 315  
Stroke [mm]: 112

### ZS40034

Gas Spring, boot-/cargo area



MG MG ZT- T

**OE**  
BHE500070

Diameter [mm]: 8  
Eject Force [N]: 180  
Housing Diameter [mm]: 18  
Length [mm]: 398  
Stroke [mm]: 120

### ZS40043

Gas Spring, boot-/cargo area



MG METRO

**OE**  
ADU6669  
AFP1283

Diameter [mm]: 8  
Eject Force [N]: 360  
Housing Diameter [mm]: 18  
Length [mm]: 542  
Stroke [mm]: 210