



# NEWS 07/2026



[www.japanparts.eu](http://www.japanparts.eu)

**CATALOGUE**  
FOR CARS AND  
COMMERCIAL VEHICLES

**CATALOGO**  
PER AUTOMOBILI E VEICOLI  
COMMERCIALI

## Brake system

### BC-1006

#### Cable, parking brake



NISSAN CABSTAR Pick-up

**OE**  
36530F3903

Fitting Position: Right Rear  
Length [mm]: 1292

### BC-1007

#### Cable, parking brake



NISSAN CABSTAR Pick-up

**OE**  
36531F3903

Fitting Position: Left Rear  
Length [mm]: 2110

### BC-195

#### Cable, parking brake



NISSAN PIXO (UA0)  
SUZUKI ALTO (HA25, HA35)

**OE**  
365304A00C  
54401M68K00

Fitting Position: Right  
Length 1 [mm]: 1460  
Length 2 [mm]: 1245  
Section: Rear Section

### BC-196

#### Cable, parking brake



NISSAN PIXO (UA0)  
SUZUKI ALTO (HA25, HA35)

**OE**  
365314A00B  
365314A00C  
54402M68K00

Fitting Position: Left  
Length 1 [mm]: 1475  
Length 2 [mm]: 1260  
Section: Rear Section

### BC-862

#### Cable, parking brake



SUZUKI SWIFT IV (FZ, NZ)  
SUZUKI SWIFT V (AZ)

**OE**  
5440168L20  
5440168L22

Fitting Position: Right  
Length 1 [mm]: 1480  
Length 2 [mm]: 1298  
Section: Rear Section

## Brake system

### BC-863

#### Cable, parking brake



SUZUKI SWIFT IV (FZ, NZ)  
SUZUKI SWIFT V (AZ)

**OE**  
5440268L20  
5440268L20000

Fitting Position: Left  
Length 1 [mm]: 1480  
Length 2 [mm]: 1298  
Section: Rear Section

### BC-H81

#### Cable, parking brake



HYUNDAI i30 (FD)  
HYUNDAI i30 CW (FD)

**OE**  
597702R500

Fitting Position: Right  
Length 1 [mm]: 1720  
Length 2 [mm]: 1710  
Section: Rear Section

### BC-H82

#### Cable, parking brake



HYUNDAI i10 (PA)

**OE**  
597600X300

Fitting Position: Left  
Length 1 [mm]: 1252  
Length 2 [mm]: 1110  
Section: Rear Section

### BC-H83

#### Cable, parking brake



HYUNDAI i10 (PA)

**OE**  
597700X300

Fitting Position: Right  
Length 1 [mm]: 1263  
Length 2 [mm]: 1117  
Section: Rear Section

### BC-H91L

#### Cable, parking brake



HYUNDAI SONATA VII (LF)  
KIA OPTIMA  
KIA OPTIMA Sportswagon

**OE**  
59760C1000  
59760C1100

Length 1 [mm]: 1755  
Length 2 [mm]: 1580  
Paired article numbers: 131-0H-H91R  
Paired article numbers: 131H91R  
Paired article numbers: BC-H91R

## Brake system

### BC-H91R

#### Cable, parking brake



HYUNDAI SONATA VII (LF)  
KIA OPTIMA  
KIA OPTIMA Sportswagon

**OE**  
59770C1000  
59770C1100

Length 1 [mm]: 1758  
Length 2 [mm]: 1570  
Paired article numbers: 131-0H-H91L  
Paired article numbers: 131H91L  
Paired article numbers: BC-H91L

### BC-H93L

#### Cable, parking brake



HYUNDAI ACCENT IV Tre volumi (RB)  
HYUNDAI SOLARIS Tre volumi  
KIA RIO III Tre volumi (UB)

**OE**  
597601R300

Brake Type: Disc Brake  
Length 1 [mm]: 1680  
Length 2 [mm]: 1455  
Paired article numbers: 131-0H-H93R  
Paired article numbers: 131H93R  
Paired article numbers: BC-H93R

### BC-H94L

#### Cable, parking brake



HYUNDAI ACCENT IV Tre volumi (RB)  
KIA RIO III Tre volumi (UB)

**OE**  
597601R000

Brake Type: Drum Brake  
Length 1 [mm]: 1586  
Length 2 [mm]: 1326  
Paired article numbers: 131-0H-H94R  
Paired article numbers: 131H94R  
Paired article numbers: BC-H94R

### BC-H94R

#### Cable, parking brake



HYUNDAI ACCENT IV Tre volumi (RB)  
KIA RIO III Tre volumi (UB)

**OE**  
597701R000

Brake Type: Drum Brake  
Length 1 [mm]: 1655  
Length 2 [mm]: 1394  
Paired article numbers: 131-0H-H94L  
Paired article numbers: 131H94L  
Paired article numbers: BC-H94L

### BC-K55L

#### Cable, parking brake



KIA CEE'D  
KIA CEE'D Combi Van (JD)  
KIA CEE'D Sportswagon  
KIA PRO CEE'D Hatchback Van (JD)  
KIA PRO CEE'D

**OE**  
59760A2300  
59760A2310

Brake Type: Disc Brake  
Length 1 [mm]: 1742  
Length 2 [mm]: 1534  
Paired article numbers: 131-0K-K55R  
Paired article numbers: 131K55R  
Paired article numbers: BC-K55R

## Brake system

### BC-K55R

#### Cable, parking brake



KIA CEE'D  
KIA CEE'D Combi Van (JD)  
KIA CEE'D Sportswagon  
KIA PRO CEE'D Hatchback Van (JD)  
KIA PRO CEE'D

#### OE

59770A2300  
59770A2310

Brake Type: Disc Brake  
Length 1 [mm]: 1878  
Length 2 [mm]: 1672  
Paired article numbers: 131-0K-K55L  
Paired article numbers: 131K55L  
Paired article numbers: BC-K55L

### CAL1000LJM

#### Brake Caliper



BMW 1 Coupé (E82)  
BMW 3 (E90)  
BMW 3 Cabriolet (E93)  
BMW 3 Coupé (E92)  
BMW 5 (E60)  
BMW 6 (E63)

#### OE

34 21 2 283 163  
34 21 6 753 679  
3421015350  
34210153505  
34212283163  
34216753679

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 46  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1000RJM

### CAL1000RJM

#### Brake Caliper



BMW 1 Coupé (E82)  
BMW 3 (E90)  
BMW 3 Cabriolet (E93)  
BMW 3 Coupé (E92)  
BMW 5 (E60)  
BMW 6 (E63)

#### OE

34 21 2 283 164  
34 21 6 753 680  
3421015350  
34210153506  
34212283164  
34216753680

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 46  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1000LJM

### CAL1003LJM

#### Brake Caliper



BMW 3 (E36)  
BMW 3 Cabriolet (E36)  
BMW 3 Coupe (E36)  
BMW Z1  
MG MG ZT  
MG MG ZT - T

#### OE

34 21 1 160 333  
3421116033  
34211160333  
GBC 90196  
GBC90196  
SOB100020

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1003RJM

### CAL1003RJM

#### Brake Caliper



BMW 3 (E36)  
BMW 3 Cabriolet (E36)  
BMW 3 Coupe (E36)  
BMW Z1  
MG MG ZT  
MG MG ZT - T

#### OE

34 21 1 160 334  
3421116033  
34211160334  
GBC 90194  
GBC90194  
SOB100030

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1003LJM

## Brake system

### CAL1005LJM

#### Brake Caliper



BMW 5 (E60)  
BMW 5 Touring (E61)

#### OE

34 11 6 763 023  
3411676302  
34116763023

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1005RJM

### CAL1005RJM

#### Brake Caliper



BMW 5 (E60)  
BMW 5 Touring (E61)

#### OE

34 11 6 763 024  
3411676302  
34116763024

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1005LJM

### CAL1009LJM

#### Brake Caliper



BMW 5 (E60)  
BMW 6 (E63)  
BMW 6 Cabriolet (E64)

#### OE

34 21 6 758 057  
3421675805  
34216758057

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1009RJM

### CAL1009RJM

#### Brake Caliper



BMW 5 (E60)  
BMW 6 (E63)  
BMW 6 Cabriolet (E64)

#### OE

34 21 6 758 058  
3421675805  
34216758058

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1009LJM

### CAL1012LJM

#### Brake Caliper



BMW 3 (E90)  
BMW 3 Cabriolet (E93)  
BMW 3 Coupé (E92)  
BMW 3 Touring (E91)  
BMW Z4 (E89)

#### OE

34 11 6 769 091  
3411676909  
34116769091

Brake Caliper Type: Aluminium brake caliper  
Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1012RJM

## Brake system

### CAL1012RJM

#### Brake Caliper



BMW 3 (E90)  
BMW 3 Cabriolet (E93)  
BMW 3 Coupé (E92)  
BMW 3 Touring (E91)  
BMW Z4 (E89)

#### OE

34 11 6 769 092  
3411676909  
34116769092

Brake Caliper Type: Aluminium brake caliper  
Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1012LJM

### CAL1013LJM

#### Brake Caliper



CHEVROLET LANOS Tre volumi  
DAEWOO ARANOS  
DAEWOO CIELO  
DAEWOO ESPERO (KLEJ)  
DAEWOO LANOS (KLAT)  
DAEWOO LANOS Tre volumi (KLAT)

#### OE

5 42 231  
5 42 251  
542231  
542251  
5542049  
90297765

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 52  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1013RJM

### CAL1013RJM

#### Brake Caliper



DAEWOO ARANOS  
DAEWOO CIELO  
DAEWOO ESPERO (KLEJ)  
DAEWOO LANOS (KLAT)  
DAEWOO LANOS Tre volumi (KLAT)  
DAEWOO NEXIA (KLETN)

#### OE

5 42 232  
5 42 250  
542232  
542250  
5542050  
90297766

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 52  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1013LJM

### CAL1014LJM

#### Brake Caliper



AUDI A3 (8V1)  
AUDI A3 Cabriolet (8V7)  
AUDI A3 Limousine (8VS)  
AUDI A3 Limousine (8YS)  
AUDI A3 Sportback (8VA)  
AUDI Q2

#### OE

3Q0 615 423F  
3Q0 615 423FSL7  
3Q0615423F  
3Q0615423FSL7  
5Q0 615 423  
5Q0 615 423 QC8

Brake Disc Thickness [mm]: 22  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1014RJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1014RJM

#### Brake Caliper



AUDI A3 (8V1)  
AUDI A3 Cabriolet (8V7)  
AUDI A3 Limousine (8VS)  
AUDI A3 Limousine (8YS)  
AUDI A3 Sportback (8VA)  
AUDI Q2

#### OE

3Q0615424F  
3Q0615424FSL7  
5Q0615424  
5Q0615424G  
5Q0615424GQB7  
5Q0615424GQC8

Brake Disc Thickness [mm]: 22  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1014LJM  
Supplementary Article/Supplementary Info:  
with electric motor



## Brake system

### CAL1017LJM

#### Brake Caliper



BMW 3 Cabriolet (E46)  
BMW 3 Coupe (E46)  
BMW Z4 (E85)  
BMW Z4 Coupé (E86)

#### OE

34112282175  
34112282617

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1017RJM

### CAL1017RJM

#### Brake Caliper



BMW 3 Cabriolet (E46)  
BMW 3 Coupe (E46)  
BMW Z4 (E85)  
BMW Z4 Coupé (E86)

#### OE

34112282176  
34112282618

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1017LJM

### CAL1018LJM

#### Brake Caliper



BMW X5 (E70)  
BMW X5 (F15, F85)  
BMW X6 (E71, E72)  
BMW X6 (F16, F86)

#### OE

34116776785

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 36  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1018RJM

### CAL1018RJM

#### Brake Caliper



BMW X5 (E70)  
BMW X5 (F15, F85)  
BMW X6 (E71, E72)  
BMW X6 (F16, F86)

#### OE

34116776786

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 36  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1018LJM

### CAL1022LJM

#### Brake Caliper



CITROEN JUMPER Autobus (230P)  
CITROEN JUMPER Autobus (244, Z\_)  
CITROEN JUMPER Furgonato (230L)  
CITROEN JUMPER Furgonato (244)  
CITROEN JUMPER Pianale piatto/Telaio (230)  
CITROEN JUMPER Pianale piatto/Telaio (244)

#### OE

1607378280  
4401F0  
4401G6  
4401J2  
4401N2  
735289107

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 24  
Brake System: BREMBO  
Diameter 1/ Diameter 2 [mm]: 46/52  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Number of Inlets / Outlets: 1  
Paired article numbers: CAL1022RJM



## Brake system

### CAL1022RJM

#### Brake Caliper



CITROEN JUMPER Autobus (230P)  
CITROEN JUMPER Autobus (244, Z\_)  
CITROEN JUMPER Furgonato (230L)  
CITROEN JUMPER Furgonato (244)  
CITROEN JUMPER Pianale piatto/Telaio (230)  
CITROEN JUMPER Pianale piatto/Telaio (244)

**OE**  
1607378380  
4401F1  
4401G7  
4401J3  
4401N3  
735289108

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 24  
Brake System: BREMBO  
Diameter 1/ Diameter 2 [mm]: 46/52  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Number of Inlets / Outlets: 1  
Paired article numbers: CAL1022LJM

### CAL1024LJM

#### Brake Caliper



BMW 5 (E34)  
BMW 7 (E32)

**OE**  
34211157555  
34211157557  
34211160381

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1024RJM

### CAL1024RJM

#### Brake Caliper



BMW 5 (E34)  
BMW 7 (E32)

**OE**  
34211157556  
34211157558  
34211160382

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1024LJM

### CAL1028LJM

#### Brake Caliper



AUDI 100 (4A, C4)  
AUDI 100 Avant (4A, C4)  
AUDI 80 (89, 89Q, 8A, B3)  
AUDI 90 (89, 89Q, 8A, B3)  
AUDI A6 (4A, C4)  
AUDI A6 Avant (4A, C4)

**OE**  
853615423A  
853615423AX

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: GIRLING  
Diameter [mm]: 38  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1028RJM

### CAL1028RJM

#### Brake Caliper



AUDI 100 (4A, C4)  
AUDI 100 Avant (4A, C4)  
AUDI 80 (89, 89Q, 8A, B3)  
AUDI 90 (89, 89Q, 8A, B3)  
AUDI A6 (4A, C4)  
AUDI A6 Avant (4A, C4)

**OE**  
853615424A  
853615424AX

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: GIRLING  
Diameter [mm]: 38  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1028LJM

## Brake system

### CAL1029LJM

#### Brake Caliper



BMW X5 (E53)

#### OE

34216768443

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1029RJM

### CAL1029RJM

#### Brake Caliper



BMW X5 (E53)

#### OE

34216768444

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1029LJM

### CAL1033LJM

#### Brake Caliper



OPEL CORSA C (F08, F68)  
OPEL CORSA C Furgonato (F08, W5L)  
OPEL TIGRA TwinTop  
VAUXHALL CORSA Mk II (C) (W5L, F08)  
VAUXHALL CORSAVAN Mk II (C)  
VAUXHALL TIGRA TwinTop

#### OE

542454  
5542263  
5542269  
9200127  
93173327  
93174752

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: LUCAS  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1033RJM

### CAL1033RJM

#### Brake Caliper



OPEL CORSA C (F08, F68)  
OPEL CORSA C Furgonato (F08, W5L)  
OPEL TIGRA TwinTop  
VAUXHALL CORSA Mk II (C) (W5L, F08)  
VAUXHALL CORSAVAN Mk II (C)  
VAUXHALL TIGRA TwinTop

#### OE

542455  
5542264  
5542270  
9200128  
93173329  
93174753

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: LUCAS  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1033LJM

### CAL1038LJM

#### Brake Caliper



NISSAN INTERSTAR Furgonato (X62B)  
NISSAN INTERSTAR Pianale piatto/Telaio (X62B)  
NISSAN NV400 Autobus  
NISSAN NV400 Furgonato  
NISSAN NV400 Pianale piatto/Telaio  
OPEL MOVANO B Autobus

#### OE

1685344180  
1686229980  
4401100Q0D  
4401100Q0F  
4401100Q0K  
4401100Q0M

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: BREMBO  
Diameter [mm]: 60  
Paired article numbers: CAL1038RJM

## Brake system

### CAL1038RJM

#### Brake Caliper



NISSAN INTERSTAR Furgonato (X62B)  
NISSAN INTERSTAR Pianale piatto/Telaio (X62B)  
NISSAN NV400 Autobus  
NISSAN NV400 Furgonato  
NISSAN NV400 Pianale piatto/Telaio  
OPEL MOVANO B Autobus

#### OE

1685548180  
1686229880  
4400100Q0C  
4400100Q0F  
4400100Q0J  
4400100Q0M

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: BREMBO  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1038LJM

### CAL1040RJM

#### Brake Caliper



ISUZU TROOPER  
ISUZU TROOPER (UB)  
ISUZU TROOPER Fuoristrada aperto  
ISUZU TROOPER Fuoristrada aperto (UB)  
ISUZU VEHICROSS (.U.)  
OPEL FRONTERA A (5\_MWL4)

#### OE

542266  
542268  
542284  
8970352580  
8971444780  
97035258

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: AKEBONO  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1040LJM

### CAL1041LJM

#### Brake Caliper



FIAT CROMA (194)  
OPEL SIGNUM  
OPEL VECTRA C  
OPEL VECTRA C GTS  
OPEL VECTRA C Station wagon  
SAAB 9-3 (YS3F)

#### OE

542023  
735350351  
77363596  
93172170

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1041RJM

### CAL1041RJM

#### Brake Caliper



FIAT CROMA (194)  
OPEL SIGNUM  
OPEL VECTRA C  
OPEL VECTRA C GTS  
OPEL VECTRA C Station wagon  
SAAB 9-3 (YS3F)

#### OE

542024  
735350352  
77363687  
93172171

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1041LJM

### CAL1042LJM

#### Brake Caliper



SEAT CORDOBA (6K1, 6K2)  
SEAT CORDOBA Vario (6K5)  
SEAT IBIZA II (6K1)  
VW CADDY I (14)  
VW GOLF I (17)  
VW GOLF I Cabriolet (155)

#### OE

1H0615123A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1042RJM

## Brake system

### CAL1042RJM

#### Brake Caliper



SEAT CORDOBA (6K1, 6K2)  
SEAT CORDOBA Vario (6K5)  
SEAT IBIZA II (6K1)  
VW CADDY I (14)  
VW GOLF I (17)  
VW GOLF I Cabriolet (155)

**OE**  
1H0615124A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1042LJM

### CAL1043LJM

#### Brake Caliper



AUDI 80 (8C, B4)  
AUDI 80 Avant (8C, B4)

**OE**  
1A8615124  
8A0615123  
8A0615123X

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 13  
Brake System: GIRLING  
Diameter [mm]: 54  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1043RJM

### CAL1043RJM

#### Brake Caliper



AUDI 80 (8C, B4)  
AUDI 80 Avant (8C, B4)

**OE**  
1A8615123  
8A0615124  
8A0615124X

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 13  
Brake System: GIRLING  
Diameter [mm]: 54  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1043LJM

### CAL1046LJM

#### Brake Caliper



SEAT AROSA (6H)  
VW LUPO (6X1, 6E1)  
VW POLO (6N1)  
VW POLO (6N2)

**OE**  
6N0615123C  
6N0615123CX  
6N0615123D

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: GIRLING  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1046RJM

### CAL1046RJM

#### Brake Caliper



SEAT AROSA (6H)  
VW LUPO (6X1, 6E1)  
VW POLO (6N1)  
VW POLO (6N2)

**OE**  
6N0615124C  
6N0615124CX  
6N0615124D

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: GIRLING  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1046LJM

## Brake system

### CAL1048LJM

#### Brake Caliper



CITROEN EVASION (22, U6)  
CITROEN EVASION Van (U6\_, AF\_)  
CITROEN JUMPY (U6U)  
CITROEN JUMPY Furgonato (BS\_, BT\_, BY\_, BZ\_)  
CITROEN JUMPY Pianale piatto/Telaio (BU\_, BV\_, BW\_, BX\_)

**OE**  
440192  
441073  
9404401928  
9946008  
9946009

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: GIRLING  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1048RJM

### CAL1048RJM

#### Brake Caliper



CITROEN EVASION (22, U6)  
CITROEN EVASION Van (U6\_, AF\_)  
CITROEN JUMPY (U6U)  
CITROEN JUMPY Furgonato (BS\_, BT\_, BY\_, BZ\_)  
CITROEN JUMPY Pianale piatto/Telaio (BU\_, BV\_, BW\_, BX\_)

**OE**  
440193  
441074  
9404401938  
9946011  
9946012

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: GIRLING  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1048LJM

### CAL1050LJM

#### Brake Caliper



CITROEN C4 Grand Picasso II  
CITROEN C4 Picasso II  
CITROEN C4 PICASSO II Van (DD\_)  
CITROEN C4 SPACETOURER  
CITROEN C4 SPACETOURER Van (3D\_)  
CITROEN C5 AIRCROSS

**OE**  
1608999580  
1651758380  
95525389  
95526191

Brake Disc Thickness [mm]: 12  
Brake System: BOSCH  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Number of Poles: 4  
Paired article numbers: CAL1050RJM  
Supplementary Article/Supplementary Info: with electric motor

### CAL1050RJM

#### Brake Caliper



CITROEN C4 Grand Picasso II  
CITROEN C4 Picasso II  
CITROEN C4 PICASSO II Van (DD\_)  
CITROEN C4 SPACETOURER  
CITROEN C4 SPACETOURER Van (3D\_)  
CITROEN C5 AIRCROSS

**OE**  
1608999680  
1651758480  
95525390  
95526190

Brake Disc Thickness [mm]: 12  
Brake System: BOSCH  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Number of Poles: 4  
Paired article numbers: CAL1050LJM  
Supplementary Article/Supplementary Info: with electric motor

### CAL1051LJM

#### Brake Caliper



ALFA ROMEO GIULIETTA (940)  
ALFA ROMEO GIULIETTA Furgonato (940\_)  
FIAT 500X  
JEEP RENEGADE Fuoristrada chiuso  
JEEP RENEGADE Fuoristrada chiuso (BU)  
JEEP RENEGADE VAN (BU, B1)

**OE**  
52071151  
71797953  
77365611  
77367229

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1051RJM



## Brake system

### CAL1051RJM

#### Brake Caliper



ALFA ROMEO GIULIETTA (940)  
ALFA ROMEO GIULIETTA Furgonato (940\_)  
FIAT 500X  
JEEP RENEGADE Fuoristrada chiuso  
JEEP RENEGADE Fuoristrada chiuso (BU)  
JEEP RENEGADE VAN (BU, B1)

#### OE

52071152  
71797983  
77365614  
77367228

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1051LJM

### CAL1056LJM

#### Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

#### OE

0014206983  
0024205783  
2D0615123A  
9044200101  
9044202301  
9044203501

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: BOSCH  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1056RJM

### CAL1056RJM

#### Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

#### OE

0014207083  
0024205883  
2D0615124A  
9044200201  
9044202401  
9044203601

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: BOSCH  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1056LJM

### CAL1058LJM

#### Brake Caliper



ALFA ROMEO 147 (937)  
ALFA ROMEO 156 (932)  
ALFA ROMEO 156 Sportwagon (932)  
ALFA ROMEO GT (937)  
FIAT PUNTO (188)  
LANCIA LYBRA (839AX)

#### OE

46522345  
71793491  
735457083  
77364768  
77365071  
9448124

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: ATE/BOSCH  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1058RJM

### CAL1058RJM

#### Brake Caliper



ALFA ROMEO 147 (937)  
ALFA ROMEO 156 (932)  
ALFA ROMEO 156 Sportwagon (932)  
ALFA ROMEO GT (937)  
FIAT PUNTO (188)  
LANCIA LYBRA (839AX)

#### OE

46522346  
71793857  
735457084  
77364769  
77365072  
9947895

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: ATE/BOSCH  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1058LJM

## Brake system

### CAL1062LJM

#### Brake Caliper



OPEL ASTRA G 2 volumi /Coda spiovente (F48\_, F08\_)  
OPEL ASTRA G Cabriolet (F67)  
OPEL ASTRA G CLASSIC (T98)  
OPEL ASTRA G CLASSIC Caravan (F35)  
OPEL ASTRA G CLASSIC Tre volumi (T98)

**OE**  
542473  
93179154

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: LUCAS  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
For cable [mm]: 6  
Paired article numbers: CAL1062RJM

### CAL1062RJM

#### Brake Caliper



OPEL ASTRA G 2 volumi /Coda spiovente (F48\_, F08\_)  
OPEL ASTRA G Cabriolet (F67)  
OPEL ASTRA G CLASSIC (T98)  
OPEL ASTRA G CLASSIC Caravan (F35)  
OPEL ASTRA G CLASSIC Tre volumi (T98)

**OE**  
542474  
93179155

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: LUCAS  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
For cable [mm]: 6  
Paired article numbers: CAL1062LJM

### CAL1063LJM

#### Brake Caliper



FORD GALAXY (WGR)  
FORD GALAXY MK I VAN (WGR)  
SEAT ALHAMBRA (7V8, 7V9)  
SEAT ALHAMBRA VAN (7V8, 7V9)  
VW CALIFORNIA T4 Camper (7DJ, 7DK, 70J)  
VW SHARAN (7M8, 7M9, 7M6)

**OE**  
1138653  
7M3615123A  
YM212B119DA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1063RJM

### CAL1063RJM

#### Brake Caliper



FORD GALAXY (WGR)  
FORD GALAXY MK I VAN (WGR)  
SEAT ALHAMBRA (7V8, 7V9)  
SEAT ALHAMBRA VAN (7V8, 7V9)  
VW CALIFORNIA T4 Camper (7DJ, 7DK, 70J)  
VW SHARAN (7M8, 7M9, 7M6)

**OE**  
1138651  
7M3615124A  
YM212B118DA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1063LJM

### CAL1064LJM

#### Brake Caliper



AUDI A4 (8D2, B5)  
AUDI A4 Avant (8D5, B5)

**OE**  
8D0615123  
8D0615123X

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 13  
Brake System: GIRLING  
Diameter [mm]: 54  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1064RJM



## Brake system

### CAL1064RJM

#### Brake Caliper



AUDI A4 (8D2, B5)  
AUDI A4 Avant (8D5, B5)

#### OE

8D0615124  
8D0615124X

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 13  
Brake System: GIRLING  
Diameter [mm]: 54  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1064LJM

### CAL1067LJM

#### Brake Caliper



CITROEN JUMPER Autobus (230P)  
CITROEN JUMPER Autobus (244, Z\_)  
CITROEN JUMPER Furgonato (230L)  
CITROEN JUMPER Furgonato (244)  
CITROEN JUMPER Pianale piatto/Telaio (230)  
CITROEN JUMPER Pianale piatto/Telaio (244)

#### OE

1607378080  
4401E8  
4401J0  
4401N0  
735289105  
735361980

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 24  
Brake System: BREMBO  
Diameter 1/ Diameter 2 [mm]: 46/52  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Number of Inlets / Outlets: 2  
Paired article numbers: CAL1067RJM

### CAL1067RJM

#### Brake Caliper



CITROEN JUMPER Autobus (230P)  
CITROEN JUMPER Autobus (244, Z\_)  
CITROEN JUMPER Furgonato (230L)  
CITROEN JUMPER Furgonato (244)  
CITROEN JUMPER Pianale piatto/Telaio (230)  
CITROEN JUMPER Pianale piatto/Telaio (244)

#### OE

1607378180  
4401E9  
4401J1  
4401N1  
735289106  
735361981

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 24  
Brake System: BREMBO  
Diameter 1/ Diameter 2 [mm]: 46/52  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Number of Inlets / Outlets: 2  
Paired article numbers: CAL1067LJM

### CAL1069LJM

#### Brake Caliper



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)  
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)  
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB, 7EJ, 7EF)  
VW TRANSPORTER V Furgonato (7HA, 7HH, 7EA,

#### OE

7H0615123  
7H0615123B

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 32,5  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1069RJM

### CAL1069RJM

#### Brake Caliper



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)  
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)  
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB, 7EJ, 7EF)  
VW TRANSPORTER V Furgonato (7HA, 7HH, 7EA,

#### OE

7H0615124  
7H0615124B

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 32,5  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1069LJM

## Brake system

### CAL1070LJM

#### Brake Caliper



AUDI A3 (8P1)  
AUDI A3 Sportback (8PA)  
AUDI TT (8J3)  
AUDI TT Roadster (8J9)  
SEAT LEON (1P1)  
VW GOLF VI (5K1)

#### OE

1K0615123L  
8J0615123B  
8J0615123C  
8J0615123D  
8J0615123E  
8P0615123

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 30  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1070RJM

### CAL1070RJM

#### Brake Caliper



AUDI A3 (8P1)  
AUDI A3 Sportback (8PA)  
AUDI TT (8J3)  
AUDI TT Roadster (8J9)  
SEAT LEON (1P1)  
VW GOLF VI (5K1)

#### OE

1K0615124L  
8J0615124B  
8J0615124C  
8J0615124D  
8J0615124E  
8P0615124

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 30  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1070LJM

### CAL1071RJM

#### Brake Caliper



AUDI A6 (4G2, C7, 4GC)  
AUDI A6 Allroad (4GH, 4GJ)  
AUDI A6 Avant (4G5, C7, 4GD)  
AUDI A7 Sportback (4GA, 4GF)  
AUDI Q5 (8R)  
AUDI Q5 Van (8RB)

#### OE

4G0615124A  
4G0615124D  
8K0615124D  
8K0615124E  
8K0615124J

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 30  
Brake System: TRW  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1071LJM

### CAL1073LJM

#### Brake Caliper



CITROEN EVASION (22, U6)  
CITROEN JUMPY (U6U)  
CITROEN JUMPY Furgonato (BS\_, BT\_, BY\_, BZ\_)  
CITROEN JUMPY Pianale piatto/Telaio (BU\_, BV\_, BW\_, BX\_)  
FIAT SCUDO Combinato (220P)

#### OE

4400F7  
441071  
71793090  
77362802  
9567477080

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BENDIX/BOSCH  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1073RJM

### CAL1073RJM

#### Brake Caliper



CITROEN EVASION (22, U6)  
CITROEN JUMPY (U6U)  
CITROEN JUMPY Furgonato (BS\_, BT\_, BY\_, BZ\_)  
CITROEN JUMPY Pianale piatto/Telaio (BU\_, BV\_, BW\_, BX\_)  
FIAT SCUDO Combinato (220P)

#### OE

4400F8  
441072  
71793093  
77362803  
9567477180

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BENDIX/BOSCH  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1073LJM

## Brake system

### CAL1075LJM

#### Brake Caliper



FORD COUGAR (EC\_)  
FORD MONDEO I (GBP)  
FORD MONDEO I Station wagon (BNP)  
FORD MONDEO I Tre volumi (GBP)  
FORD MONDEO II (BAP)  
FORD MONDEO II Station wagon (BNP)

**OE**  
1072953  
1072961  
1121758  
1138597  
1138602  
1478491

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 60  
Distance of fastening bolts [mm]: 100  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1075RJM

### CAL1075RJM

#### Brake Caliper



FORD COUGAR (EC\_)  
FORD MONDEO I (GBP)  
FORD MONDEO I Station wagon (BNP)  
FORD MONDEO I Tre volumi (GBP)  
FORD MONDEO II (BAP)  
FORD MONDEO II Station wagon (BNP)

**OE**  
1072759  
1072951  
1072959  
1121753  
1138591  
1478469

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 60  
Distance of fastening bolts [mm]: 100  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1075LJM

### CAL1077LJM

#### Brake Caliper



BMW 3 Cabriolet (E46)  
BMW 3 Coupe (E46)

**OE**  
34212282195

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1077RJM

### CAL1077RJM

#### Brake Caliper



BMW 3 Cabriolet (E46)  
BMW 3 Coupe (E46)

**OE**  
34212282196

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1077LJM

### CAL1079LJM

#### Brake Caliper



SEAT IBIZA II (6K1)

**OE**  
6K0615423

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: LUCAS  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1079RJM

## Brake system

### CAL1079RJM

#### Brake Caliper



SEAT CORDOBA (6K1, 6K2)  
SEAT CORDOBA Vario (6K5)  
SEAT IBIZA II (6K1)  
VW POLO CLASSIC (6KV2)

#### OE

6K0615424  
6K0615424A  
6K0615424D  
6K0615424E

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: LUCAS  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1079LJM

### CAL1080LJM

#### Brake Caliper



FIAT CROMA (194)

#### OE

735364071  
735414699  
735483698  
77363636

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: TRW  
Diameter [mm]: 41  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1080RJM

### CAL1080RJM

#### Brake Caliper



FIAT CROMA (194)

#### OE

735364072  
735414700  
735483699  
77363637

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: TRW  
Diameter [mm]: 41  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1080LJM

### CAL1081LJM

#### Brake Caliper



FIAT GRANDE PUNTO (199)  
FIAT GRANDE PUNTO Van (199\_)  
OPEL CORSA D  
OPEL CORSA D Van  
VAUXHALL CORSA Mk III (D) (L\_8)

#### OE

542401  
542542  
77363924  
77364397  
93191690  
95516250

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: BOSCH  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1081RJM

### CAL1081RJM

#### Brake Caliper



FIAT GRANDE PUNTO (199)  
FIAT GRANDE PUNTO Van (199\_)  
OPEL CORSA D  
OPEL CORSA D Van  
VAUXHALL CORSA Mk III (D) (L\_8)

#### OE

542402  
542543  
77363925  
77364396  
93191691  
95516252

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: BOSCH  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1081LJM

## Brake system

### CAL1082LJM

#### Brake Caliper



BMW 5 (E39)

**OE**  
34211163649

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1082RJM

### CAL1082RJM

#### Brake Caliper



BMW 5 (E39)

**OE**  
34211163650

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1082LJM

### CAL1083LJM

#### Brake Caliper



FORD B-MAX (JK)  
FORD B-MAX Van  
FORD FIESTA Tre volumi  
FORD FIESTA VI  
FORD FIESTA VI Van  
FORD TOURNEO COURIER Kombi

**OE**  
1751876  
1785191  
1791153  
1834045  
1858166  
1858167

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 23  
Brake System: TRW  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1083RJM

### CAL1083RJM

#### Brake Caliper



FORD B-MAX (JK)  
FORD B-MAX Van  
FORD FIESTA Tre volumi  
FORD FIESTA VI  
FORD FIESTA VI Van  
FORD TOURNEO COURIER Kombi

**OE**  
1751875  
1785190  
1791151  
1834044  
1858142  
1858145

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 23  
Brake System: TRW  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1083LJM

### CAL1085LJM

#### Brake Caliper



FORD GALAXY (WGR)  
FORD GALAXY MK I VAN (WGR)  
SEAT ALHAMBRA (7V8, 7V9)  
SEAT ALHAMBRA VAN (7V8, 7V9)  
VW SHARAN (7M8, 7M9, 7M6)  
VW SHARAN VAN (7M\_)

**OE**  
1049937  
7201630  
7M0615123A  
7M0615123B  
7M0615123C  
95VW2B119BA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1085RJM



## Brake system

### CAL1085RJM

#### Brake Caliper



FORD GALAXY (WGR)  
FORD GALAXY MK I VAN (WGR)  
SEAT ALHAMBRA (7V8, 7V9)  
SEAT ALHAMBRA VAN (7V8, 7V9)  
VW SHARAN (7M8, 7M9, 7M6)  
VW SHARAN VAN (7M\_)

**OE**  
1049936  
7201628  
7M0615124A  
7M0615124B  
7M0615124C  
95VW2B118BA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1085LJM

### CAL1086LJM

#### Brake Caliper



AUDI A3 (8V1)  
AUDI A3 Cabriolet (8V7)  
AUDI A3 Limousine (8VS)  
AUDI A3 Limousine (8YS)  
AUDI A3 Sportback (8VA)  
AUDI Q2

**OE**  
5F0615123  
5F0615123A  
5G0615123A  
5G0615123D  
8V0615123B  
8V0615123C

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 30  
Brake System: TRW  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1086RJM

### CAL1086RJM

#### Brake Caliper



AUDI A3 (8V1)  
AUDI A3 Cabriolet (8V7)  
AUDI A3 Limousine (8VS)  
AUDI A3 Limousine (8YS)  
AUDI A3 Sportback (8VA)  
AUDI Q2

**OE**  
5F0615124  
5F0615124A  
5G0615124A  
5G0615124D  
8V0615124B  
8V0615124C

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 30  
Brake System: TRW  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1086LJM

### CAL1090LJM

#### Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

**OE**  
0024206183  
9014201801  
9014202001  
9014202201  
A0024206183  
A9014201801

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1090RJM

### CAL1090RJM

#### Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

**OE**  
0024206283  
9014201701  
9014201901  
9014202101  
A0024206283  
A9014201701

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1090LJM



## Brake system

### CAL1091LJM

#### Brake Caliper



FIAT CROMA (194)  
FIAT CROMA Furgonato (194\_)

#### OE

735364069  
735414678  
735483694  
77363644

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 41  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1091RJM

### CAL1091RJM

#### Brake Caliper



FIAT CROMA (194)  
FIAT CROMA Furgonato (194\_)

#### OE

735364070  
735414679  
735483695  
77363646

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 41  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1091LJM

### CAL1092LJM

#### Brake Caliper



RENAULT ESPACE IV (JK0/1\_)  
RENAULT LAGUNA II (BG0/1\_)  
RENAULT LAGUNA II Grandtour (KG0/1\_)  
RENAULT VEL SATIS (BJ0\_)

#### OE

7701049762  
7711135697  
8253965

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1092RJM

### CAL1092RJM

#### Brake Caliper



RENAULT ESPACE IV (JK0/1\_)  
RENAULT LAGUNA II (BG0/1\_)  
RENAULT LAGUNA II Grandtour (KG0/1\_)  
RENAULT VEL SATIS (BJ0\_)

#### OE

7701049763  
7711135698  
8253966

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1092LJM

### CAL1093LJM

#### Brake Caliper



FORD ESCORT '91 Express (AVL)  
FORD ESCORT '95 Furgonato (AVL)  
FORD ESCORT CLASSIC (AAL, ABL)  
FORD ESCORT CLASSIC Turnier (ANL)  
FORD ESCORT III (GAA)  
FORD ESCORT III Cabriolet (ALD)

#### OE

1048298  
1138612  
1478496  
6180380  
91AB2B302BA  
97AG2B302BA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BENDIX  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1093RJM

## Brake system

### CAL1093RJM

#### Brake Caliper



FORD ESCORT '91 Express (AVL)  
FORD ESCORT '95 Furgonato (AVL)  
FORD ESCORT CLASSIC (AAL, ABL)  
FORD ESCORT CLASSIC Turnier (ANL)  
FORD ESCORT III (GAA)  
FORD ESCORT III Cabriolet (ALD)

#### OE

1048296  
1138611  
1478468  
6180378  
91AB2B294BA  
97AG2B294BA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BENDIX  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1093LJM

### CAL1095LJM

#### Brake Caliper



AUDI A8 (4D2, 4D8)

#### OE

4D0615423  
4D0615423B

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: LUCAS  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1095RJM

### CAL1095RJM

#### Brake Caliper



AUDI A8 (4D2, 4D8)

#### OE

4D0615424  
4D0615424B

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: LUCAS  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1095LJM

### CAL1096LJM

#### Brake Caliper



HYUNDAI MATRIX (FC)  
HYUNDAI SONATA IV (EF)  
HYUNDAI SONATA VI (YF)  
HYUNDAI XG (XG)  
HYUNDAI XG Tre volumi  
KIA MAGENTIS (GD)

#### OE

5821017300  
5821017A00  
5821017A10  
5831038A10

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: MANDO  
Diameter [mm]: 34  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1096RJM

### CAL1096RJM

#### Brake Caliper



HYUNDAI MATRIX (FC)  
HYUNDAI SONATA IV (EF)  
HYUNDAI SONATA VI (YF)  
HYUNDAI XG (XG)  
HYUNDAI XG Tre volumi  
KIA MAGENTIS (GD)

#### OE

5821117A00  
5821117A10  
5823017300  
5831138A10  
5836017000  
5836017300

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: MANDO  
Diameter [mm]: 34  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1096LJM

## Brake system

### CAL1099LJM

#### Brake Caliper



FIAT 500L

#### OE

51913515  
51953239  
51976483  
52019414  
52022016  
52022748

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: LUCAS  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1099RJM

### CAL1099RJM

#### Brake Caliper



FIAT 500L

#### OE

51913516  
51953240  
51956582  
51976484  
52019415  
52022017

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: LUCAS  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1099LJM

### CAL1100LJM

#### Brake Caliper



CHEVROLET CAPTIVA (C100, C140)  
CHEVROLET CAPTIVA SPORT  
CHEVROLET CAPTIVA Van (C100)  
OPEL ANTARA  
VAUXHALL ANTARA (J26, H26)

#### OE

25964182  
4808843  
4808859  
4814330  
96625936  
96626067

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 29  
Brake System: MANDO  
Diameter [mm]: 45  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1100RJM

### CAL1101RJM

#### Brake Caliper



BMW 3 (F30, F35, F80)  
BMW 3 GRAN TURISMO (F34)  
BMW 3 Touring (F31)  
BMW 3 Touring Van (F31)  
BMW 4 Cabriolet (F33, F83)  
BMW 4 Coupé (F32, F82)

#### OE

34216850974

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BOSCH  
Diameter [mm]: 42  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1101LJM

### CAL1102LJM

#### Brake Caliper



NISSAN INTERSTAR Autobus (X70)  
NISSAN INTERSTAR Furgonato (X70)  
NISSAN INTERSTAR Pianale piatto/Telaio  
OPEL MOVANO Combi (J9)  
OPEL MOVANO Furgonato (F9)  
OPEL MOVANO Pianale piatto/Telaio (U9, E9)

#### OE

4101100Q0C  
4101100QAD  
4402988  
7701206725  
7711135723  
8253847

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: BOSCH  
Diameter [mm]: 45  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1102RJM

## Brake system

### CAL1102RJM

#### Brake Caliper



NISSAN INTERSTAR Autobus (X70)  
NISSAN INTERSTAR Furgonato (X70)  
NISSAN INTERSTAR Pianale piatto/Telaio  
OPEL MOVANO Combi (J9)  
OPEL MOVANO Furgonato (F9)  
OPEL MOVANO Pianale piatto/Telaio (U9, E9)

**OE**  
4100100Q0C  
4100100QAD  
4402990  
7701206726  
7711135724  
8253848

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: BOSCH  
Diameter [mm]: 45  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1102LJM

### CAL1110LJM

#### Brake Caliper



OPEL ASTRA K  
OPEL ASTRA K Cassone / coda spiovente  
OPEL ASTRA K Cassone / Furgonato /  
Promiscuo  
OPEL ASTRA K Sports Tourer  
VAUXHALL ASTRA Mk VII (K) (B16)

**OE**  
13508993  
13589725  
95522586  
95524065

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1110RJM

### CAL1110RJM

#### Brake Caliper



OPEL ASTRA K  
OPEL ASTRA K Cassone / coda spiovente  
OPEL ASTRA K Cassone / Furgonato /  
Promiscuo  
OPEL ASTRA K Sports Tourer  
VAUXHALL ASTRA Mk VII (K) (B16)

**OE**  
13508994  
13589727  
95522590  
95524468

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1110LJM

### CAL1111LJM

#### Brake Caliper



OPEL ASTRA K  
OPEL ASTRA K Cassone / coda spiovente  
OPEL ASTRA K Cassone / Furgonato /  
Promiscuo  
OPEL ASTRA K Sports Tourer  
VAUXHALL ASTRA Mk VII (K) (B16)

**OE**  
13507388  
13528005  
95522573  
95528869

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: TRW  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1111RJM

### CAL1111RJM

#### Brake Caliper



OPEL ASTRA K  
OPEL ASTRA K Cassone / coda spiovente  
OPEL ASTRA K Cassone / Furgonato /  
Promiscuo  
OPEL ASTRA K Sports Tourer  
VAUXHALL ASTRA Mk VII (K) (B16)

**OE**  
13507389  
13528006  
95522578  
95528872

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: TRW  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1111LJM

## Brake system

### CAL1112LJM

#### Brake Caliper



MITSUBISHI CARISMA (DA\_)  
 MITSUBISHI CARISMA Tre volumi (DA\_)  
 MITSUBISHI SPACE STAR (DG\_A)  
 VOLVO S40 I (VS)  
 VOLVO V40 Station wagon (VW)

**OE**  
 3345667  
 8602076  
 86020765  
 8602144  
 MR249222

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 24  
 Brake System: LUCAS  
 Diameter [mm]: 54  
 Fitting Position: Front Axle Left  
 Fitting Position: in front of axle  
 Paired article numbers: CAL1112RJM

### CAL1112RJM

#### Brake Caliper



MITSUBISHI CARISMA (DA\_)  
 MITSUBISHI CARISMA Tre volumi (DA\_)  
 MITSUBISHI SPACE STAR (DG\_A)  
 VOLVO S40 I (VS)  
 VOLVO V40 Station wagon (VW)

**OE**  
 3345668  
 8602077  
 86020773  
 8602145  
 MR249223

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 24  
 Brake System: LUCAS  
 Diameter [mm]: 54  
 Fitting Position: Front Axle Right  
 Fitting Position: in front of axle  
 Paired article numbers: CAL1112LJM

### CAL1123LJM

#### Brake Caliper



RENAULT MEGANE IV  
 RENAULT MEGANE IV Grandtour (K9A/M\_)  
 RENAULT MEGANE IV Tre volumi

**OE**  
 410110528R

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 24  
 Brake System: TRW  
 Diameter [mm]: 54  
 Fitting Position: Front Axle Left  
 Fitting Position: in front of axle  
 Paired article numbers: CAL1123RJM

### CAL1123RJM

#### Brake Caliper



RENAULT MEGANE IV  
 RENAULT MEGANE IV Grandtour (K9A/M\_)  
 RENAULT MEGANE IV Tre volumi

**OE**  
 410012354R

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 24  
 Brake System: TRW  
 Diameter [mm]: 54  
 Fitting Position: Front Axle Right  
 Fitting Position: in front of axle  
 Paired article numbers: CAL1123LJM

### CAL1127LJM

#### Brake Caliper



MERCEDES-BENZ CLA Coupé (C117)  
 MERCEDES-BENZ CLA Shooting Brake (X117)  
 MERCEDES-BENZ CLASSE A (W176)  
 MERCEDES-BENZ CLASSE B (W246, W242)  
 MERCEDES-BENZ CLASSE GLA (X156)

**OE**  
 0004203981  
 0004213981  
 0004216181  
 0004217381  
 A0004203981  
 A0004213981

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 28  
 Brake System: TRW  
 Diameter [mm]: 60  
 Fitting Position: Front Axle Left  
 Fitting Position: in front of axle  
 Paired article numbers: CAL1127RJM



## Brake system

### CAL1127RJM

#### Brake Caliper



MERCEDES-BENZ CLA Coupé (C117)  
MERCEDES-BENZ CLA Shooting Brake (X117)  
MERCEDES-BENZ CLASSE A (W176)  
MERCEDES-BENZ CLASSE B (W246, W242)  
MERCEDES-BENZ CLASSE GLA (X156)

#### OE

0004214081  
0004216281  
0004217481  
A0004214081  
A0004216281  
A0004217481

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: TRW  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1127LJM

### CAL1128LJM

#### Brake Caliper



CITROEN JUMPER Autobus (230P)  
CITROEN JUMPER Furgonato (230L)  
CITROEN JUMPER Pianale piatto/Telaio (230)  
FIAT DUCATO Autobus (230)  
FIAT DUCATO Furgonato (230L)  
FIAT DUCATO Pianale piatto/Telaio (230)

#### OE

440186  
9945798  
9945800

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 24  
Brake System: LUCAS  
Diameter 1/ Diameter 2 [mm]: 40/48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Number of Inlets / Outlets: 1  
Paired article numbers: CAL1128RJM

### CAL1131LJM

#### Brake Caliper



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)

#### OE

8X0615123A  
8X0615123B  
8X0615123C  
8X0615123D

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1131RJM

### CAL1131RJM

#### Brake Caliper



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)

#### OE

8X0615124A  
8X0615124B  
8X0615124C  
8X0615124D

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1131LJM

### CAL1133LJM

#### Brake Caliper



AUDI A4 (8E2, B6)  
AUDI A4 (8EC, B7)  
AUDI A4 Avant (8E5, B6)  
AUDI A4 B7 Cabriolet (8HE)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

#### OE

8E0615423C  
8E0615423F  
8E0615423J

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1133RJM



## Brake system

### CAL1133RJM

#### Brake Caliper



AUDI A4 (8E2, B6)  
AUDI A4 (8EC, B7)  
AUDI A4 Avant (8E5, B6)  
AUDI A4 B7 Cabriolet (8HE)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

**OE**  
8E0615424C  
8E0615424F  
8E0615424J

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1133LJM

### CAL1134LJM

#### Brake Caliper



CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 Cassone / coda spiovente (SC\_)  
CITROEN C3 II  
CITROEN C3 III (SX)  
CITROEN C3 III Van (SX\_, SY\_)

**OE**  
1617293580  
1651756880  
3649091  
4401P8

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: BOSCH  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1134RJM

### CAL1134RJM

#### Brake Caliper



CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 Cassone / coda spiovente (SC\_)  
CITROEN C3 II  
CITROEN C3 III (SX)  
CITROEN C3 III Van (SX\_, SY\_)

**OE**  
1617293680  
1651756980  
3649093  
4401P9

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: BOSCH  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1134LJM

### CAL1135LJM

#### Brake Caliper



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN BERLINGO Furgonato (K9)  
OPEL ASTRA L  
OPEL ASTRA L Sports Tourer (O5)  
OPEL COMBO Cassone / Furgonato / Promiscuo

**OE**  
1610428180  
1651764880

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: BOSCH  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1135RJM

### CAL1135RJM

#### Brake Caliper



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN BERLINGO Furgonato (K9)  
OPEL ASTRA L  
OPEL ASTRA L Sports Tourer (O5)  
OPEL COMBO Cassone / Furgonato / Promiscuo

**OE**  
1610428280  
1651764980

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: BOSCH  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1135LJM

## Brake system

### CAL1139LJM

#### Brake Caliper



TOYOTA AVENSIS (\_T22\_)  
TOYOTA AVENSIS Liftback (\_T22\_)  
TOYOTA AVENSIS Station Wagon (\_T22\_)

**OE**  
4775009010  
4775009011

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1139RJM

### CAL1139RJM

#### Brake Caliper



TOYOTA AVENSIS (\_T22\_)  
TOYOTA AVENSIS Liftback (\_T22\_)  
TOYOTA AVENSIS Station Wagon (\_T22\_)

**OE**  
4773009010  
4773009011

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1139LJM

### CAL1141LJM

#### Brake Caliper



RENAULT ESPACE III (JE0\_)  
RENAULT LAGUNA I (B56\_, 556\_)  
RENAULT LAGUNA I Grandtour (K56\_)  
RENAULT MEGANE I (BA0/1\_)  
RENAULT MEGANE I Cabriolet (EA0/1\_)  
RENAULT MEGANE I Coach (DA0/1\_)

**OE**  
32052063  
6025370397  
7701203659

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: LUCAS  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1141RJM

### CAL1142LJM

#### Brake Caliper



RENAULT GRAND SCÉNIC II (JM0/1\_)  
RENAULT MEGANE II (BM0/1\_, CM0/1\_)  
RENAULT MEGANE II Cassone / Furgonato / Promiscuo (KM\_)  
RENAULT MEGANE II Coupe-Cabriolet (EM0/1\_)  
RENAULT MEGANE II Hatchback van (KM0/2\_)

**OE**  
7701207685  
7711135734  
8253028

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: BOSCH  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1142RJM

### CAL1142RJM

#### Brake Caliper



RENAULT GRAND SCÉNIC II (JM0/1\_)  
RENAULT MEGANE II (BM0/1\_, CM0/1\_)  
RENAULT MEGANE II Cassone / Furgonato / Promiscuo (KM\_)  
RENAULT MEGANE II Coupe-Cabriolet (EM0/1\_)  
RENAULT MEGANE II Hatchback van (KM0/2\_)

**OE**  
7701207686  
7711135735  
8253029

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: BOSCH  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1142LJM

## Brake system

### CAL1144LJM

#### Brake Caliper



NISSAN ALMERA II (N16)  
NISSAN ALMERA II Hatchback (N16)

#### OE

44011BM500  
44011BM50A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: TRW  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1144RJM

### CAL1144RJM

#### Brake Caliper



NISSAN ALMERA II (N16)  
NISSAN ALMERA II Hatchback (N16)  
TOYOTA COROLLA (ZDE12\_, NDE12\_, ZDE12\_)  
TOYOTA COROLLA Station wagon (\_E12J\_, \_E12T\_)  
TOYOTA COROLLA Tre volumi (\_E12J\_, \_E12T\_)

#### OE

44001BM500  
44001BM50A  
4773012500

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: TRW  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1144LJM

### CAL1146LJM

#### Brake Caliper



FIAT SEDICI  
SUZUKI SX4 (EY, GY)  
SUZUKI SX4 Tre volumi (GY)

#### OE

5512079J00  
5512079J10  
71742848  
71750080

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1146RJM

### CAL1146RJM

#### Brake Caliper



FIAT SEDICI  
SUZUKI SX4 (EY, GY)  
SUZUKI SX4 Tre volumi (GY)

#### OE

5511079J00  
5511079J10  
71742847  
71750079

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1146LJM

### CAL1147LJM

#### Brake Caliper



HYUNDAI HIGHWAY VAN  
HYUNDAI SANTA FÉ I (SM)  
HYUNDAI SANTA FÉ I Cassone/SUV (SM)  
HYUNDAI TRAJET (FO)  
HYUNDAI TRAJET Cassone/Limousine spaziosa (FO)

#### OE

5811026020  
5811026100  
5811026120  
581103A200  
5818026A00  
5818026A10

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: MANDO  
Diameter [mm]: 43  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1147RJM

## Brake system

### CAL1147RJM

#### Brake Caliper



HYUNDAI HIGHWAY VAN  
HYUNDAI SANTA FÉ I (SM)  
HYUNDAI SANTA FÉ I Cassone/SUV (SM)  
HYUNDAI TRAJET (FO)  
HYUNDAI TRAJET Cassone/Limousine spaziosa (FO)

#### OE

5813026020  
5813026100  
5813026120  
581303A200  
5819026A00  
5819026A10

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: MANDO  
Diameter [mm]: 43  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1147LJM

### CAL1149LJM

#### Brake Caliper



NISSAN ALMERA I (N15)  
NISSAN ALMERA I Hatchback (N15)  
NISSAN ALMERA II (N16)  
NISSAN ALMERA II Hatchback (N16)  
NISSAN BLUEBIRD

#### OE

440110N600  
440115M50A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Brake System: NISSAN  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1149RJM

### CAL1154LJM

#### Brake Caliper



CITROEN C4 Coupé (LA\_)  
CITROEN C4 I (LC\_)  
CITROEN C4 I Cassone / coda spiovente (LR\_)  
PEUGEOT 207 (WA\_ WC\_)  
PEUGEOT 207 SW (WK\_)  
PEUGEOT 307 (3A/C)

#### OE

1607376680  
4400R0  
4400T2

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1154RJM

### CAL1154RJM

#### Brake Caliper



CITROEN C4 Coupé (LA\_)  
CITROEN C4 I (LC\_)  
CITROEN C4 I Cassone / coda spiovente (LR\_)  
PEUGEOT 207 (WA\_ WC\_)  
PEUGEOT 207 SW (WK\_)  
PEUGEOT 307 (3A/C)

#### OE

1607376780  
4400R1  
4400T3

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1154LJM

### CAL1156LJM

#### Brake Caliper



HYUNDAI ix20 (JC)  
KIA SOUL II (PS)

#### OE

581101K000  
58110B2100  
58110B2700  
581801KA00  
58180B2A10  
58180B2A70

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: MOBIS  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1156RJM

## Brake system

### CAL1156RJM

#### Brake Caliper



HYUNDAI ix20 (JC)  
KIA SOUL II (PS)

#### OE

581301K000  
58130B2100  
58130B2700  
581901KA00  
58190B2A10  
58190B2A70

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: MOBIS  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1156LJM

### CAL1157LJM

#### Brake Caliper



PEUGEOT 607 (9D, 9U)

#### OE

1651768880  
4401H0

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 38  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
for brake disk diameter [mm]: 290  
Paired article numbers: CAL1157RJM

### CAL1157RJM

#### Brake Caliper



PEUGEOT 607 (9D, 9U)

#### OE

1651768980  
4401H1

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 38  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
for brake disk diameter [mm]: 290  
Paired article numbers: CAL1157LJM

### CAL1158LJM

#### Brake Caliper



OPEL ASTRA GTC J  
OPEL ZAFIRA TOURER C (P12)  
OPEL ZAFIRA TOURER C VAN (P12)  
VAUXHALL ASTRA GTC Mk VI (J)  
VAUXHALL ZAFIRA Mk III (P12)

#### OE

13417967  
13417971  
542387  
542395  
95522615

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 23  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1158RJM

### CAL1158RJM

#### Brake Caliper



OPEL ASTRA GTC J  
OPEL ZAFIRA TOURER C (P12)  
OPEL ZAFIRA TOURER C VAN (P12)  
VAUXHALL ASTRA GTC Mk VI (J)  
VAUXHALL ZAFIRA Mk III (P12)

#### OE

13417968  
13417972  
542388  
542396  
95522618

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 23  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1158LJM



## Brake system

### CAL1159RJM

#### Brake Caliper



MERCEDES-BENZ SPRINTER 3,5-t Furgonato (906)  
MERCEDES-BENZ SPRINTER 3-t Autobus (903)  
MERCEDES-BENZ SPRINTER 3-t Furgonato (903)  
MERCEDES-BENZ SPRINTER 3-t Pianale piatto/Telaio (903)

**OE**  
9024201201  
9044202401  
9044203601  
A9024201201

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: PERROT  
Diameter [mm]: 44  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1159LJM

### CAL1160LJM

#### Brake Caliper



NISSAN PATROL GR II Wagon (Y61)  
NISSAN PATROL II Pianale piatto/Telaio (Y61)

**OE**  
44011VB200  
44011VC700  
44011VS40A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: NISSAN  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1160RJM

### CAL1160RJM

#### Brake Caliper



NISSAN PATROL GR II Wagon (Y61)  
NISSAN PATROL II Pianale piatto/Telaio (Y61)

**OE**  
44001VB200  
44001VC700  
44001VS40A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: NISSAN  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1160LJM

### CAL1162LJM

#### Brake Caliper



PEUGEOT 405 I (15B)  
PEUGEOT 405 I Break (15E)  
PEUGEOT 405 I Cassone / Furgonato / Promiscuo (15\_)  
PEUGEOT 405 II (4B)  
PEUGEOT 405 II Break (4E)

**OE**  
440170

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: GIRLING  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1162RJM

### CAL1162RJM

#### Brake Caliper



PEUGEOT 405 I (15B)  
PEUGEOT 405 I Break (15E)  
PEUGEOT 405 I Cassone / Furgonato / Promiscuo (15\_)  
PEUGEOT 405 II (4B)  
PEUGEOT 405 II Break (4E)

**OE**  
440166  
440171

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: GIRLING  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1162LJM



## Brake system

### CAL1168LJM

#### Brake Caliper



CITROEN BERLINGO (MF)  
CITROEN BERLINGO Furgonato (M\_)  
PEUGEOT PARTNER Combispace (5F)  
PEUGEOT PARTNER Furgonato (5)  
PEUGEOT PARTNER ORIGIN Combispace (G\_)  
PEUGEOT PARTNER ORIGIN Furgonato (G\_)

**OE**  
1607377280  
4401A6

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 13  
Brake System: LUCAS  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1168RJM

### CAL1168RJM

#### Brake Caliper



CITROEN BERLINGO (MF)  
CITROEN BERLINGO Furgonato (M\_)  
PEUGEOT PARTNER Combispace (5F)  
PEUGEOT PARTNER Furgonato (5)  
PEUGEOT PARTNER ORIGIN Combispace (G\_)  
PEUGEOT PARTNER ORIGIN Furgonato (G\_)

**OE**  
1607377380  
4401A7

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 13  
Brake System: LUCAS  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1168LJM

### CAL1169LJM

#### Brake Caliper



BMW 1 (F40)  
BMW 2 Active Tourer (F45)  
BMW 2 Active Tourer Van (F45)  
BMW 2 Coupè (G42)  
BMW 2 Gran Coupe (F44)  
BMW 2 Gran Tourer (F46)

**OE**  
34116860265

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: TRW  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1169RJM

### CAL1169RJM

#### Brake Caliper



BMW 1 (F40)  
BMW 2 Active Tourer (F45)  
BMW 2 Active Tourer Van (F45)  
BMW 2 Coupè (G42)  
BMW 2 Gran Coupe (F44)  
BMW 2 Gran Tourer (F46)

**OE**  
34116860266

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: TRW  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1169LJM

### CAL1171LJM

#### Brake Caliper



AUDI A4 (8W2, B9)  
AUDI A4 Allroad (8WH, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

**OE**  
8W0615403  
8W0615403G  
8W0615403M  
8W0615403MQC8  
8W0615403MSL7

Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 42  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1171RJM  
Supplementary Article/Supplementary Info:  
with electric motor

## Brake system

### CAL1171RJM

#### Brake Caliper



AUDI A4 (8W2, B9)  
AUDI A4 Allroad (8WH, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

#### OE

8W0615404  
8W0615404G  
8W0615404M  
8W0615404MQC8  
8W0615404MSL7

Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 42  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1171LJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1172RJM

#### Brake Caliper



VW PHAETON (3D\_)

#### OE

3D0615424  
3D0615424A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1172LJM

### CAL1173LJM

#### Brake Caliper



AUDI A8 (4D2, 4D8)

#### OE

4D0615423E

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: LUCAS  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1173RJM

### CAL1173RJM

#### Brake Caliper



AUDI A8 (4D2, 4D8)

#### OE

4D0615424E

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: LUCAS  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1173LJM

### CAL1174LJM

#### Brake Caliper



OPEL ADAM  
OPEL CORSA E  
OPEL CORSA E Van  
VAUXHALL ADAM  
VAUXHALL CORSA Mk IV (E)  
VAUXHALL CORSAVAN Mk IV (E) (X15)

#### OE

542416  
542418  
542420  
95517074  
95517082  
95517086

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: TRW  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1174RJM

## Brake system

### CAL1174RJM

#### Brake Caliper



OPEL ADAM  
OPEL CORSA E  
OPEL CORSA E Van  
VAUXHALL ADAM  
VAUXHALL CORSA Mk IV (E)  
VAUXHALL CORSAVAN Mk IV (E) (X15)

**OE**  
542417  
542419  
542421  
95517075  
95517083  
95517087

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: TRW  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1174LJM

### CAL1180LJM

#### Brake Caliper



BMW 2 Active Tourer (F45)  
BMW 2 Active Tourer Van (F45)  
BMW 2 Gran Tourer (F46)  
BMW X1 (F48)  
BMW X2 (F39)  
MINI MINI (F55)

**OE**  
34116860263

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1180RJM

### CAL1180RJM

#### Brake Caliper



BMW 2 Active Tourer (F45)  
BMW 2 Active Tourer Van (F45)  
BMW 2 Gran Tourer (F46)  
BMW X1 (F48)  
BMW X2 (F39)  
MINI MINI (F55)

**OE**  
34116860264

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1180LJM

### CAL1185LJM

#### Brake Caliper



AUDI 100 (4A, C4)  
AUDI 100 Avant (4A, C4)  
AUDI A6 (4A, C4)  
AUDI A6 Avant (4A, C4)

**OE**  
4A0615123A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
for brake disk diameter [mm]: 288  
Paired article numbers: CAL1185RJM

### CAL1185RJM

#### Brake Caliper



AUDI 100 (4A, C4)  
AUDI 100 Avant (4A, C4)  
AUDI A6 (4A, C4)  
AUDI A6 Avant (4A, C4)

**OE**  
4A0615124A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
for brake disk diameter [mm]: 288  
Paired article numbers: CAL1185LJM

## Brake system

### CAL1190LJM

#### Brake Caliper



OPEL ASTRA F (56\_, 57\_)  
OPEL ASTRA F 2 volumi /Coda spiovente (53\_, 54\_, 58\_, 5  
OPEL ASTRA F Cabriolet (53\_B)  
OPEL ASTRA F Station wagon (51\_, 52\_)  
OPEL CALIBRA A (85\_)

**OE**  
542229  
90297534

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1190RJM

### CAL1190RJM

#### Brake Caliper



OPEL ASTRA F (56\_, 57\_)  
OPEL ASTRA F 2 volumi /Coda spiovente (53\_, 54\_, 58\_, 5  
OPEL ASTRA F Cabriolet (53\_B)  
OPEL ASTRA F Station wagon (51\_, 52\_)  
OPEL CALIBRA A (85\_)

**OE**  
542230  
90297533

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1190LJM

### CAL1193LJM

#### Brake Caliper



CHEVROLET VECTRA  
OPEL SIGNUM  
OPEL VECTRA C  
OPEL VECTRA C GTS  
OPEL VECTRA C Station wagon  
VAUXHALL SIGNUM

**OE**  
542479  
93181406  
95520101

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1193RJM

### CAL1193RJM

#### Brake Caliper



OPEL SIGNUM  
OPEL VECTRA C  
OPEL VECTRA C GTS  
OPEL VECTRA C Station wagon  
VAUXHALL SIGNUM  
VAUXHALL VECTRA Mk II (C)

**OE**  
5542450  
93181407  
95520119

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1193LJM

### CAL1196LJM

#### Brake Caliper



FIAT 500 (312)  
FIAT 500 C (312)  
FIAT PANDA (169)  
FIAT PANDA Van (141\_)  
FIAT PANDA Van (169)  
FORD KA (RU8)

**OE**  
1554757  
51945622  
71724252  
71773854  
71793078  
71793080

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BOSCH  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1196RJM

## Brake system

### CAL1196RJM

#### Brake Caliper



FIAT 500 (312)  
FIAT 500 C (312)  
FIAT PANDA (169)  
FIAT PANDA Van (141\_)  
FIAT PANDA Van (169)  
FORD KA (RU8)

#### OE

1554749  
1731137  
51945624  
71773853  
71793081  
71793083

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BOSCH  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1196LJM

### CAL1198LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE V (638/2)  
MERCEDES-BENZ CLASSE V Furgonato (638/2)  
MERCEDES-BENZ VITO Autobus (638)  
MERCEDES-BENZ VITO Furgonato (638)

#### OE

0014206283  
9014202601  
A0014206283  
A9014202601  
A9014204101  
A9014204201

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: BOSCH  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1198RJM

### CAL1199LJM

#### Brake Caliper



CITROEN C5 III (RD\_)  
CITROEN C5 III Break (TD\_)  
PEUGEOT 407 (6D\_)  
PEUGEOT 407 Coupé (6C\_)  
PEUGEOT 407 SW (6E\_)  
PEUGEOT 407 SW Cassone / Furgonato /

#### OE

4400V3

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1199RJM

### CAL1199RJM

#### Brake Caliper



CITROEN C5 III (RD\_)  
CITROEN C5 III Break (TD\_)  
PEUGEOT 407 (6D\_)  
PEUGEOT 407 Coupé (6C\_)  
PEUGEOT 407 SW (6E\_)  
PEUGEOT 407 SW Cassone / Furgonato /

#### OE

4400V4

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1199LJM

### CAL1202LJM

#### Brake Caliper



CITROEN C5 III (RD\_)  
CITROEN C5 III Break (TD\_)  
CITROEN C6 (TD\_)  
PEUGEOT 407 (6D\_)  
PEUGEOT 407 Coupé (6C\_)  
PEUGEOT 407 SW (6E\_)

#### OE

4401G2  
4401H4

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 30  
Brake System: TRW  
Diameter 1/ Diameter 2 [mm]: 40/45  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1202RJM



## Brake system

### CAL1202RJM

#### Brake Caliper



CITROEN C5 III (RD\_)  
CITROEN C5 III Break (TD\_)  
CITROEN C6 (TD\_)  
PEUGEOT 407 (6D\_)  
PEUGEOT 407 Coupé (6C\_)  
PEUGEOT 407 SW (6E\_)

**OE**  
4401G3  
4401H5

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 30  
Brake System: TRW  
Diameter 1/ Diameter 2 [mm]: 40/45  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1202LJM

### CAL1203LJM

#### Brake Caliper



ACURA NSX  
HONDA ACCORD IV Aerodeck (CB)  
HONDA ACCORD V Aerodeck (CE)  
HONDA ACCORD V Coupé (CD)  
HONDA CR-V I (RD)  
HONDA HR-V (GH)

**OE**  
45019SL0J01  
45019SM5000  
45019SS0A00  
45019SW5003  
45230SM5A01  
45230SM5G51

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: NISSIN  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1203RJM

### CAL1203RJM

#### Brake Caliper



ACURA NSX  
HONDA ACCORD IV Aerodeck (CB)  
HONDA ACCORD V Aerodeck (CE)  
HONDA ACCORD V Coupé (CD)  
HONDA CR-V I (RD)  
HONDA HR-V (GH)

**OE**  
45018SL0J01  
45018SM5000  
45018SS0A00  
45018SW5003  
45210SM5A01  
45210SM5G51

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: NISSIN  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1203LJM

### CAL1207LJM

#### Brake Caliper



OPEL ASTRA GTC J  
OPEL ZAFIRA TOURER C (P12)  
OPEL ZAFIRA TOURER C VAN (P12)  
VAUXHALL ASTRA GTC Mk VI (J)  
VAUXHALL ZAFIRA Mk III (P12)

**OE**  
13417969  
13417973  
542389  
542397  
95522621

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 23  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1207RJM

### CAL1207RJM

#### Brake Caliper



OPEL ASTRA GTC J  
OPEL ZAFIRA TOURER C (P12)  
OPEL ZAFIRA TOURER C VAN (P12)  
VAUXHALL ASTRA GTC Mk VI (J)  
VAUXHALL ZAFIRA Mk III (P12)

**OE**  
13417970  
13417974  
542394  
542398  
95522623

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 23  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1207LJM



## Brake system

### CAL1210LJM

#### Brake Caliper



VOLVO S60 I  
VOLVO XC90 I  
VOLVO XC90 I VAN (275)

#### OE

8252177  
8602739  
8602898

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1210RJM

### CAL1210RJM

#### Brake Caliper



VOLVO S60 I  
VOLVO XC90 I  
VOLVO XC90 I VAN (275)

#### OE

8252178  
8602740  
8602899

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1210LJM

### CAL1214LJM

#### Brake Caliper



FORD COURIER Pick-up  
FORD FIESTA Furgonato (J5\_, J3\_)  
FORD FIESTA Furgonato (JV\_)  
FORD FIESTA III (GFJ)  
FORD FIESTA IV (JA\_, JB\_)  
FORD PUMA (EC\_)

#### OE

1007818  
1121381  
1138601  
1477771  
96FX2B302BA  
R96FX2B302BA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1214RJM

### CAL1214RJM

#### Brake Caliper



FORD COURIER Pick-up  
FORD FIESTA Furgonato (J5\_, J3\_)  
FORD FIESTA Furgonato (JV\_)  
FORD FIESTA III (GFJ)  
FORD FIESTA IV (JA\_, JB\_)  
FORD PUMA (EC\_)

#### OE

1007819  
1121380  
1138590  
1478467  
96FX2B294BA  
R96FX2B294BA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1214LJM

### CAL1215LJM

#### Brake Caliper



AUDI 100 (4A, C4)  
AUDI 100 Avant (4A, C4)  
AUDI A6 (4A, C4)  
AUDI A6 Avant (4A, C4)

#### OE

4A0615123

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 15  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1215RJM

## Brake system

### CAL1215RJM

#### Brake Caliper



AUDI 100 (4A, C4)  
AUDI 100 Avant (4A, C4)  
AUDI A6 (4A, C4)  
AUDI A6 Avant (4A, C4)

**OE**  
4A0615124

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 15  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1215LJM

### CAL1218LJM

#### Brake Caliper



TOYOTA AURIS (NRE15\_, ZZE15\_, ADE15\_, ZRE15\_, NDE15\_)  
TOYOTA AURIS (NZE18\_, ZRE18\_)  
TOYOTA AURIS TOURING SPORTS (ADE18\_, ZWE18\_, ZRE18\_)  
TOYOTA AVENSIS

**OE**  
4775002360  
4775002361  
477500F030

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: BOSCH  
Diameter [mm]: 57  
Distance of fastening bolts [mm]: 176  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1218RJM

### CAL1218RJM

#### Brake Caliper



TOYOTA AURIS (NRE15\_, ZZE15\_, ADE15\_, ZRE15\_, NDE15\_)  
TOYOTA AURIS (NZE18\_, ZRE18\_)  
TOYOTA AURIS TOURING SPORTS (ADE18\_, ZWE18\_, ZRE18\_)  
TOYOTA AVENSIS

**OE**  
4773002360  
4773002361  
477300F030

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: BOSCH  
Diameter [mm]: 57  
Distance of fastening bolts [mm]: 176  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1218LJM

### CAL1219LJM

#### Brake Caliper



CHRYSLER SEBRING Coupé (FJ)  
MITSUBISHI ECLIPSE Cabriolet  
MITSUBISHI ECLIPSE Cabriolet (D5\_A)  
MITSUBISHI ECLIPSE II (D3\_A)  
MITSUBISHI ECLIPSE III (D5\_A)  
MITSUBISHI FTO Coupé (DE\_A)

**OE**  
MB950195  
MR129583

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: AKEBONO  
Diameter [mm]: 35  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1219RJM

### CAL1219RJM

#### Brake Caliper



CHRYSLER SEBRING Coupé (FJ)  
MITSUBISHI ECLIPSE Cabriolet  
MITSUBISHI ECLIPSE Cabriolet (D5\_A)  
MITSUBISHI ECLIPSE II (D3\_A)  
MITSUBISHI ECLIPSE III (D5\_A)  
MITSUBISHI FTO Coupé (DE\_A)

**OE**  
MB950196  
MR129584

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: AKEBONO  
Diameter [mm]: 35  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1219LJM

## Brake system

### CAL1220LJM

#### Brake Caliper



RENAULT 11 (B/C37\_)  
RENAULT 19 I (B/C53\_)  
RENAULT 19 I Cabriolet (D53\_)  
RENAULT 19 I Chamade (L53\_)  
RENAULT 19 I Furgonato (S53\_)  
RENAULT 19 II (B/C53\_)

**OE**  
7701202142

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 8  
Brake System: BENDIX  
Diameter [mm]: 30  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1220RJM

### CAL1220RJM

#### Brake Caliper



RENAULT 11 (B/C37\_)  
RENAULT 19 I (B/C53\_)  
RENAULT 19 I Cabriolet (D53\_)  
RENAULT 19 I Chamade (L53\_)  
RENAULT 19 I Furgonato (S53\_)  
RENAULT 19 II (B/C53\_)

**OE**  
7701202143

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 8  
Brake System: BENDIX  
Diameter [mm]: 30  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1220LJM

### CAL1221LJM

#### Brake Caliper



MITSUBISHI COLT Cassone / coda spiovente (Z3\_V)  
MITSUBISHI COLT CZC Cabriolet (RG)  
MITSUBISHI COLT VI (Z3\_A, Z2\_A)  
SMART FORFOUR (454)

**OE**  
4544200501  
4605A065

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: TRW  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1221RJM

### CAL1221RJM

#### Brake Caliper



MITSUBISHI COLT Cassone / coda spiovente (Z3\_V)  
MITSUBISHI COLT CZC Cabriolet (RG)  
MITSUBISHI COLT VI (Z3\_A, Z2\_A)  
SMART FORFOUR (454)

**OE**  
4544200601  
4605A066

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: TRW  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1221LJM

### CAL1222LJM

#### Brake Caliper



CITROEN JUMPY  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Pianale piatto/Telaio  
CITROEN SPACETOURER  
OPEL VIVARO C Combi (K0)  
OPEL VIVARO C Furgonato (K0)

**OE**  
1617937580  
1651761780  
SU001A6138

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1222RJM

## Brake system

### CAL1224LJM

#### Brake Caliper



AUDI A8 (4H\_)

#### OE

4H0615403A  
4H0615403B

Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 43  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1224RJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1224RJM

#### Brake Caliper



AUDI A8 (4H\_)

#### OE

4H0615404A  
4H0615404B

Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 43  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1224LJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1225LJM

#### Brake Caliper



RENAULT FLUENCE (L30\_)  
RENAULT GRAND SCÉNIC III (JZ0/1\_)  
RENAULT LAGUNA Coupé (DT0/1)  
RENAULT LAGUNA III (BT0/1)  
RENAULT LAGUNA III Grandtour (KT0/1)  
RENAULT LATITUDE (L70\_)

#### OE

410110001R  
410110354R

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
for brake disk diameter [mm]: 296  
Paired article numbers: CAL1225RJM

### CAL1225RJM

#### Brake Caliper



RENAULT FLUENCE (L30\_)  
RENAULT GRAND SCÉNIC III (JZ0/1\_)  
RENAULT LAGUNA Coupé (DT0/1)  
RENAULT LAGUNA III (BT0/1)  
RENAULT LAGUNA III Grandtour (KT0/1)  
RENAULT LATITUDE (L70\_)

#### OE

410010001R  
410016711R

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
for brake disk diameter [mm]: 296  
Paired article numbers: CAL1225LJM

### CAL1229LJM

#### Brake Caliper



AUDI A4 (8W2, B9)  
AUDI A4 Allroad (8WH, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

#### OE

80A615403A  
80A615403D  
80A615403DSL7  
80A615404A  
8W0615403A  
8W0615403F

Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 43  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1229RJM  
Supplementary Article/Supplementary Info:  
with electric motor

## Brake system

### CAL1229RJM

#### Brake Caliper



AUDI A4 (8W2, B9)  
AUDI A4 Allroad (8WH, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

#### OE

80A615404D  
80A615404DSL7  
8W0615404A  
8W0615404F  
8W0615404H  
8W0615404KSL7

Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 43  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1229LJM  
Supplementary Article/Supplementary Info: with electric motor

### CAL1230LJM

#### Brake Caliper



HYUNDAI i30 (FD)  
HYUNDAI i30 CW (FD)

#### OE

581102L500  
581802LA00  
581802LA10

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: MOBIS  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1230RJM

### CAL1230RJM

#### Brake Caliper



HYUNDAI i30 (FD)  
HYUNDAI i30 CW (FD)

#### OE

581302L500  
581902LA00  
581902LA10

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: MOBIS  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1230LJM

### CAL1233LJM

#### Brake Caliper



AUDI A4 (8D2, B5)  
AUDI A4 Avant (8D5, B5)

#### OE

8D0615123A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 15  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1233RJM

### CAL1233RJM

#### Brake Caliper



AUDI A4 (8D2, B5)  
AUDI A4 Avant (8D5, B5)

#### OE

8D0615124A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 15  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1233LJM



## Brake system

### CAL1235LJM

#### Brake Caliper



VW AMAROK (2H\_, S1B)  
VW AMAROK Pianale piatto/Telaio (S1B)

#### OE

2H0615123  
2H0615123A  
2H0615123B

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: BOSCH  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1235RJM

### CAL1236LJM

#### Brake Caliper



OPEL CORSA C (F08, F68)  
OPEL CORSA C Furgonato (F08, W5L)  
VAUXHALL CORSA Mk II (C) (W5L, F08)  
VAUXHALL CORSAVAN Mk II (C)

#### OE

542071  
5542082  
9195982  
93173331  
R1740108

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 11  
Brake System: LUCAS  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1236RJM

### CAL1236RJM

#### Brake Caliper



OPEL CORSA C (F08, F68)  
OPEL CORSA C Furgonato (F08, W5L)  
VAUXHALL CORSA Mk II (C) (W5L, F08)  
VAUXHALL CORSAVAN Mk II (C)

#### OE

542072  
5542083  
9195983  
93173333  
R1740109

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 11  
Brake System: LUCAS  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1236LJM

### CAL1237LJM

#### Brake Caliper



FORD GRANADA (GU)  
FORD SCORPIO I (GAE, GGE)  
FORD SCORPIO I Station wagon (GGE)  
FORD SCORPIO I Tre volumi (GGE)  
FORD SCORPIO II (GFR, GGR)  
FORD SIERRA (GBG, GB4)

#### OE

1138626  
1478413  
1478526  
5021818  
5023226  
6152223

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: GIRLING  
Diameter [mm]: 43  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1237RJM

### CAL1243LJM

#### Brake Caliper



JAGUAR X-TYPE (CF1)  
JAGUAR X-TYPE Estate

#### OE

C2S18004  
C2S43449

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: BOSCH  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1243RJM



## Brake system

### CAL1243RJM

#### Brake Caliper



JAGUAR X-TYPE (CF1)  
JAGUAR X-TYPE Estate

**OE**  
C2S18003  
C2S43448

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: BOSCH  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1243LJM

### CAL1249LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE A (W169)

**OE**  
1694200383  
1694201183  
A1694200383  
A1694201183

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1249RJM

### CAL1249RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE A (W169)

**OE**  
1694200483  
1694201283  
A1694200483  
A1694201283

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1249LJM

### CAL1252LJM

#### Brake Caliper



OPEL AGILA (A) (H00)  
SUZUKI IGNIS II  
SUZUKI WAGON R  
SUZUKI WAGON R+ (EM)  
SUZUKI WAGON R+ (MM)  
VAUXHALL AGILA Mk I (A)

**OE**  
4706756  
5510484  
5510484E00  
9214008

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 17  
Brake System: BOSCH  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1252RJM

### CAL1252RJM

#### Brake Caliper



OPEL AGILA (A) (H00)  
SUZUKI IGNIS II  
SUZUKI WAGON R  
SUZUKI WAGON R+ (EM)  
SUZUKI WAGON R+ (MM)  
VAUXHALL AGILA Mk I (A)

**OE**  
4706757  
5510384  
5510384E00  
9214007

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 17  
Brake System: BOSCH  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1252LJM

## Brake system

### CAL1256LJM

#### Brake Caliper



LEXUS RX (MHU3\_, GSU3\_, MCU3\_)  
TOYOTA HARRIER (MCU3\_, MHU3\_, ACU3\_, GSU3\_)  
TOYOTA HIGHLANDER / KLUGER (\_U2\_)

**OE**  
4785048050  
478504805084

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: AKEBONO  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1256RJM

### CAL1256RJM

#### Brake Caliper



LEXUS RX (MHU3\_, GSU3\_, MCU3\_)  
TOYOTA HARRIER (MCU3\_, MHU3\_, ACU3\_, GSU3\_)  
TOYOTA HIGHLANDER / KLUGER (\_U2\_)

**OE**  
4783048050  
478304805084

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: AKEBONO  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1256LJM

### CAL1260LJM

#### Brake Caliper



HONDA ACCORD V (CC, CD)  
HONDA ACCORD V (CE, CF)  
ROVER 600 (RH)

**OE**  
43013SN7G00  
GBC90178

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: LUCAS  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1260RJM

### CAL1260RJM

#### Brake Caliper



HONDA ACCORD V (CC, CD)  
HONDA ACCORD V (CE, CF)  
ROVER 600 (RH)

**OE**  
43012SN7G00  
GBC90179

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: LUCAS  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1260LJM

### CAL1261LJM

#### Brake Caliper



HONDA ACCORD IV (CB)  
HONDA ACCORD IV Aerodeck (CB)  
HONDA ACCORD V Coupé (CD)  
HONDA INSPIRE

**OE**  
43019SV4A00  
43019SV4A01  
43230SM4G02  
43230SM4G03  
43230SM4G04  
43230SV4A02

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: NISSIN  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1261RJM

## Brake system

### CAL1261RJM

#### Brake Caliper



HONDA ACCORD IV (CB)  
HONDA ACCORD IV Aerodeck (CB)  
HONDA ACCORD V Coupé (CD)  
HONDA INSPIRE

#### OE

43018SV4A00  
43018SV4A01  
43210SM4G02  
43210SM4G03  
43210SM4G04  
43210SV4A02

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: NISSIN  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1261LJM

### CAL1268LJM

#### Brake Caliper



VW CADDY I (14)  
VW GOLF I (17)  
VW GOLF I Cabriolet (155)  
VW JETTA I (16)

#### OE

321615124A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1268RJM

### CAL1268RJM

#### Brake Caliper



SEAT CORDOBA (6K1, 6K2)  
SEAT CORDOBA Vario (6K5)  
SEAT IBIZA II (6K1)  
VW CADDY I (14)  
VW GOLF I (17)  
VW GOLF I Cabriolet (155)

#### OE

321615123A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1268LJM

### CAL1269LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE V (638/2)  
MERCEDES-BENZ CLASSE V Furgonato (638/2)  
MERCEDES-BENZ VITO Autobus (638)  
MERCEDES-BENZ VITO Furgonato (638)

#### OE

0014206483  
A0014206483

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: BOSCH  
Diameter [mm]: 33  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1269RJM

### CAL1269RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE V (638/2)  
MERCEDES-BENZ CLASSE V Furgonato (638/2)  
MERCEDES-BENZ VITO Autobus (638)  
MERCEDES-BENZ VITO Furgonato (638)

#### OE

0014206583  
A0014206583

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: BOSCH  
Diameter [mm]: 33  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1269LJM

## Brake system

### CAL1270LJM

#### Brake Caliper



INFINITI I30  
NISSAN CEFIRO Tre volumi  
NISSAN MAXIMA QX (A32)  
NISSAN MAXIMA Station Wagon

#### OE

4401131U10  
4401131U13  
D401131U13

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Brake System: NISSAN  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1270RJM

### CAL1270RJM

#### Brake Caliper



INFINITI I30  
NISSAN CEFIRO Tre volumi  
NISSAN MAXIMA QX (A32)  
NISSAN MAXIMA Station Wagon

#### OE

4400131U10  
4400131U13  
D400131U13

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Brake System: NISSAN  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1270LJM

### CAL1272LJM

#### Brake Caliper



OPEL OMEGA A (16\_, 17\_, 19\_)  
SAAB 900 II  
SAAB 900 II Cabriolet  
SAAB 900 II Coupe

#### OE

4243218  
542253  
8828956

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1272RJM

### CAL1281LJM

#### Brake Caliper



TOYOTA ALLION I (ZZT24\_, NZT24\_, AZT24\_)  
TOYOTA CALDINA (ZZT24\_, ST24\_, AZT24\_)  
TOYOTA CELICA (ZZT23\_)  
TOYOTA COROLLA Station wagon (\_E12J\_, \_E12T\_)  
TOYOTA COROLLA Verso (ZDE12\_, CDE12\_)

#### OE

4775013030  
4775013050  
4775020600  
4775020640

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: AKEBONO  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1281RJM

### CAL1281RJM

#### Brake Caliper



TOYOTA ALLION I (ZZT24\_, NZT24\_, AZT24\_)  
TOYOTA CALDINA (ZZT24\_, ST24\_, AZT24\_)  
TOYOTA CELICA (ZZT23\_)  
TOYOTA COROLLA Station wagon (\_E12J\_, \_E12T\_)  
TOYOTA COROLLA Verso (ZDE12\_, CDE12\_)

#### OE

4773013030  
4773013050  
4773020610  
4773020640

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: AKEBONO  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1281LJM

## Brake system

### CAL1282LJM

#### Brake Caliper



RENAULT ESPACE III (JE0\_)  
RENAULT LAGUNA I (B56\_, 556\_)  
RENAULT LAGUNA I Grandtour (K56\_)

**OE**  
6025308765  
7701204221

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10,5  
Brake System: BREMBO  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1282RJM

### CAL1283LJM

#### Brake Caliper



NISSAN LEAF  
NISSAN LEAF (ZE1)

**OE**  
440113NA0A  
440113NK0A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 16  
Brake System: AKEBONO  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1283RJM

### CAL1283RJM

#### Brake Caliper



NISSAN LEAF  
NISSAN LEAF (ZE1)

**OE**  
440013NA0A  
440013NK0A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 16  
Brake System: AKEBONO  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1283LJM

### CAL1285LJM

#### Brake Caliper



RENAULT LAGUNA Coupé (DT0/1)  
RENAULT LAGUNA III (BT0/1)  
RENAULT LAGUNA III Grandtour (KT0/1)  
RENAULT TWINGO II (CN0\_)  
RENAULT WIND (E4M\_)

**OE**  
410110002R  
410119577R

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1285RJM

### CAL1285RJM

#### Brake Caliper



RENAULT LAGUNA Coupé (DT0/1)  
RENAULT LAGUNA III (BT0/1)  
RENAULT LAGUNA III Grandtour (KT0/1)  
RENAULT TWINGO II (CN0\_)  
RENAULT WIND (E4M\_)

**OE**  
410010002R  
410012136R

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1285LJM

## Brake system

### CAL1290LJM

#### Brake Caliper



TOYOTA GRANVIA (\_H2\_, \_H1\_)  
TOYOTA HIACE / COMMUTER IV (TRH2\_, KDH2\_)  
TOYOTA HIACE III Furgonato (YH7\_, LH6\_, LH7\_, LH5\_, YH5\_)  
TOYOTA HIACE IV Autobus (LH1\_)  
TOYOTA HIACE IV Furgonato (H100)

#### OE

4775026120  
4775026121  
4775026122  
4775026H00  
4775026H10  
4775026H20

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: AISIN  
Diameter [mm]: 67  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1290RJM

### CAL1290RJM

#### Brake Caliper



TOYOTA GRANVIA (\_H2\_, \_H1\_)  
TOYOTA HIACE / COMMUTER IV (TRH2\_, KDH2\_)  
TOYOTA HIACE III Furgonato (YH7\_, LH6\_, LH7\_, LH5\_, YH5\_)  
TOYOTA HIACE IV Autobus (LH1\_)  
TOYOTA HIACE IV Furgonato (H100)

#### OE

4773026120  
4773026121  
4773026122  
4773026H00  
4773026H10  
4773026H20

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: AISIN  
Diameter [mm]: 67  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1290LJM

### CAL1291LJM

#### Brake Caliper



DODGE NITRO  
DODGE NITRO VAN (KA)  
JEEP CHEROKEE (KK)  
JEEP WRANGLER III (JK)

#### OE

68003774AA  
K68003774AA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1291RJM

### CAL1291RJM

#### Brake Caliper



DODGE NITRO  
DODGE NITRO VAN (KA)  
JEEP CHEROKEE (KK)  
JEEP WRANGLER III (JK)

#### OE

68003778AA  
K68003778AA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1291LJM

### CAL1292LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE A (W168)

#### OE

1684200083  
A1684200083

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: LUCAS  
Diameter [mm]: 54  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1292RJM



## Brake system

### CAL1292RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE A (W168)

#### OE

1684200183  
A1684200183

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: LUCAS  
Diameter [mm]: 54  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1292LJM

### CAL1297LJM

#### Brake Caliper



NISSAN LEAF (ZE1)  
NISSAN QASHQAI (J11, J11\_)  
NISSAN X-TRAIL (T32)  
NISSAN X-TRAIL VAN (T32)

#### OE

440114CA0A  
440114CA0B  
440114CA1A

Brake Disc Thickness [mm]: 13  
Brake System: TRW  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1297RJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1297RJM

#### Brake Caliper



NISSAN LEAF (ZE1)  
NISSAN QASHQAI (J11, J11\_)  
NISSAN X-TRAIL (T32)  
NISSAN X-TRAIL VAN (T32)

#### OE

440014CA0A  
440014CA0B  
440014CA1A

Brake Disc Thickness [mm]: 13  
Brake System: TRW  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1297LJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1299LJM

#### Brake Caliper



RENAULT GRAND SCÉNIC III (JZ0/1\_)  
RENAULT LAGUNA Coupé (DT0/1)  
RENAULT LAGUNA III (BT0/1)  
RENAULT LAGUNA III Grandtour (KT0/1)  
RENAULT LATITUDE (L70\_)

#### OE

410110004R

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1299RJM

### CAL1299RJM

#### Brake Caliper



RENAULT GRAND SCÉNIC III (JZ0/1\_)  
RENAULT LAGUNA Coupé (DT0/1)  
RENAULT LAGUNA III (BT0/1)  
RENAULT LAGUNA III Grandtour (KT0/1)  
RENAULT LATITUDE (L70\_)

#### OE

410010004R

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1299LJM

## Brake system

### CAL1301LJM

#### Brake Caliper



MERCEDES-BENZ 190 (W201)  
MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C Station wagon (S202)  
MERCEDES-BENZ CLASSE E (W124)  
MERCEDES-BENZ CLASSE E Cabriolet (A124)

**OE**  
2014200083  
A2014200083

Brake Caliper Type: Brake Caliper with 2 holding pins  
Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 9  
Brake System: ATE  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1301RJM

### CAL1301RJM

#### Brake Caliper



MERCEDES-BENZ 190 (W201)  
MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C Station wagon (S202)  
MERCEDES-BENZ CLASSE E (W124)  
MERCEDES-BENZ CLASSE E Cabriolet (A124)

**OE**  
2014200183  
A2014200183

Brake Caliper Type: Brake Caliper with 2 holding pins  
Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 9  
Brake System: ATE  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1301LJM

### CAL1302LJM

#### Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

**OE**  
0024203483  
2D0615423C  
A0024203483

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: BOSCH  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1302RJM

### CAL1302RJM

#### Brake Caliper



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)  
MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

**OE**  
0024203583  
2D0615424C  
A0024203583

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: BOSCH  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1302LJM

### CAL1305LJM

#### Brake Caliper



RENAULT LAGUNA II (BG0/1\_)  
RENAULT LAGUNA II Grandtour (KG0/1\_)

**OE**  
7701049091  
7711135691  
8253962

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1305RJM

## Brake system

### CAL1305RJM

#### Brake Caliper



RENAULT LAGUNA II (BG0/1\_)  
RENAULT LAGUNA II Grandtour (KG0/1\_)

#### OE

7701049092  
7711135692  
8253963

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1305LJM

### CAL1306LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE E (W212)  
MERCEDES-BENZ CLASSE E T-Model (S212)  
MERCEDES-BENZ CLASSE S (W221)  
MERCEDES-BENZ CLS (C218)  
MERCEDES-BENZ CLS Shooting Brake (X218)  
MERCEDES-BENZ SL (R230)

#### OE

2124230081  
2214230181  
A2124230081  
A2214230181

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1306RJM

### CAL1306RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE E (W212)  
MERCEDES-BENZ CLASSE E T-Model (S212)  
MERCEDES-BENZ CLASSE S (W221)  
MERCEDES-BENZ CLS (C218)  
MERCEDES-BENZ CLS Shooting Brake (X218)  
MERCEDES-BENZ SL (R230)

#### OE

2124230181  
2214230281  
A2124230181  
A2214230281

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1306LJM

### CAL1308LJM

#### Brake Caliper



LEXUS ES (MCV\_, VZV\_)  
TOYOTA AVENSIS (\_T22\_)  
TOYOTA AVENSIS Liftback (\_T22\_)  
TOYOTA AVENSIS Station Wagon (\_T22\_)  
TOYOTA CAMRY (\_CV1\_, \_XV1\_, \_V1\_)  
TOYOTA CAMRY (\_CV2\_, \_XV2\_)

#### OE

4775033020  
4775033060  
4775033061  
4775033140

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: AISIN  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1308RJM

### CAL1308RJM

#### Brake Caliper



LEXUS ES (MCV\_, VZV\_)  
TOYOTA AVENSIS (\_T22\_)  
TOYOTA AVENSIS Liftback (\_T22\_)  
TOYOTA AVENSIS Station Wagon (\_T22\_)  
TOYOTA CAMRY (\_CV1\_, \_XV1\_, \_V1\_)  
TOYOTA CAMRY (\_CV2\_, \_XV2\_)

#### OE

4775033020  
4775033060  
4775033061  
4775033140

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: AISIN  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1308LJM

## Brake system

### CAL1309LJM

#### Brake Caliper



LEXUS RX (MHU3\_, GSU3\_, MCU3\_)  
TOYOTA HARRIER (MCU3\_, MHU3\_, ACU3\_, GSU3\_)  
TOYOTA HIGHLANDER / KLUGER (\_U2\_)

#### OE

4775048120  
4775048140  
477504814084

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: AKEBONO  
Diameter [mm]: 63  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1309RJM

### CAL1309RJM

#### Brake Caliper



LEXUS RX (MHU3\_, GSU3\_, MCU3\_)  
TOYOTA HARRIER (MCU3\_, MHU3\_, ACU3\_, GSU3\_)  
TOYOTA HIGHLANDER / KLUGER (\_U2\_)

#### OE

4773048120  
4773048140  
477304814084

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: AKEBONO  
Diameter [mm]: 63  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1309LJM

### CAL1316RJM

#### Brake Caliper



HYUNDAI i20  
HYUNDAI i20 (PB, PBT)

#### OE

581301J100  
581901JA10

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: MANDO  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1316LJM

### CAL1320LJM

#### Brake Caliper



SAAB 9000  
SAAB 9000 2 volumi /Coda spiovente

#### OE

4543765  
7895303  
8828980  
8968927  
8968943

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1320RJM

### CAL1320RJM

#### Brake Caliper



SAAB 9000  
SAAB 9000 2 volumi /Coda spiovente

#### OE

4543773  
7895311  
8828998  
8968935  
8968950

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1320LJM

## Brake system

### CAL1321LJM

#### Brake Caliper



KIA SOUL (AM)  
KIA SOUL II (PS)

#### OE

582102K100  
583102KA10

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: MANDO  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1321RJM

### CAL1323LJM

#### Brake Caliper



OPEL AGILA (A) (H00)  
SUZUKI WAGON R  
SUZUKI WAGON R+ (EM)  
SUZUKI WAGON R+ (MM)  
VAUXHALL AGILA Mk I (A)

#### OE

4701929  
5510283E00  
5542072  
9195321  
93173287

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: BOSCH  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1323RJM

### CAL1323RJM

#### Brake Caliper



OPEL AGILA (A) (H00)  
SUZUKI WAGON R  
SUZUKI WAGON R+ (EM)  
SUZUKI WAGON R+ (MM)  
VAUXHALL AGILA Mk I (A)

#### OE

4701930  
5510183E00  
5542073  
9195322  
93173289

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: BOSCH  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1323LJM

### CAL1330LJM

#### Brake Caliper



TOYOTA AVENSIS VERSO (\_CLM2\_, \_ACM2\_)  
TOYOTA NOAH/VOXY (\_AZR6\_)

#### OE

4775044020  
4775044021  
477504402184

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: AKEBONO  
Diameter [mm]: 63  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1330RJM

### CAL1330RJM

#### Brake Caliper



TOYOTA AVENSIS VERSO (\_CLM2\_, \_ACM2\_)  
TOYOTA NOAH/VOXY (\_AZR6\_)

#### OE

4773044020  
4773044021

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: AKEBONO  
Diameter [mm]: 63  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1330LJM



## Brake system

### CAL1331LJM

#### Brake Caliper



TOYOTA VIOS (SCP4\_, NCP4\_, AXP4\_)  
TOYOTA YARIS (SCP1\_, NLP1\_, NCP1\_)

**OE**  
4775052040

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Brake System: SUMITOMO  
Diameter [mm]: 30  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1331RJM

### CAL1331RJM

#### Brake Caliper



TOYOTA VIOS (SCP4\_, NCP4\_, AXP4\_)  
TOYOTA YARIS (SCP1\_, NLP1\_, NCP1\_)

**OE**  
4773052040

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Brake System: SUMITOMO  
Diameter [mm]: 30  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1331LJM

### CAL1332LJM

#### Brake Caliper



TOYOTA COROLLA (ZZE12\_, NDE12\_, ZDE12\_)  
TOYOTA COROLLA Station wagon (\_E12J\_, \_E12T\_)  
TOYOTA COROLLA Tre volumi (\_E12J\_, \_E12T\_)  
TOYOTA COROLLA Verso (ZDE12\_, CDE12\_)  
TOYOTA MATRIX (ZZE13\_)

**OE**  
4775013020

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Brake System: SUMITOMO  
Diameter [mm]: 36  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1332RJM

### CAL1332RJM

#### Brake Caliper



TOYOTA COROLLA (ZZE12\_, NDE12\_, ZDE12\_)  
TOYOTA COROLLA Station wagon (\_E12J\_, \_E12T\_)  
TOYOTA COROLLA Tre volumi (\_E12J\_, \_E12T\_)  
TOYOTA COROLLA Verso (ZDE12\_, CDE12\_)  
TOYOTA MATRIX (ZZE13\_)

**OE**  
4773013020

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Brake System: SUMITOMO  
Diameter [mm]: 36  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1332LJM

### CAL1336LJM

#### Brake Caliper



TOYOTA COROLLA (\_E10\_)  
TOYOTA COROLLA (\_E11\_)  
TOYOTA COROLLA Compact (\_E10\_)  
TOYOTA COROLLA Compact (\_E11\_)  
TOYOTA COROLLA Liftback (\_E10\_)  
TOYOTA COROLLA Liftback (\_E11\_)

**OE**  
4775002060

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: LUCAS  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1336RJM



## Brake system

### CAL1336RJM

#### Brake Caliper



TOYOTA COROLLA (\_E10\_)  
TOYOTA COROLLA (\_E11\_)  
TOYOTA COROLLA Compact (\_E10\_)  
TOYOTA COROLLA Compact (\_E11\_)  
TOYOTA COROLLA Liftback (\_E10\_)  
TOYOTA COROLLA Liftback (\_E11\_)

**OE**  
4773002060

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: LUCAS  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1336LJM

### CAL1346LJM

#### Brake Caliper



OPEL SIGNUM  
OPEL VECTRA C Station wagon  
VAUXHALL SIGNUM  
VAUXHALL VECTRA Mk II (C) Station wagon

**OE**  
5542279  
93187988

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1346RJM

### CAL1346RJM

#### Brake Caliper



CHEVROLET VECTRA  
OPEL SIGNUM  
OPEL VECTRA C Station wagon  
VAUXHALL SIGNUM  
VAUXHALL VECTRA Mk II (C) Station wagon

**OE**  
5542280  
93181407  
93187989

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1346LJM

### CAL1349LJM

#### Brake Caliper



JAGUAR X-TYPE (CF1)  
JAGUAR X-TYPE Estate

**OE**  
C2S3806  
C2S38060  
C2S48014

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: BOSCH  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1349RJM

### CAL1350LJM

#### Brake Caliper



LEXUS ES (F1, F2)  
LEXUS ES (MCV\_, VZV\_)  
TOYOTA CAMRY (\_CV1\_, \_XV1\_, \_V1\_)  
TOYOTA CAMRY (\_CV2\_, \_XV2\_)  
TOYOTA CAMRY (\_V2\_)  
TOYOTA CAMRY SOLARA Coupé (MCV2\_, SXV2\_)

**OE**  
4775020250  
4775020260  
4775020430  
4775032150  
4775033010  
4775033050

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: AISIN  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1350RJM

## Brake system

### CAL1350RJM

#### Brake Caliper



LEXUS ES (F1, F2)  
LEXUS ES (MCV\_, VZV\_)  
TOYOTA CAMRY (\_CV1\_, \_XV1\_, \_V1\_)  
TOYOTA CAMRY (\_CV2\_, \_XV2\_)  
TOYOTA CAMRY (\_V2\_)  
TOYOTA CAMRY SOLARA Coupé (MCV2\_, SXV2\_)

#### OE

4773020250  
4773020260  
4773020430  
4773032140  
4773032150  
4773033010

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: AISIN  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1350LJM

### CAL1356LJM

#### Brake Caliper



FORD FOCUS IV  
FORD FOCUS IV Tre volumi (HM)  
FORD FOCUS IV Turnier (HP)

#### OE

2197261  
2209091  
2210404  
2210405  
JX612B302AEA  
JX612B302AEB

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 27  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1356RJM

### CAL1356RJM

#### Brake Caliper



FORD FOCUS IV  
FORD FOCUS IV Tre volumi (HM)  
FORD FOCUS IV Turnier (HP)

#### OE

2197264  
2209085  
2210400  
2210401  
JX612B294AEA  
JX612B294AEB

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 27  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1356LJM

### CAL1361LJM

#### Brake Caliper



MITSUBISHI DELICA  
MITSUBISHI L 200 (K7\_T, K6\_T)  
MITSUBISHI L 400 / SPACE GEAR Autobus  
(PD\_W, PC\_W, PA\_V, PB\_V)  
MITSUBISHI L 400 Furgonato (PD\_W, PC\_W,  
PB\_V, PA\_W, PA\_V)

#### OE

MR205252  
MR205258  
MR249083  
MR510890  
MR510891  
MR527975

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: AKEBONO  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1361RJM

### CAL1361RJM

#### Brake Caliper



MITSUBISHI DELICA  
MITSUBISHI L 200 (K7\_T, K6\_T)  
MITSUBISHI L 400 / SPACE GEAR Autobus  
(PD\_W, PC\_W, PA\_V, PB\_V)  
MITSUBISHI L 400 Furgonato (PD\_W, PC\_W,  
PB\_V, PA\_W, PA\_V)

#### OE

MR205253  
MR205259  
MR249082  
MR510889  
MR510892

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: AKEBONO  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1361LJM

## Brake system

### CAL1366LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C Station wagon (S202)  
MERCEDES-BENZ CLASSE E (W210)  
MERCEDES-BENZ CLASSE E Station wagon (S210)

**OE**  
0014202983  
A0014202983

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1366RJM

### CAL1366RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C Station wagon (S202)  
MERCEDES-BENZ CLASSE E (W210)  
MERCEDES-BENZ CLASSE E Station wagon (S210)

**OE**  
0014203083  
A0014203083

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1366LJM

### CAL1369LJM

#### Brake Caliper



CHEVROLET LANOS Tre volumi  
DAEWOO LANOS (KLAT)  
DAEWOO LANOS Tre volumi (KLAT)

**OE**  
96273700  
96281935

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: DAC  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1369RJM

### CAL1369RJM

#### Brake Caliper



CHEVROLET LANOS Tre volumi  
DAEWOO LANOS (KLAT)  
DAEWOO LANOS Tre volumi (KLAT)

**OE**  
96273701  
96281936

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: DAC  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1369LJM

### CAL1373LJM

#### Brake Caliper



MERCEDES-BENZ 190 (W201)  
MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C Station wagon (S202)  
MERCEDES-BENZ CLASSE E (W124)  
MERCEDES-BENZ CLASSE E Cabriolet (A124)

**OE**  
2014200283  
A2014200283

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 9  
Brake System: BENDIX  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1373RJM

## Brake system

### CAL1373RJM

#### Brake Caliper



MERCEDES-BENZ 190 (W201)  
MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C Station wagon (S202)  
MERCEDES-BENZ CLASSE E (W124)  
MERCEDES-BENZ CLASSE E Cabriolet (A124)

**OE**  
2014200383  
A2014200383

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 9  
Brake System: BENDIX  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1373LJM

### CAL1375LJM

#### Brake Caliper



NISSAN JUKE (F15)  
NISSAN JUKE Van (F15)  
NISSAN PULSAR 2 volumi /Coda spiovente (C13)  
NISSAN SENTRA (B16)  
NISSAN SENTRA (B17)  
NISSAN SYLPHY (B17)

**OE**  
410113DN0A  
410113ZU0A  
41011EN00B  
41011ET00A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: NISSAN  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1375RJM

### CAL1375RJM

#### Brake Caliper



NISSAN JUKE (F15)  
NISSAN JUKE Van (F15)  
NISSAN PULSAR 2 volumi /Coda spiovente (C13)  
NISSAN SENTRA (B16)  
NISSAN SENTRA (B17)  
NISSAN SYLPHY (B17)

**OE**  
410013DN0A  
410013ZU0A  
41001EN00B  
41001ET00A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: NISSAN  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1375LJM

### CAL1377LJM

#### Brake Caliper



CITROEN C4 II (B7)  
CITROEN C4 II Cassone / coda spiovente (NC\_)  
CITROEN DS4

**OE**  
4401S2

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1377RJM

### CAL1377RJM

#### Brake Caliper



CITROEN C4 II (B7)  
CITROEN C4 II Cassone / coda spiovente (NC\_)  
CITROEN DS4

**OE**  
4401S3

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1377LJM

## Brake system

### CAL1378LJM

#### Brake Caliper



HYUNDAI i30 (PDE)  
HYUNDAI i30 FASTBACK (PDE)  
HYUNDAI i30 Hatchback Van (PDE)  
HYUNDAI i30 Kombi Van (PDE)  
HYUNDAI i30 Station wagon  
KIA CEED (CD)

**OE**  
58110G4100  
58180G4A10

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: MOBIS  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1378RJM

### CAL1378RJM

#### Brake Caliper



HYUNDAI i30 (PDE)  
HYUNDAI i30 FASTBACK (PDE)  
HYUNDAI i30 Hatchback Van (PDE)  
HYUNDAI i30 Kombi Van (PDE)  
HYUNDAI i30 Station wagon  
KIA CEED (CD)

**OE**  
58130G4100  
58190G4A10

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: MOBIS  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1378LJM

### CAL1380LJM

#### Brake Caliper



VW TRANSPORTER II Furgonato  
VW TRANSPORTER III Autobus  
VW TRANSPORTER III Furgonato  
VW TRANSPORTER III Pianale piatto/Telaio

**OE**  
211615107A

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 13  
Brake System: ATE  
Diameter [mm]: 54  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1380RJM

### CAL1380RJM

#### Brake Caliper



VW TRANSPORTER II Furgonato  
VW TRANSPORTER III Autobus  
VW TRANSPORTER III Furgonato  
VW TRANSPORTER III Pianale piatto/Telaio

**OE**  
211615108A

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 13  
Brake System: ATE  
Diameter [mm]: 54  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1380LJM

### CAL1382RJM

#### Brake Caliper



AUDI A6 (4G2, C7, 4GC)  
AUDI A6 Avant (4G5, C7, 4GD)  
AUDI A7 Sportback (4GA, 4GF)

**OE**  
4G0615124  
4G0615124C

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 30  
Brake System: TRW  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1382LJM



## Brake system

### CAL1387LJM

#### Brake Caliper



HYUNDAI H-1 Cargo (TQ)  
HYUNDAI H-1 Travel (TQ)

#### OE

582104H500  
583104HA00

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: KASCO  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1387RJM

### CAL1387RJM

#### Brake Caliper



HYUNDAI H-1 Cargo (TQ)  
HYUNDAI H-1 Travel (TQ)

#### OE

582304H500  
583204HA00

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: KASCO  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1387LJM

### CAL1391LJM

#### Brake Caliper



JAGUAR F-PACE (X761)  
JAGUAR XE (X760)  
JAGUAR XF (X260)  
JAGUAR XF SPORTBRAKE (X260)  
LAND ROVER RANGE ROVER VELAR (L560)

#### OE

GX732B302BA  
LR090691  
T2H22654

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 30  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
for brake disk diameter [mm]: 325  
Paired article numbers: CAL1391RJM

### CAL1391RJM

#### Brake Caliper



JAGUAR F-PACE (X761)  
JAGUAR XE (X760)  
JAGUAR XF (X260)  
JAGUAR XF SPORTBRAKE (X260)  
LAND ROVER RANGE ROVER VELAR (L560)

#### OE

GX732B294BA  
LR090688  
T4N9757

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 30  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
for brake disk diameter [mm]: 325  
Paired article numbers: CAL1391LJM

### CAL1392LJM

#### Brake Caliper



NISSAN CABSTAR E Pick-up  
NISSAN NT400 CABSTAR Pianale piatto/Telaio

#### OE

41011MB600  
41011MB60A

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: BREMBO  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1392RJM



## Brake system

### CAL1392RJM

#### Brake Caliper



NISSAN CABSTAR E Pick-up  
NISSAN NT400 CABSTAR Pianale piatto/Telaio

#### OE

41001MB600  
41001MB60A

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: BREMBO  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1392LJM

### CAL1393LJM

#### Brake Caliper



MERCEDES-BENZ MARCO POLO Camper (W447)  
MERCEDES-BENZ V-CLASS (W447)  
MERCEDES-BENZ VITO Furgonato (W447)  
MERCEDES-BENZ VITO Mixto (W447)  
MERCEDES-BENZ VITO Tourer (W447)

#### OE

4474200083  
4474208400  
A4474200083  
A4474208400

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 32  
Brake System: BREMBO  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
for brake disk diameter [mm]: 330  
Paired article numbers: CAL1393RJM

### CAL1393RJM

#### Brake Caliper



MERCEDES-BENZ MARCO POLO Camper (W447)  
MERCEDES-BENZ V-CLASS (W447)  
MERCEDES-BENZ VITO Furgonato (W447)  
MERCEDES-BENZ VITO Mixto (W447)  
MERCEDES-BENZ VITO Tourer (W447)

#### OE

4474200183  
4474208500  
A4474200183  
A4474208500

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 32  
Brake System: BREMBO  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
for brake disk diameter [mm]: 330  
Paired article numbers: CAL1393LJM

### CAL1396LJM

#### Brake Caliper



MITSUBISHI PAJERO IV (V8\_W, V9\_W)  
MITSUBISHI PAJERO IV Van (V90, V80)

#### OE

4605A449  
4605A909

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: SUMITOMO  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1396RJM

### CAL1396RJM

#### Brake Caliper



MITSUBISHI PAJERO IV (V8\_W, V9\_W)  
MITSUBISHI PAJERO IV Van (V90, V80)

#### OE

4605A450  
4605A910

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: SUMITOMO  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1396LJM

## Brake system

### CAL1398LJM

#### Brake Caliper



MAZDA CX-7 (ER)  
MAZDA CX-9 (TB)

#### OE

L206-26-990C  
L2062671X  
L2062671XA  
L20626990C  
L20626990D  
L232-26-71X

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: MAZDA  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1398RJM

### CAL1398RJM

#### Brake Caliper



MAZDA CX-7 (ER)  
MAZDA CX-9 (TB)

#### OE

L206-26-980C  
L2062661X  
L2062661XA  
L20626980C  
L20626980D  
L232-26-61X

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: MAZDA  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1398LJM

### CAL1399LJM

#### Brake Caliper



FORD COUGAR (EC\_)  
FORD MONDEO I (GBP)  
FORD MONDEO I Tre volumi (GBP)  
FORD MONDEO II (BAP)  
FORD MONDEO II Tre volumi (BFP)

#### OE

1044225  
1044233  
1044234  
1118408  
1328618  
1478415

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BENDIX  
Diameter [mm]: 36  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1399RJM

### CAL1399RJM

#### Brake Caliper



FORD COUGAR (EC\_)  
FORD MONDEO I (GBP)  
FORD MONDEO I Tre volumi (GBP)  
FORD MONDEO II (BAP)  
FORD MONDEO II Tre volumi (BFP)

#### OE

1044225  
1044227  
1044233  
1118406  
1328617  
1478335

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BENDIX  
Diameter [mm]: 36  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1399LJM

### CAL1403LJM

#### Brake Caliper



CITROEN C4 Grand Picasso II  
CITROEN C4 Picasso II  
CITROEN C4 PICASSO II Van (DD\_)  
CITROEN C4 SPACETOURER  
CITROEN C4 SPACETOURER Van (3D\_)  
CITROEN GRAND C4 SPACETOURER

#### OE

1609897480  
1651758780

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1403RJM

## Brake system

### CAL1403RJM

#### Brake Caliper



CITROEN C4 Grand Picasso II  
CITROEN C4 Picasso II  
CITROEN C4 PICASSO II Van (DD\_)  
CITROEN C4 SPACETOURER  
CITROEN C4 SPACETOURER Van (3D\_)  
CITROEN GRAND C4 SPACETOURER

**OE**  
1609897580  
1651758880

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1403LJM

### CAL1404LJM

#### Brake Caliper



CITROEN C5 I (DC\_)  
CITROEN C5 II (RC\_)

**OE**  
4400L4

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: BOSCH  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1404RJM

### CAL1404RJM

#### Brake Caliper



CITROEN C5 I (DC\_)  
CITROEN C5 II (RC\_)

**OE**  
4400L5

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: BOSCH  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1404LJM

### CAL1413LJM

#### Brake Caliper



NISSAN NAVARA (D40)  
NISSAN NAVARA Pianale piatto/Telaio (D40)  
NISSAN PATHFINDER (R51)  
NISSAN PATHFINDER III VAN (R51\_)

**OE**  
41011EB30A

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: NISSAN  
Diameter [mm]: 46  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1413RJM

### CAL1413RJM

#### Brake Caliper



NISSAN NAVARA (D40)  
NISSAN NAVARA Pianale piatto/Telaio (D40)  
NISSAN PATHFINDER (R51)  
NISSAN PATHFINDER III VAN (R51\_)

**OE**  
41001EB30A

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: NISSAN  
Diameter [mm]: 46  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1413LJM

## Brake system

### CAL1414LJM

#### Brake Caliper



NISSAN NAVARA (D22)  
NISSAN NAVARA Pianale piatto/Telaio (D22)  
NISSAN PATHFINDER (R50)  
NISSAN PICK UP (D22)

#### OE

41011VK100  
41011VK810  
41011VL30C

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: NISSAN  
Diameter [mm]: 46  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1414RJM

### CAL1414RJM

#### Brake Caliper



NISSAN NAVARA (D22)  
NISSAN NAVARA Pianale piatto/Telaio (D22)  
NISSAN PATHFINDER (R50)  
NISSAN PICK UP (D22)

#### OE

41001VK100  
41001VK810  
41001VL30C

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: NISSAN  
Diameter [mm]: 46  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1414LJM

### CAL1419LJM

#### Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)  
HYUNDAI TUCSON  
HYUNDAI TUCSON Cassone/SUV (TLE)  
KIA SPORTAGE (QL)  
KIA SPORTAGE Van (QL, QLE)

#### OE

58110D7000  
58110D7500  
58180D7A00  
58180D7A50

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: MOBIS  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1419RJM

### CAL1419RJM

#### Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)  
HYUNDAI TUCSON  
HYUNDAI TUCSON Cassone/SUV (TLE)  
KIA SPORTAGE (QL)  
KIA SPORTAGE Van (QL, QLE)

#### OE

58130D7000  
58130D7500  
58190D7A00  
58190D7A50

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: MOBIS  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1419LJM

### CAL1420LJM

#### Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB\_)  
PEUGEOT 308 II  
PEUGEOT 308 SW II  
PEUGEOT 308 SW II Cassone / Furgonato /  
Promiscuo (LC\_)

#### OE

1610762380  
1651765280

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1420RJM

## Brake system

### CAL1420RJM

#### Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB\_)  
PEUGEOT 308 II  
PEUGEOT 308 SW II  
PEUGEOT 308 SW II Cassone / Furgonato /  
Promiscuo (LC\_)

**OE**  
1610762480  
1651765380

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1420LJM

### CAL1427LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE C (W205)  
MERCEDES-BENZ CLASSE C Cabriolet (A205)  
MERCEDES-BENZ CLASSE C Coupé (C205)  
MERCEDES-BENZ CLASSE C T-Model (S205)  
MERCEDES-BENZ CLASSE E (W213)  
MERCEDES-BENZ CLASSE E Cabriolet (A238)

**OE**  
2054210181  
A2054210181

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: TRW  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1427RJM

### CAL1427RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE C (W205)  
MERCEDES-BENZ CLASSE C Cabriolet (A205)  
MERCEDES-BENZ CLASSE C Coupé (C205)  
MERCEDES-BENZ CLASSE C T-Model (S205)  
MERCEDES-BENZ CLASSE E (W213)  
MERCEDES-BENZ CLASSE E Cabriolet (A238)

**OE**  
2054210281  
A2054210281

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: TRW  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1427LJM

### CAL1429LJM

#### Brake Caliper



TOYOTA AURIS (NZE18\_, ZRE18\_)  
TOYOTA AURIS TOURING SPORTS (ADE18\_,  
ZWE18\_, ZRE18\_)

**OE**  
4785002281

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: BOSCH  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1429RJM

### CAL1429RJM

#### Brake Caliper



TOYOTA AURIS (NZE18\_, ZRE18\_)  
TOYOTA AURIS TOURING SPORTS (ADE18\_,  
ZWE18\_, ZRE18\_)

**OE**  
4783002261

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: BOSCH  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1429LJM



## Brake system

### CAL1430LJM

#### Brake Caliper



CHRYSLER 300 M (LR)  
CHRYSLER CARAVAN  
CHRYSLER CONCORDE  
CHRYSLER GRAND VOYAGER III VAN (GS)  
CHRYSLER NEW YORKER  
CHRYSLER PROWLER

**OE**  
4728114  
4797566  
4897654AA  
5010032AA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: KELSEY-HAYES  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1430RJM

### CAL1430RJM

#### Brake Caliper



CHRYSLER 300 M (LR)  
CHRYSLER CARAVAN  
CHRYSLER CONCORDE  
CHRYSLER GRAND VOYAGER III VAN (GS)  
CHRYSLER NEW YORKER  
CHRYSLER PROWLER

**OE**  
4728115  
4797567  
4897655AA  
5010033AA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: KELSEY-HAYES  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1430LJM

### CAL1434LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE M (W163)

**OE**  
0094216298  
1634210098  
1634210298  
1634210698  
1634210898  
1634211398

Brake Caliper Type: Caliper (4 pistons)  
Brake Disc Thickness [mm]: 32  
Brake System: BREMBO  
Diameter 1/ Diameter 2 [mm]: 40/44  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1434RJM

### CAL1434RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE M (W163)

**OE**  
0094216198  
1634210198  
1634210398  
1634210798  
1634210998  
1634211498

Brake Caliper Type: Caliper (4 pistons)  
Brake Disc Thickness [mm]: 32  
Brake System: BREMBO  
Diameter 1/ Diameter 2 [mm]: 40/44  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1434LJM

### CAL1439LJM

#### Brake Caliper



MAZDA 323 F VI (BJ)  
MAZDA 323 S VI (BJ)  
MAZDA 626 V Station Wagon (GW)  
MAZDA PREMACY (CP)  
MAZDA PREMACY Van (CP\_)

**OE**  
G15C3371X  
G15C3371XA  
GFYP3399Z

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: SHIN TEC  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1439RJM



## Brake system

### CAL1439RJM

#### Brake Caliper



MAZDA 323 F VI (BJ)  
MAZDA 323 S VI (BJ)  
MAZDA 626 V Station Wagon (GW)  
MAZDA PREMACY (CP)  
MAZDA PREMACY Van (CP\_)

#### OE

G15C3361X  
G15C3361XA  
GFYP3398Z

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: SHIN TEC  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1439LJM

### CAL1445LJM

#### Brake Caliper



LEXUS ES (GSV4\_, ACV4\_)  
TOYOTA AURION (GSV4\_, ACV4\_)  
TOYOTA CAMRY Tre volumi (\_XV4\_)

#### OE

4785033210  
4785033211

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ADVICS  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1445RJM

### CAL1445RJM

#### Brake Caliper



LEXUS ES (GSV4\_, ACV4\_)  
TOYOTA AURION (GSV4\_, ACV4\_)  
TOYOTA CAMRY Tre volumi (\_XV4\_)

#### OE

4783033210  
4783033211  
4783033221

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ADVICS  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1445LJM

### CAL1446LJM

#### Brake Caliper



VOLVO 740 (744)  
VOLVO 740 Kombi (745)  
VOLVO 760 (704, 764)  
VOLVO 760 Kombi (704, 765)  
VOLVO 940 (944)

#### OE

1329866  
13298666  
3516511  
3516517  
35165174  
5003510

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: GIRLING  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1446RJM

### CAL1446RJM

#### Brake Caliper



VOLVO 740 (744)  
VOLVO 740 Kombi (745)  
VOLVO 760 (704, 764)  
VOLVO 760 Kombi (704, 765)  
VOLVO 940 (944)

#### OE

1329867  
13298674  
3516512  
3516518  
35165182  
5003511

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: GIRLING  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1446LJM

## Brake system

### CAL1450LJM

#### Brake Caliper



TOYOTA ESTIMA EMINA / LUCIDA  
TOYOTA PREVIA (TCR2\_, TCR1\_)  
TOYOTA TOWN ACE Autobus

**OE**  
4775028150  
4775028170

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: AKEBONO  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1450RJM

### CAL1450RJM

#### Brake Caliper



TOYOTA ESTIMA EMINA / LUCIDA  
TOYOTA PREVIA (TCR2\_, TCR1\_)  
TOYOTA TOWN ACE Autobus

**OE**  
4773028150  
4773028170

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: AKEBONO  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1450LJM

### CAL1452LJM

#### Brake Caliper



MITSUBISHI L 200 (K3\_T, K2\_T, K1\_T, K0\_T)  
MITSUBISHI L 300 Autobus (P0\_W, P1\_W, P2\_W)  
MITSUBISHI L 300 Furgonato (P0\_W, P1\_W)  
MITSUBISHI PAJERO I (L04\_G, L14\_G)

**OE**  
MB500772  
MB534320  
MB534546

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: AKEBONO  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1452RJM

### CAL1452RJM

#### Brake Caliper



MITSUBISHI L 200 (K3\_T, K2\_T, K1\_T, K0\_T)  
MITSUBISHI L 300 Autobus (P0\_W, P1\_W, P2\_W)  
MITSUBISHI L 300 Furgonato (P0\_W, P1\_W)  
MITSUBISHI PAJERO I (L04\_G, L14\_G)

**OE**  
MB500773  
MB534321  
MB534547

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: AKEBONO  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1452LJM

### CAL1458LJM

#### Brake Caliper



RENAULT CLIO II (BB0/1/2\_, CB0/1/2\_)  
RENAULT MEGANE I (BA0/1\_)  
RENAULT MEGANE I Cabriolet (EA0/1\_)  
RENAULT MEGANE I Classic (LA0/1\_)  
RENAULT MEGANE I Coach (DA0/1\_)  
RENAULT THALIA I (LB0/1/2\_)

**OE**  
7701204846

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 8  
Brake System: BENDIX  
Diameter [mm]: 30  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1458RJM

## Brake system

### CAL1458RJM

#### Brake Caliper



RENAULT CLIO II (BB0/1/2\_, CB0/1/2\_)  
RENAULT MEGANE I (BA0/1\_)  
RENAULT MEGANE I Cabriolet (EA0/1\_)  
RENAULT MEGANE I Classic (LA0/1\_)  
RENAULT MEGANE I Coach (DA0/1\_)  
RENAULT THALIA I (LB0/1/2\_)

**OE**  
7701204847

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 8  
Brake System: BENDIX  
Diameter [mm]: 30  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1458LJM

### CAL1459LJM

#### Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)  
HYUNDAI TUCSON  
HYUNDAI TUCSON Cassone/SUV (TLE)  
KIA SPORTAGE (QL)  
KIA SPORTAGE Van (QL, QLE)

**OE**  
58210D3700  
58210D7700  
58210D7710  
58310D3A70  
58310D7A70  
58310D7A71

Brake Disc Thickness [mm]: 10  
Brake System: MANDO  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1459RJM  
Supplementary Article/Supplementary Info: with electric motor

### CAL1459RJM

#### Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)  
HYUNDAI TUCSON  
HYUNDAI TUCSON Cassone/SUV (TLE)  
KIA SPORTAGE (QL)  
KIA SPORTAGE Van (QL, QLE)

**OE**  
58230D3700  
58230D7700  
58230D7710  
58311D3A70  
58311D7A70  
58311D7A71

Brake Disc Thickness [mm]: 10  
Brake System: MANDO  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1459LJM  
Supplementary Article/Supplementary Info: with electric motor

### CAL1463LJM

#### Brake Caliper



LEXUS IS I (JCE1\_, GXE1\_)  
LEXUS IS SportCross  
TOYOTA ALTEZZA (SXE1\_, JCE1\_, GXE1\_)  
TOYOTA ALTEZZA GITA (SXE1\_, GXE1\_)  
TOYOTA CHASER (\_X10\_)  
TOYOTA MARK II Tre volumi

**OE**  
4775022320  
4775053010  
4775053030

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 32  
Brake System: AISIN  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1463RJM

### CAL1463RJM

#### Brake Caliper



LEXUS IS I (JCE1\_, GXE1\_)  
LEXUS IS SportCross  
TOYOTA ALTEZZA (SXE1\_, JCE1\_, GXE1\_)  
TOYOTA ALTEZZA GITA (SXE1\_, GXE1\_)  
TOYOTA CHASER (\_X10\_)  
TOYOTA MARK II Tre volumi

**OE**  
4773022320  
4773053010  
4773053030

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 32  
Brake System: AISIN  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1463LJM

## Brake system

### CAL1466LJM

#### Brake Caliper



CITROEN C2 (JM\_)  
CITROEN C2 ENTERPRISE  
CITROEN C3 I (FC\_)  
CITROEN C3 Pluriel (HB\_)

**OE**  
1607377680  
4401E2

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1466RJM

### CAL1466RJM

#### Brake Caliper



CITROEN C2 (JM\_)  
CITROEN C2 ENTERPRISE  
CITROEN C3 I (FC\_)  
CITROEN C3 Pluriel (HB\_)

**OE**  
1607377780  
4401E3

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: TRW  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1466LJM

### CAL1472LJM

#### Brake Caliper



HYUNDAI GETZ (TB)

**OE**  
583001C800

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: MANDO  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1472RJM

### CAL1472RJM

#### Brake Caliper



HYUNDAI GETZ (TB)

**OE**  
584001C800

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: MANDO  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1472LJM

### CAL1480LJM

#### Brake Caliper



VOLVO S60 III (224)  
VOLVO S90 II  
VOLVO V60  
VOLVO V60 II (225)  
VOLVO V60 II Cross Country (227)  
VOLVO V90 II

**OE**  
36003032  
36010009  
36011656  
36012635  
36012821

Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1480RJM  
Supplementary Article/Supplementary Info:  
with electric motor

## Brake system

### CAL1480RJM

#### Brake Caliper



VOLVO S60 III (224)  
VOLVO S90 II  
VOLVO V60  
VOLVO V60 II (225)  
VOLVO V60 II Cross Country (227)  
VOLVO V90 II

#### OE

36003033  
36010010  
36011657  
36012636  
36012822

Brake Disc Thickness [mm]: 20  
Brake System: ATE  
Diameter [mm]: 42  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1480LJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1481LJM

#### Brake Caliper



AUDI A1 Allstreet (GBH)  
AUDI A1 CITY CARVER (GBH)  
AUDI A1 Sportback (GBA)  
SEAT ARONA (KJ7)  
SEAT IBIZA V (KJ1)  
SKODA FABIA IV (PJ3)

#### OE

2Q0615123A  
2Q0615123B

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: MANDO  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1481RJM

### CAL1481RJM

#### Brake Caliper



AUDI A1 Allstreet (GBH)  
AUDI A1 CITY CARVER (GBH)  
AUDI A1 Sportback (GBA)  
SEAT ARONA (KJ7)  
SEAT IBIZA V (KJ1)  
SKODA FABIA IV (PJ3)

#### OE

2Q0615124A  
2Q0615124B

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: MANDO  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1481LJM

### CAL1482LJM

#### Brake Caliper



MAZDA CX-5 (KE, GH)  
MAZDA CX-5 (KF)  
MAZDA CX-5 Van (KE\_)

#### OE

KAY02671X  
KAY02671XA

Brake Disc Thickness [mm]: 10  
Brake System: MAZDA  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1482RJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1482RJM

#### Brake Caliper



MAZDA CX-5 (KE, GH)  
MAZDA CX-5 (KF)  
MAZDA CX-5 Van (KE\_)

#### OE

KAY02661X  
KAY02661XA

Brake Disc Thickness [mm]: 10  
Brake System: MAZDA  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1482LJM  
Supplementary Article/Supplementary Info:  
with electric motor



## Brake system

### CAL1486LJM

#### Brake Caliper



CITROEN JUMPY  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Pianale piatto/Telaio  
CITROEN SPACETOURER  
OPEL VIVARO C Combi (K0)  
OPEL VIVARO C Furgonato (K0)

**OE**  
1613260080  
1651761380  
SU001A3125

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 66  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1486RJM

### CAL1486RJM

#### Brake Caliper



CITROEN JUMPY  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Pianale piatto/Telaio  
CITROEN SPACETOURER  
OPEL VIVARO C Combi (K0)  
OPEL VIVARO C Furgonato (K0)

**OE**  
1613260180  
1651761480  
SU001A3126

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 66  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1486LJM

### CAL1487LJM

#### Brake Caliper



TOYOTA AURIS (NRE15\_, ZZE15\_, ADE15\_, ZRE15\_, NDE15\_)  
TOYOTA AURIS Furgonato (\_E15\_)  
TOYOTA COROLLA Tre volumi (E15\_)

**OE**  
4775002340  
4775002341

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: BOSCH  
Diameter [mm]: 57  
Distance of fastening bolts [mm]: 162  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1487RJM

### CAL1487RJM

#### Brake Caliper



TOYOTA AURIS (NRE15\_, ZZE15\_, ADE15\_, ZRE15\_, NDE15\_)  
TOYOTA AURIS Furgonato (\_E15\_)  
TOYOTA COROLLA Tre volumi (E15\_)

**OE**  
4773002340  
4773002341

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: BOSCH  
Diameter [mm]: 57  
Distance of fastening bolts [mm]: 162  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1487LJM

### CAL1489LJM

#### Brake Caliper



JEEP GRAND CHEROKEE II (WJ, WG)

**OE**  
5011973AA  
K05011973AA

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1489RJM



## Brake system

### CAL1489RJM

#### Brake Caliper



JEEP GRAND CHEROKEE II (WJ, WG)

**OE**  
5011972AA  
K05011972AA

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: ATE  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1489LJM

### CAL1492LJM

#### Brake Caliper



FORD MONDEO II Station wagon (BNP)

**OE**  
1044237  
1044239  
1118407  
1118409  
1328619  
1328620

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BENDIX  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1492RJM

### CAL1492RJM

#### Brake Caliper



FORD MONDEO II Station wagon (BNP)

**OE**  
1044229  
1044230  
1118407  
1118409  
1328619  
1328620

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: BENDIX  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1492LJM

### CAL1503LJM

#### Brake Caliper



HYUNDAI GRAND SANTA FÉ  
HYUNDAI SANTA FÉ III (DM)  
HYUNDAI SANTAFÉ III Cassone/SUV (DM)  
KIA SORENTO II (XM)  
KIA SORENTO II Cassone/SUV (XM)

**OE**  
581102W700  
581802WA00

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: MANDO  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1503RJM

### CAL1503RJM

#### Brake Caliper



HYUNDAI GRAND SANTA FÉ  
HYUNDAI SANTA FÉ III (DM)  
HYUNDAI SANTAFÉ III Cassone/SUV (DM)  
KIA SORENTO II (XM)  
KIA SORENTO II Cassone/SUV (XM)

**OE**  
581302W700  
581902WA00

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: MANDO  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1503LJM

## Brake system

### CAL1505LJM

#### Brake Caliper



HONDA CITY Tre volumi (GM)  
HONDA CR-Z (ZF1)  
HONDA INSIGHT (ZE\_)  
HONDA JAZZ III (GE)  
HONDA JAZZ IV (GK)

#### OE

45019SZTG00  
45019SZTG01  
45019T5B000  
45019T5B010  
45019TF0G00  
45019TF0G01

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 21  
Brake System: NISSIN  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1505RJM

### CAL1505RJM

#### Brake Caliper



HONDA CITY Tre volumi (GM)  
HONDA CR-Z (ZF1)  
HONDA INSIGHT (ZE\_)  
HONDA JAZZ III (GE)  
HONDA JAZZ IV (GK)

#### OE

45018SZTG00  
45018SZTG01  
45018T5B000  
45018T5B010  
45018TF0G00  
45018TF0G01

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 21  
Brake System: NISSIN  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1505LJM

### CAL1507LJM

#### Brake Caliper



HYUNDAI COUPE (GK)  
HYUNDAI SONATA IV (EF)  
HYUNDAI SONATA VI (YF)  
HYUNDAI TIBURON Coupé

#### OE

581102C400  
581802CA10  
581802CA40  
5818038A10  
5818038A11

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: MANDO  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1507RJM

### CAL1507RJM

#### Brake Caliper



HYUNDAI COUPE (GK)  
HYUNDAI SONATA IV (EF)  
HYUNDAI SONATA VI (YF)  
HYUNDAI TIBURON Coupé

#### OE

581302C40  
581302C400  
581902CA10  
581902CA40  
5819038A10  
5819038A11

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: MANDO  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1507LJM

### CAL1511LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE E (W210)

#### OE

0014205783  
A0014205783

Brake Caliper Type: Brake Caliper with 1 holding pin  
Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1511RJM

## Brake system

### CAL1511RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE E (W210)

#### OE

0014205883  
A0014205883

Brake Caliper Type: Brake Caliper with 1 holding pin  
Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1511LJM

### CAL1513LJM

#### Brake Caliper



SUBARU IMPREZA Coupe (GFC)  
SUBARU IMPREZA Station wagon (GD, GG)  
SUBARU IMPREZA Station wagon (GF)  
SUBARU IMPREZA Tre volumi (GC)  
SUBARU IMPREZA Tre volumi (GD, GG)  
SUBARU LEGACY I (BC)

#### OE

26291AC010  
26291AC011  
26291AC012

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: AKEBONO  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1513RJM

### CAL1513RJM

#### Brake Caliper



SUBARU IMPREZA Coupe (GFC)  
SUBARU IMPREZA Station wagon (GD, GG)  
SUBARU IMPREZA Station wagon (GF)  
SUBARU IMPREZA Tre volumi (GC)  
SUBARU IMPREZA Tre volumi (GD, GG)  
SUBARU LEGACY I (BC)

#### OE

26291AC000  
26291AC001  
26291AC002

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: AKEBONO  
Diameter [mm]: 57  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1513LJM

### CAL1514LJM

#### Brake Caliper



IVECO DAILY III Cassone / Furgonato / Promiscuo  
IVECO DAILY III Pianale piatto/Telaio  
NISSAN CABSTAR E Pick-up  
NISSAN NT400 CABSTAR Pianale piatto/Telaio

#### OE

41011MB200  
41011MB20A  
41011MB225  
42548183  
504074548  
504074552

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: BREMBO  
Diameter [mm]: 52  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1514RJM  
Wear Warning Contact: Prepared for wear indicator

### CAL1514RJM

#### Brake Caliper



IVECO DAILY III Cassone / Furgonato / Promiscuo  
IVECO DAILY III Pianale piatto/Telaio  
NISSAN CABSTAR E Pick-up  
NISSAN NT400 CABSTAR Pianale piatto/Telaio

#### OE

41001MB200  
41001MB20A  
41001MB225  
42548184  
504074549  
504074553

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: BREMBO  
Diameter [mm]: 52  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1514LJM  
Wear Warning Contact: Prepared for wear indicator

## Brake system

### CAL1515LJM

#### Brake Caliper



MERCEDES-BENZ Vaneo (414)

#### OE

4144200083  
A4144200083

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 8  
Brake System: LUCAS  
Diameter [mm]: 30  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1515RJM

### CAL1515RJM

#### Brake Caliper



MERCEDES-BENZ Vaneo (414)

#### OE

4144200183  
A4144200183

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 8  
Brake System: LUCAS  
Diameter [mm]: 30  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1515LJM

### CAL1519LJM

#### Brake Caliper



TOYOTA HILUX Pick-up (GUN1\_)  
TOYOTA HILUX VIII Pianale piatto/Telaio (\_N1\_)

#### OE

477500K300  
477500K350

Brake Caliper Type: Caliper (4 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: SUMITOMO  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1519RJM

### CAL1519RJM

#### Brake Caliper



TOYOTA HILUX Pick-up (GUN1\_)  
TOYOTA HILUX VIII Pianale piatto/Telaio (\_N1\_)

#### OE

477300K300  
477300K350

Brake Caliper Type: Caliper (4 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: SUMITOMO  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1519LJM

### CAL1520LJM

#### Brake Caliper



NISSAN PATROL GR II Wagon (Y61)  
NISSAN PATROL II Pianale piatto/Telaio (Y61)

#### OE

41011VB200  
41011VC700  
41011VS40A

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 32  
Brake System: NISSAN  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1520RJM

## Brake system

### CAL1520RJM

#### Brake Caliper



NISSAN PATROL GR II Wagon (Y61)  
NISSAN PATROL II Pianale piatto/Telaio (Y61)

#### OE

41001VB200  
41001VC700  
41001VS40A

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 32  
Brake System: NISSAN  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1520LJM

### CAL1523LJM

#### Brake Caliper



KIA SOUL II (PS)

#### OE

58210B2100  
58210B2700  
58310B2A10  
58310B2A70

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: MOBIS  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1523RJM

### CAL1523RJM

#### Brake Caliper



KIA SOUL II (PS)

#### OE

58230B2100  
58230B2700  
58311B2A10  
58311B2A70

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: MOBIS  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1523LJM

### CAL1525LJM

#### Brake Caliper



MERCEDES-BENZ 190 (W201)  
MERCEDES-BENZ CABRIOLET (A124)  
MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C Station wagon (S202)  
MERCEDES-BENZ CLASSE E (W210)

#### OE

1294200283  
A1294200283

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 9  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1525RJM

### CAL1525RJM

#### Brake Caliper



MERCEDES-BENZ 190 (W201)  
MERCEDES-BENZ CABRIOLET (A124)  
MERCEDES-BENZ CLASSE C (W202)  
MERCEDES-BENZ CLASSE C Station wagon (S202)  
MERCEDES-BENZ CLASSE E (W210)

#### OE

1294200383  
A1294200383

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 9  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1525LJM



## Brake system

### CAL1531LJM

#### Brake Caliper



IVECO DAILY III Cassone / Furgonato /  
Promiscuo  
IVECO DAILY III Pianale piatto/Telaio

#### OE

42535599  
42536632

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: BREMBO  
Diameter [mm]: 52  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1531RJM  
Wear Warning Contact: Not prepared for wear indicator

### CAL1531RJM

#### Brake Caliper



IVECO DAILY III Cassone / Furgonato /  
Promiscuo  
IVECO DAILY III Pianale piatto/Telaio

#### OE

42535600  
42536633

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: BREMBO  
Diameter [mm]: 52  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1531LJM  
Wear Warning Contact: Not prepared for wear indicator

### CAL1533LJM

#### Brake Caliper



BMW 1 (F40)  
BMW 2 Active Tourer (F45)  
BMW 2 Active Tourer Van (F45)  
BMW 2 Gran Coupe (F44)  
BMW 2 Gran Tourer (F46)  
BMW 2 Gran Tourer Van (F46)

#### OE

34216860005

Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1533RJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1533RJM

#### Brake Caliper



BMW 1 (F40)  
BMW 2 Active Tourer (F45)  
BMW 2 Active Tourer Van (F45)  
BMW 2 Gran Coupe (F44)  
BMW 2 Gran Tourer (F46)  
BMW 2 Gran Tourer Van (F46)

#### OE

34216860006

Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1533LJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1535LJM

#### Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB\_)  
PEUGEOT 308 II  
PEUGEOT 308 SW II  
PEUGEOT 308 SW II Cassone / Furgonato /  
Promiscuo (LC\_)

#### OE

1611330980  
1651754080

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1535RJM



## Brake system

### CAL1535RJM

#### Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB\_)  
PEUGEOT 308 II  
PEUGEOT 308 SW II  
PEUGEOT 308 SW II Cassone / Furgonato /  
Promiscuo (LC\_)

**OE**  
1611331080  
1651754180

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1535LJM

### CAL1536LJM

#### Brake Caliper



FIAT 127  
FIAT 127 Panorama

**OE**  
790328

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: BENDIX  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1536RJM

### CAL1538LJM

#### Brake Caliper



SAAB 9-5 (YS3E)  
SAAB 9-5 Station wagon (YS3E)

**OE**  
5058136

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1538RJM

### CAL1538RJM

#### Brake Caliper



SAAB 9-5 (YS3E)  
SAAB 9-5 Station wagon (YS3E)

**OE**  
5058144

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1538LJM

### CAL1542LJM

#### Brake Caliper



NISSAN PATROL GR I (Y60, GR)  
NISSAN PATROL Hardtop (K260)

**OE**  
4101101J01  
4101120J00  
4101120J01  
4101120J11

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: NISSAN  
Diameter [mm]: 68  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1542RJM

## Brake system

### CAL1545LJM

#### Brake Caliper



DACIA LOGAN II  
DACIA SANDERO II  
RENAULT LOGAN I (LS\_)  
RENAULT LOGAN II  
RENAULT SANDERO/STEPWAY II (B8\_)  
RENAULT THALIA III

**OE**  
410116639R

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1545RJM

### CAL1545RJM

#### Brake Caliper



DACIA LOGAN II  
DACIA SANDERO II  
RENAULT LOGAN I (LS\_)  
RENAULT LOGAN II  
RENAULT SANDERO/STEPWAY II (B8\_)  
RENAULT THALIA III

**OE**  
410010121R  
410011126R

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: ATE  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1545LJM

### CAL1551LJM

#### Brake Caliper



CHEVROLET EPICA (KL1\_)

**OE**  
96639588

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: DAC  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1551RJM

### CAL1551RJM

#### Brake Caliper



CHEVROLET EPICA (KL1\_)

**OE**  
96639589

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: DAC  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1551LJM

### CAL1562LJM

#### Brake Caliper



LEXUS ES (GSV4\_, ACV4\_)  
TOYOTA AURION (GSV4\_, ACV4\_)  
TOYOTA CAMRY Tre volumi (\_XV4\_)

**OE**  
4775033340

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ADVICS  
Diameter [mm]: 63  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1562RJM

## Brake system

### CAL1562RJM

#### Brake Caliper



LEXUS ES (GSV4\_, ACV4\_)  
TOYOTA AURION (GSV4\_, ACV4\_)  
TOYOTA CAMRY Tre volumi (\_XV4\_)

**OE**  
4773033340

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ADVICS  
Diameter [mm]: 63  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1562LJM

### CAL1579LJM

#### Brake Caliper



HYUNDAI i10 (IA)

**OE**  
58110B9300  
58110B9700  
58180B9A30  
58180B9A70

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: MANDO  
Diameter [mm]: 51  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1579RJM

### CAL1579RJM

#### Brake Caliper



HYUNDAI i10 (IA)

**OE**  
58130B9300  
58130B9700  
58190B9A30  
58190B9A70

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: MANDO  
Diameter [mm]: 51  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1579LJM

### CAL1580LJM

#### Brake Caliper



HONDA CR-V II (RD\_)  
HONDA CR-V III (RE)  
HONDA CR-V IV (RE)

**OE**  
45019SWWG00  
45019T1EG00

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: BOSCH  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1580RJM

### CAL1580RJM

#### Brake Caliper



HONDA CR-V II (RD\_)  
HONDA CR-V III (RE)  
HONDA CR-V IV (RE)

**OE**  
45018SWWG00  
45018T1EG00

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: BOSCH  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1580LJM

## Brake system

### CAL1581LJM

#### Brake Caliper



TOYOTA YARIS (SCP1\_, NLP1\_, NCP1\_)

**OE**  
4775009020

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: BOSCH  
Diameter [mm]: 51  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1581RJM

### CAL1581RJM

#### Brake Caliper



TOYOTA YARIS (SCP1\_, NLP1\_, NCP1\_)

**OE**  
4773009020

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: BOSCH  
Diameter [mm]: 51  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1581LJM

### CAL1587LJM

#### Brake Caliper



LAND ROVER DISCOVERY II (LJ, LT)

**OE**  
SEG000060  
SEG000060E

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 25  
Brake System: TRW  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1587RJM

### CAL1587RJM

#### Brake Caliper



LAND ROVER DISCOVERY II (LJ, LT)

**OE**  
SEG000030  
SEG000030E

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 25  
Brake System: TRW  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1587LJM

### CAL1591LJM

#### Brake Caliper



SMART CABRIO (450)  
SMART CITY-COUPE (450)  
SMART CROSSBLADE (450)  
SMART FORTWO Cabrio (450)  
SMART FORTWO Cabrio (451)  
SMART FORTWO Coupé (450)

**OE**  
4514210198

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Brake System: BOSCH  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1591RJM

## Brake system

### CAL1591RJM

#### Brake Caliper



SMART CABRIO (450)  
SMART CITY-COUPE (450)  
SMART CROSSBLADE (450)  
SMART FORTWO Cabrio (450)  
SMART FORTWO Cabrio (451)  
SMART FORTWO Coupé (450)

**OE**  
4514210098

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Brake System: BOSCH  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1591LJM

### CAL1600LJM

#### Brake Caliper



RENAULT MEGANE Scenic (JA0/1\_)  
RENAULT SCÉNIC I (JA0/1\_)

**OE**  
7701206513  
7711135721

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 11  
Brake System: LUCAS  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1600RJM

### CAL1600RJM

#### Brake Caliper



RENAULT MEGANE Scenic (JA0/1\_)  
RENAULT SCÉNIC I (JA0/1\_)

**OE**  
7701206514  
7711135722

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 11  
Brake System: LUCAS  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1600LJM

### CAL1604LJM

#### Brake Caliper



HYUNDAI i30 (PDE)  
HYUNDAI i30 FASTBACK (PDE)  
HYUNDAI i30 Hatchback Van (PDE)  
HYUNDAI i30 Kombi Van (PDE)  
HYUNDAI i30 Station wagon  
KIA CEED (CD)

**OE**  
58110G4000  
58180G4A00

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: MOBIS  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1604RJM

### CAL1604RJM

#### Brake Caliper



HYUNDAI i30 (PDE)  
HYUNDAI i30 FASTBACK (PDE)  
HYUNDAI i30 Hatchback Van (PDE)  
HYUNDAI i30 Kombi Van (PDE)  
HYUNDAI i30 Station wagon  
KIA CEED (CD)

**OE**  
58130G4000  
58190G4A00

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: MOBIS  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1604LJM



## Brake system

### CAL1605LJM

#### Brake Caliper



MERCEDES-BENZ 190 (W201)

#### OE

2014200483  
A2014200483

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 9  
Brake System: BENDIX  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1605RJM

### CAL1605RJM

#### Brake Caliper



MERCEDES-BENZ 190 (W201)

#### OE

2014200583  
A2014200583

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 9  
Brake System: BENDIX  
Diameter [mm]: 35  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1605LJM

### CAL1612LJM

#### Brake Caliper



HONDA CIVIC IX (FK)  
HONDA CIVIC IX Tourer (FK)  
HONDA CIVIC IX Tre volumi (FB, FG)  
HONDA CIVIC VIII Tre volumi (FD, FA)  
HONDA CIVIC X 2 volumi /Coda spiovente (FC\_, FK)

#### OE

45001TV0E01

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1612RJM

### CAL1612RJM

#### Brake Caliper



HONDA CIVIC IX (FK)  
HONDA CIVIC IX Tourer (FK)  
HONDA CIVIC IX Tre volumi (FB, FG)  
HONDA CIVIC VIII Tre volumi (FD, FA)  
HONDA CIVIC X 2 volumi /Coda spiovente (FC\_, FK)

#### OE

45002TV0E01

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1612LJM

### CAL1614LJM

#### Brake Caliper



OPEL CALIBRA A (85\_)  
OPEL VECTRA A (86\_, 87\_)  
OPEL VECTRA A 2 volumi /Coda spiovente (88\_, 89\_)  
SAAB 900 II  
SAAB 900 II Cabriolet

#### OE

4482550  
542099  
8828931  
90443867

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1614RJM

## Brake system

### CAL1614RJM

#### Brake Caliper



OPEL CALIBRA A (85\_)  
OPEL VECTRA A (86\_, 87\_)  
OPEL VECTRA A 2 volumi /Coda spiovente (88\_, 89\_)  
SAAB 900 II  
SAAB 900 II Cabriolet

**OE**  
4482543  
542100  
8828949  
90443868

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1614LJM

### CAL1623LJM

#### Brake Caliper



VOLVO 740 (744)  
VOLVO 740 Kombi (745)  
VOLVO 760 (704, 764)  
VOLVO 760 Kombi (704, 765)  
VOLVO 780

**OE**  
13297684  
13595574  
271364  
2713642  
5002883  
50028836

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: BENDIX  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1623RJM

### CAL1623RJM

#### Brake Caliper



VOLVO 740 (744)  
VOLVO 740 Kombi (745)  
VOLVO 760 (704, 764)  
VOLVO 760 Kombi (704, 765)  
VOLVO 780

**OE**  
13297692  
13595582  
271365  
2713659  
5002884  
50028844

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: BENDIX  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1623LJM

### CAL1634LJM

#### Brake Caliper



CITROEN XANTIA (X1)  
CITROEN XANTIA (X2)  
CITROEN XANTIA Break (X1)

**OE**  
4400H5  
95667816

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20,4  
Brake System: BENDIX  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
for brake disk diameter [mm]: 266  
Paired article numbers: CAL1634RJM

### CAL1634RJM

#### Brake Caliper



CITROEN XANTIA (X1)  
CITROEN XANTIA (X2)  
CITROEN XANTIA Break (X1)

**OE**  
4400H6  
95667817

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20,4  
Brake System: BENDIX  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
for brake disk diameter [mm]: 266  
Paired article numbers: CAL1634LJM

## Brake system

### CAL1635LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE E (W210)  
MERCEDES-BENZ CLASSE E Pianale  
piatto/Telaio (VF210)  
MERCEDES-BENZ CLASSE E Station wagon  
(S210)  
MERCEDES-BENZ CLK (C208)

**OE**  
0014203183  
A0014203183  
K05139587AA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1635RJM

### CAL1635RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE E (W210)  
MERCEDES-BENZ CLASSE E Pianale  
piatto/Telaio (VF210)  
MERCEDES-BENZ CLASSE E Station wagon  
(S210)  
MERCEDES-BENZ CLK (C208)

**OE**  
0014203283  
A0014203283  
K05139586AA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1635LJM

### CAL1636LJM

#### Brake Caliper



TOYOTA ALPHARD (ATH1\_, MNH1\_, ANH1\_)  
TOYOTA AVENSIS VERSO (\_CLM2\_, \_ACM2\_)  
TOYOTA NOAH/VOXY (\_ZRR7\_)  
TOYOTA PREVIA (MCR3\_, ACR3\_, CLR3\_)  
TOYOTA SIENNA (MCL2\_, GSL2\_)

**OE**  
4775028270

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: TOYOTA  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1636RJM

### CAL1636RJM

#### Brake Caliper



TOYOTA ALPHARD (ATH1\_, MNH1\_, ANH1\_)  
TOYOTA AVENSIS VERSO (\_CLM2\_, \_ACM2\_)  
TOYOTA NOAH/VOXY (\_ZRR7\_)  
TOYOTA PREVIA (MCR3\_, ACR3\_, CLR3\_)  
TOYOTA SIENNA (MCL2\_, GSL2\_)

**OE**  
4773028270

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 12  
Brake System: TOYOTA  
Diameter [mm]: 43  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1636LJM

### CAL1645LJM

#### Brake Caliper



KIA CARENS I (FC)  
KIA CARENS II (FJ)

**OE**  
0K2FC49990

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: KASCO  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1645RJM

## Brake system

### CAL1645RJM

#### Brake Caliper



KIA CARENS I (FC)  
KIA CARENS II (FJ)

**OE**  
OK2FC49980

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: KASCO  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1645LJM

### CAL1648LJM

#### Brake Caliper



LAND ROVER FREELANDER (LN)  
LAND ROVER FREELANDER Soft Top

**OE**  
SEG100230

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 14  
Brake System: LUCAS  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1648RJM

### CAL1648RJM

#### Brake Caliper



LAND ROVER FREELANDER (LN)  
LAND ROVER FREELANDER Soft Top

**OE**  
SEG100220

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 14  
Brake System: LUCAS  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1648LJM

### CAL1649LJM

#### Brake Caliper



SUZUKI S-CROSS  
SUZUKI SX4 S-Cross  
SUZUKI VITARA (LY)

**OE**  
5510261M00  
5510261M00999  
5510261M01999  
5510261M50999

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: AKEBONO  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1649RJM

### CAL1649RJM

#### Brake Caliper



SUZUKI S-CROSS  
SUZUKI SX4 S-Cross  
SUZUKI VITARA (LY)

**OE**  
5510161M00  
5510161M00999  
5510161M01999  
5510161M50999

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: AKEBONO  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1649LJM

## Brake system

### CAL1654LJM

#### Brake Caliper



MERCEDES-BENZ SL (R107)  
MERCEDES-BENZ SL Coupe (C107)

**OE**  
0004239198  
A0004239198

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 10  
Brake System: GIRLING  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1654RJM

### CAL1654RJM

#### Brake Caliper



MERCEDES-BENZ SL (R107)  
MERCEDES-BENZ SL Coupe (C107)

**OE**  
0004239298  
A0004239298

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 10  
Brake System: GIRLING  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1654LJM

### CAL1657LJM

#### Brake Caliper



CITROEN C4 III  
CITROEN C4 X (BD\_, BE\_, BF\_)  
DS DS 3 CROSSBACK (U\_)  
OPEL CORSA F  
OPEL CORSA F Van  
OPEL MOKKA

**OE**  
1648321580

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: CBI  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
for brake disk diameter [mm]: 283  
Paired article numbers: CAL1657RJM

### CAL1657RJM

#### Brake Caliper



CITROEN C4 III  
CITROEN C4 X (BD\_, BE\_, BF\_)  
DS DS 3 CROSSBACK (U\_)  
OPEL CORSA F  
OPEL CORSA F Van  
OPEL MOKKA

**OE**  
1648321680

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: CBI  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
for brake disk diameter [mm]: 283  
Paired article numbers: CAL1657LJM

### CAL1664LJM

#### Brake Caliper



LEXUS GS (GRS19\_, UZS19\_, GWS19\_)  
LEXUS IS II (GSE2\_, ALE2\_, USE2\_)  
TOYOTA MARK X II (GRX13\_)

**OE**  
4785022220  
4785022221

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: ADVICS  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1664RJM

## Brake system

### CAL1664RJM

#### Brake Caliper



LEXUS GS (GRS19\_, UZS19\_, GWS19\_)  
LEXUS IS II (GSE2\_, ALE2\_, USE2\_)  
TOYOTA MARK X II (GRX13\_)

**OE**  
4783022220  
4783022221

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: ADVICS  
Diameter [mm]: 45  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1664LJM

### CAL1672LJM

#### Brake Caliper



SUBARU IMPREZA Station wagon (GF)  
SUBARU IMPREZA Tre volumi (GC)

**OE**  
26692FA070

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: AKEBONO  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1672RJM

### CAL1672RJM

#### Brake Caliper



SUBARU IMPREZA Station wagon (GF)  
SUBARU IMPREZA Tre volumi (GC)

**OE**  
26692FA060

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: AKEBONO  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1672LJM

### CAL619LJM

#### Brake Caliper



JAGUAR XJ (NAW, NBW)  
JAGUAR XK 8 Convertible (QDV)  
JAGUAR XK 8 Coupe (QEV)

**OE**  
JLM1828  
JLM20079  
JLM20891  
JLM21466  
JLM21468  
MJD7843AA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL619RJM

### CAL619RJM

#### Brake Caliper



JAGUAR XJ (NAW, NBW)  
JAGUAR XK 8 Convertible (QDV)  
JAGUAR XK 8 Coupe (QEV)

**OE**  
JLM1827  
JLM20078  
JLM20890  
JLM21465  
JLM21467  
MJD7842AA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: ATE  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL619LJM



## Brake system

### CAL623LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE C (W203)  
 MERCEDES-BENZ CLASSE C Coupe (CL203)  
 MERCEDES-BENZ CLASSE C T-Model (S203)  
 MERCEDES-BENZ CLASSE CLC (CL203)  
 MERCEDES-BENZ CLK (C209)  
 MERCEDES-BENZ CLK Cabriolet (A209)

**OE**  
 0034203683  
 A0034203683

Brake Caliper Type: Caliper (2 pistons)  
 Brake Disc Thickness [mm]: 28  
 Brake System: BREMBO  
 Diameter [mm]: 57  
 Fitting Position: behind the axle  
 Fitting Position: Front Axle Left  
 Paired article numbers: CAL623RJM

### CAL623RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE C (W203)  
 MERCEDES-BENZ CLASSE C Coupe (CL203)  
 MERCEDES-BENZ CLASSE C T-Model (S203)  
 MERCEDES-BENZ CLASSE CLC (CL203)  
 MERCEDES-BENZ CLK (C209)  
 MERCEDES-BENZ CLK Cabriolet (A209)

**OE**  
 0034203983  
 A0034203983

Brake Caliper Type: Caliper (2 pistons)  
 Brake Disc Thickness [mm]: 28  
 Brake System: BREMBO  
 Diameter [mm]: 57  
 Fitting Position: behind the axle  
 Fitting Position: Front Axle Right  
 Paired article numbers: CAL623LJM

### CAL624LJM

#### Brake Caliper



TOYOTA CELICA (ZZT23\_)  
 TOYOTA MATRIX (ZZE13\_)  
 TOYOTA PRIUS Tre volumi (NHW11\_)

**OE**  
 4775020620

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 10  
 Brake System: SUMITOMO  
 Diameter [mm]: 34  
 Fitting Position: in front of axle  
 Fitting Position: Rear Axle Left  
 Paired article numbers: CAL624RJM

### CAL624RJM

#### Brake Caliper



TOYOTA CELICA (ZZT23\_)  
 TOYOTA MATRIX (ZZE13\_)  
 TOYOTA PRIUS Tre volumi (NHW11\_)

**OE**  
 4773020630

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 10  
 Brake System: SUMITOMO  
 Diameter [mm]: 34  
 Fitting Position: in front of axle  
 Fitting Position: Rear Axle Right  
 Paired article numbers: CAL624LJM

### CAL627LJM

#### Brake Caliper



OPEL KARL  
 VAUXHALL VIVA (C16)

**OE**  
 13591400  
 542430  
 95522637

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 20  
 Brake System: DAC  
 Diameter [mm]: 52  
 Fitting Position: Front Axle Left  
 Fitting Position: in front of axle  
 Paired article numbers: CAL627RJM

## Brake system

### CAL627RJM

#### Brake Caliper



OPEL KARL  
VAUXHALL VIVA (C16)

#### OE

13591423  
542433  
95522643

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Brake System: DAC  
Diameter [mm]: 52  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL627LJM

### CAL636LJM

#### Brake Caliper



FORD SCORPIO I (GAE, GGE)  
FORD SCORPIO I Station wagon (GGE)  
FORD SCORPIO I Tre volumi (GGE)  
FORD SCORPIO II (GFR, GGR)  
FORD SIERRA (GBG, GB4)  
FORD SIERRA 2 volumi /Coda spiovente

#### OE

6152224  
85GB2L591BD

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10,5  
Brake System: GIRLING  
Diameter [mm]: 43  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL636RJM

### CAL639LJM

#### Brake Caliper



VOLVO 740 (744)  
VOLVO 740 Kombi (745)  
VOLVO 760 (704, 764)  
VOLVO 760 Kombi (704, 765)

#### OE

13304142  
35307552

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 9,6  
Brake System: ATE  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL639RJM

### CAL639RJM

#### Brake Caliper



VOLVO 740 (744)  
VOLVO 740 Kombi (745)  
VOLVO 760 (704, 764)  
VOLVO 760 Kombi (704, 765)

#### OE

13304159  
35307560

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 9,6  
Brake System: ATE  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL639LJM

### CAL644LJM

#### Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)  
HYUNDAI TUCSON  
HYUNDAI TUCSON Cassone/SUV (TLE)  
KIA SPORTAGE (QL)

#### OE

58110D3100  
58110D7100  
58180D3A10  
58180D7A10

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: MANDO  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL644RJM

## Brake system

### CAL644RJM

#### Brake Caliper



HYUNDAI ix35 (LM, EL, ELH)  
HYUNDAI TUCSON  
HYUNDAI TUCSON Cassone/SUV (TLE)  
KIA SPORTAGE (QL)

#### OE

58130D3100  
58130D7100  
58190D3A10  
58190D7A10

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: MANDO  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL644LJM

### CAL645LJM

#### Brake Caliper



MITSUBISHI L 200 (K7\_T, K6\_T)

#### OE

MR527977

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: TOKICO  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL645RJM

### CAL645RJM

#### Brake Caliper



MITSUBISHI L 200 (K7\_T, K6\_T)

#### OE

MR527978

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 24  
Brake System: TOKICO  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL645LJM

### CAL647LJM

#### Brake Caliper



TOYOTA ECHO Tre volumi  
TOYOTA PLATZ (NCP1\_)  
TOYOTA YARIS (SCP1\_, NLP1\_, NCP1\_)

#### OE

4775052010

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: AISIN  
Diameter [mm]: 51  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL647RJM

### CAL647RJM

#### Brake Caliper



TOYOTA ECHO Tre volumi  
TOYOTA YARIS (SCP1\_, NLP1\_, NCP1\_)

#### OE

4773052010

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 18  
Brake System: AISIN  
Diameter [mm]: 51  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL647LJM

## Brake system

### CAL652LJM

#### Brake Caliper



NISSAN EVALIA  
NISSAN NV200 EVALIA  
NISSAN NV200 Furgonato

**OE**  
41011JX50B

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: NISSAN  
Diameter [mm]: 60  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL652RJM

### CAL652RJM

#### Brake Caliper



NISSAN EVALIA  
NISSAN NV200 EVALIA  
NISSAN NV200 Furgonato

**OE**  
41001JX50B

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Brake System: NISSAN  
Diameter [mm]: 60  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL652LJM

### CAL656LJM

#### Brake Caliper



RENAULT MASCOTT Furgonato (FH\_)  
RENAULT MASCOTT Pianale piatto/Telaio (UH\_, HH\_)  
RENAULT MASTER PRO Furgonato (FH\_)  
RENAULT MASTER PRO Pianale piatto/Telaio (HH\_, UH\_)

**OE**  
5001848129  
5001867385  
5001867468  
5001874366

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: BREMBO  
Diameter [mm]: 52  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL656RJM

### CAL656RJM

#### Brake Caliper



RENAULT MASCOTT Furgonato (FH\_)  
RENAULT MASCOTT Pianale piatto/Telaio (UH\_, HH\_)  
RENAULT MASTER PRO Furgonato (FH\_)  
RENAULT MASTER PRO Pianale piatto/Telaio (HH\_, UH\_)

**OE**  
5001848130  
5001867386  
5001867469  
5001874367

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: BREMBO  
Diameter [mm]: 52  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL656LJM

### CAL658LJM

#### Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB\_)  
PEUGEOT 308 II  
PEUGEOT 308 SW II  
PEUGEOT 308 SW II Cassone / Furgonato / Promiscuo (LC\_)

**OE**  
1610698980  
1651765080

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: MANDO  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL658RJM

## Brake system

### CAL658RJM

#### Brake Caliper



PEUGEOT 308 Cassone / coda spiovente (LB\_)  
PEUGEOT 308 II  
PEUGEOT 308 SW II  
PEUGEOT 308 SW II Cassone / Furgonato /  
Promiscuo (LC\_)

**OE**  
1610699080  
1651765180

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 22  
Brake System: MANDO  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL658LJM

### CAL659LJM

#### Brake Caliper



LAND ROVER FREELANDER 2 (FA\_)  
LAND ROVER FREELANDER 2 VAN (L359)

**OE**  
LR043283

Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL659RJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL659RJM

#### Brake Caliper



LAND ROVER FREELANDER 2 (FA\_)  
LAND ROVER FREELANDER 2 VAN (L359)

**OE**  
LR043282

Brake Disc Thickness [mm]: 12  
Brake System: TRW  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL659LJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL663LJM

#### Brake Caliper



TOYOTA GRANVIA (\_H2\_, \_H1\_)  
TOYOTA HIACE III Furgonato (YH7\_, LH6\_, LH7\_,  
LH5\_, YH5\_)  
TOYOTA HIACE III Wagon (LH1\_, RZH1\_)  
TOYOTA HIACE IV Autobus (LH1\_)  
TOYOTA HIACE IV Furgonato (H100)

**OE**  
4775026130  
4775026131  
4775026132  
4775026H30  
4775026H40

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: AISIN  
Diameter [mm]: 67  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL663RJM

### CAL663RJM

#### Brake Caliper



TOYOTA GRANVIA (\_H2\_, \_H1\_)  
TOYOTA HIACE III Furgonato (YH7\_, LH6\_, LH7\_,  
LH5\_, YH5\_)  
TOYOTA HIACE III Wagon (LH1\_, RZH1\_)  
TOYOTA HIACE IV Autobus (LH1\_)  
TOYOTA HIACE IV Furgonato (H100)

**OE**  
4773026130  
4773026131  
4773026132  
4773026H30  
4773026H40

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Brake System: AISIN  
Diameter [mm]: 67  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL663LJM

## Brake system

### CAL669LJM

#### Brake Caliper



SUBARU IMPREZA Station wagon (GD, GG)  
SUBARU IMPREZA Station wagon (GF)  
SUBARU IMPREZA Tre volumi (GC)  
SUBARU IMPREZA Tre volumi (GD, GG)  
SUBARU IMPREZA Tre volumi (GR)

#### OE

26291FA060  
26292FE050  
26292FE051  
26292FE070

Brake Caliper Type: Caliper (4 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: SUMITOMO  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL669RJM

### CAL669RJM

#### Brake Caliper



SUBARU IMPREZA Station wagon (GD, GG)  
SUBARU IMPREZA Station wagon (GF)  
SUBARU IMPREZA Tre volumi (GC)  
SUBARU IMPREZA Tre volumi (GD, GG)  
SUBARU IMPREZA Tre volumi (GR)

#### OE

26291FA050  
26292FE040  
26292FE041  
26292FE060

Brake Caliper Type: Caliper (4 pistons)  
Brake Disc Thickness [mm]: 26  
Brake System: SUMITOMO  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL669LJM

### CAL670LJM

#### Brake Caliper



HYUNDAI TERRACAN (HP)

#### OE

58110H1080  
58180H1A30

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 27  
Brake System: MANDO  
Diameter [mm]: 43  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL670RJM

### CAL670RJM

#### Brake Caliper



HYUNDAI TERRACAN (HP)

#### OE

58130H1080  
58190H1A30

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 27  
Brake System: MANDO  
Diameter [mm]: 43  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL670LJM

### CAL673LJM

#### Brake Caliper



KIA SORENTO I (JC)  
KIA SORENTO I VAN (JC)

#### OE

581103E100

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: KASCO  
Diameter [mm]: 46  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL673RJM



## Brake system

### CAL673RJM

#### Brake Caliper



KIA SORENTO I (JC)  
KIA SORENTO I VAN (JC)

**OE**  
581303E100

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: KASCO  
Diameter [mm]: 46  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL673LJM

### CAL689LJM

#### Brake Caliper



TOYOTA ALLION I (ZZT24\_, NZT24\_, AZT24\_)  
TOYOTA CELICA (ZZT23\_)  
TOYOTA COROLLA (ZZE12\_, NDE12\_, ZDE12\_)  
TOYOTA COROLLA Station wagon (\_E12J\_, \_E12T\_)  
TOYOTA COROLLA Tre volumi (\_E12J\_, \_E12T\_)

**OE**  
4775020510

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: AISIN  
Diameter [mm]: 57  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL689RJM

### CAL689RJM

#### Brake Caliper



TOYOTA ALLION I (ZZT24\_, NZT24\_, AZT24\_)  
TOYOTA CELICA (ZZT23\_)  
TOYOTA COROLLA (ZZE12\_, NDE12\_, ZDE12\_)  
TOYOTA COROLLA Station wagon (\_E12J\_, \_E12T\_)  
TOYOTA COROLLA Tre volumi (\_E12J\_, \_E12T\_)

**OE**  
4773020600

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Brake System: AISIN  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL689LJM

### CAL691LJM

#### Brake Caliper



IVECO DAILY I Autobus  
IVECO DAILY I Cassone / Furgonato / Promiscuo  
IVECO DAILY I Pianale piatto/Telaio  
IVECO DAILY II Cassone / Furgonato / Promiscuo  
IVECO DAILY II Pianale piatto/Telaio

**OE**  
20388410  
42532362  
42561695  
4855362  
500302157  
93156969

Brake Caliper Type: Caliper (4 pistons)  
Brake Disc Thickness [mm]: 14,2  
Brake System: BREMBO  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL691RJM

### CAL691RJM

#### Brake Caliper



IVECO DAILY I Autobus  
IVECO DAILY I Cassone / Furgonato / Promiscuo  
IVECO DAILY I Pianale piatto/Telaio  
IVECO DAILY II Cassone / Furgonato / Promiscuo  
IVECO DAILY II Pianale piatto/Telaio

**OE**  
20388420  
42532363  
42561696  
4855363  
500302158  
93156970

Brake Caliper Type: Caliper (4 pistons)  
Brake Disc Thickness [mm]: 14,2  
Brake System: BREMBO  
Diameter [mm]: 42  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL691LJM

## Brake system

### CAL696LJM

#### Brake Caliper



IVECO DAILY III Cassone / Furgonato / Promiscuo  
IVECO DAILY III Pianale piatto/Telaio  
RENAULT MASCOTT Furgonato (FH\_)  
RENAULT MASCOTT Pianale piatto/Telaio (UH\_, HH\_)

**OE**  
42535438  
42536634  
42548185  
5001848133  
5001867383  
5001874368

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: BREMBO  
Diameter [mm]: 46  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL696RJM

### CAL703LJM

#### Brake Caliper



MERCEDES-BENZ SPRINTER 3,5-t Autobus (907)  
MERCEDES-BENZ SPRINTER 3,5-t Furgonato (907, 910)  
MERCEDES-BENZ SPRINTER 3,5-t Pianale piatto/Telaio (907, 910)  
MERCEDES-BENZ SPRINTER 3-t Autobus (907)

**OE**  
9074212400  
9074215100  
9074219100  
A9074212400  
A9074215100  
A9074219100

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: BREMBO  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
for brake disk diameter [mm]: 300  
Paired article numbers: CAL703RJM

### CAL709LJM

#### Brake Caliper



VOLVO 740 (744)  
VOLVO 740 Kombi (745)  
VOLVO 760 (704, 764)  
VOLVO 760 Kombi (704, 765)  
VOLVO 780  
VOLVO 940 (944)

**OE**  
1329866  
271383  
2713832  
3516511  
35165117  
3516513

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: GIRLING  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL709RJM

### CAL709RJM

#### Brake Caliper



VOLVO 740 (744)  
VOLVO 740 Kombi (745)  
VOLVO 760 (704, 764)  
VOLVO 760 Kombi (704, 765)  
VOLVO 780  
VOLVO 940 (944)

**OE**  
1329867  
271384  
2713840  
3516512  
35165125  
3516514

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 22  
Brake System: GIRLING  
Diameter [mm]: 40  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL709LJM

### CAL711LJM

#### Brake Caliper



CITROEN C15 (VD-\_)  
PEUGEOT 305 II (581M)  
PEUGEOT 305 II Break (581E)  
PEUGEOT 309 Cassone / coda spiovente (10S, 3S)  
PEUGEOT 309 I (10C, 10A)

**OE**  
440068  
441003

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: BENDIX  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL711RJM

## Brake system

### CAL711RJM

#### Brake Caliper



PEUGEOT 305 II (581M)  
PEUGEOT 305 II Break (581E)  
PEUGEOT 309 Cassone / coda spiovente (10S, 3S)  
PEUGEOT 309 I (10C, 10A)  
PEUGEOT 309 II (3C, 3A)

**OE**  
440069

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Brake System: BENDIX  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL711LJM

### CAL717LJM

#### Brake Caliper



SAAB 9-5 (YS3E)  
SAAB 9-5 Station wagon (YS3E)

**OE**  
4566873  
4612701  
4836953

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL717RJM

### CAL717RJM

#### Brake Caliper



SAAB 9-5 (YS3E)  
SAAB 9-5 Station wagon (YS3E)

**OE**  
4566881  
4612719  
4836946

Brake Caliper Type: Caliper (2 pistons)  
Brake Disc Thickness [mm]: 10  
Brake System: ATE  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL717LJM

### CAL722LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE E (W211)  
MERCEDES-BENZ CLASSE E Pianale  
piatto/Telaio (VF211)  
MERCEDES-BENZ CLASSE E T-Model (S211)  
MERCEDES-BENZ CLASSE S (W220)  
MERCEDES-BENZ CLS (C219)

**OE**  
0024202183  
A0024202183

Brake Caliper Type: Caliper (4 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: BREMBO  
Diameter 1/ Diameter 2 [mm]: 40/44  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL722RJM

### CAL722RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE E (W211)  
MERCEDES-BENZ CLASSE E Pianale  
piatto/Telaio (VF211)  
MERCEDES-BENZ CLASSE E T-Model (S211)  
MERCEDES-BENZ CLASSE S (W220)  
MERCEDES-BENZ CLS (C219)

**OE**  
0024202283  
A0024202283

Brake Caliper Type: Caliper (4 pistons)  
Brake Disc Thickness [mm]: 28  
Brake System: BREMBO  
Diameter 1/ Diameter 2 [mm]: 40/44  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL722LJM

## Brake system

### CAL728LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE C (W205)  
MERCEDES-BENZ CLASSE C Cabriolet (A205)  
MERCEDES-BENZ CLASSE C Coupé (C205)  
MERCEDES-BENZ CLASSE C T-Model (S205)  
MERCEDES-BENZ GLC (X253)  
MERCEDES-BENZ GLC Coupé (C253)

**OE**  
2534230181  
A2534230181

Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 44  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL728RJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL728RJM

#### Brake Caliper



MERCEDES-BENZ CLASSE C (W205)  
MERCEDES-BENZ CLASSE C Cabriolet (A205)  
MERCEDES-BENZ CLASSE C Coupé (C205)  
MERCEDES-BENZ CLASSE C T-Model (S205)  
MERCEDES-BENZ GLC (X253)  
MERCEDES-BENZ GLC Coupé (C253)

**OE**  
2534230281  
A2534230281

Brake Disc Thickness [mm]: 24  
Brake System: ATE  
Diameter [mm]: 44  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL728LJM  
Supplementary Article/Supplementary Info:  
with electric motor

### DI-0021C

#### Brake Disc



KIA STINGER (CK)  
KIA STINGER Hatchback Van (CK)

**OE**  
51712-J5250  
51712J5250

Brake Disc Thickness [mm]: 30  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 69  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 28  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 345  
Pitch Circle [mm]: 114  
Surface: Painted  
Thickness [mm]: 57

### DI-0022C

#### Brake Disc




GENESIS G70 (IK)  
KIA STINGER (CK)  
KIA STINGER Hatchback Van (CK)

**OE**  
51712-J5550  
51712J5500  
51712J5550

Brake Disc Thickness [mm]: 30  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 69  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 28  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 350  
Pitch Circle [mm]: 114  
Surface: Painted  
Thickness [mm]: 56

### DI-0195C

#### Brake Disc



BMW 5 (E34)  
BMW 5 Touring (E34)


**OE**  
34111158550  
34111165263

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Height [mm]: 55  
Minimum Thickness [mm]: 26,4  
Number of Bores: 5  
Outer Diameter [mm]: 296

## Brake system

### DI-0197C

#### Brake Disc



BMW 7 (E65, E66, E67)


#### OE

34116753091  
34116766107  
34116767353  
34116864904

Brake Disc Thickness [mm]: 36  
Brake Disc Type: Vented  
Centering Diameter [mm]: 79  
Fitting Position: Front Axle  
Height [mm]: 81  
Minimum Thickness [mm]: 34,4  
Number of Bores: 5  
Outer Diameter [mm]: 374  
Tightening Torque [Nm]: 14

### DI-0280C

#### Brake Disc



ALFA ROMEO 75 (162B)  
ALFA ROMEO GIULIETTA (116)


#### OE

0060526087  
0060702523  
0060727282  
116332201401  
11633221401  
116502201401

Brake Disc Thickness [mm]: 12,6  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 10,7  
Number of Bores: 4  
Outer Diameter [mm]: 250  
Tightening Torque [Nm]: 10

### DI-0369C

#### Brake Disc



FORD ECONOVAN Furgonato (KAA)  
FORD ESCORT '81 Express (AVA)  
FORD ESCORT '86 Express (AVF)  
FORD ESCORT III (GAA)  
FORD ESCORT III Cabriolet (ALD)  
FORD ESCORT III Station wagon (AWA)


#### OE

1096104  
12429474  
12429476  
12429483  
1595875  
1619053

Brake Disc Thickness [mm]: 24  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 22,2  
Number of Bores: 4  
Outer Diameter [mm]: 240  
Tightening Torque [Nm]: 10

### DI-0372C

#### Brake Disc



FORD FIESTA Furgonato (FVD)  
FORD FIESTA Furgonato (WFVT)  
FORD FIESTA I (GFBT)  
FORD FIESTA II (FBD)  
NISSAN CABSTAR E Pick-up


#### OE

1102559  
1570348  
1571346  
1571347  
1571348  
1575877

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 8,7  
Number of Bores: 4  
Outer Diameter [mm]: 221  
Tightening Torque [Nm]: 10

### DI-0375C

#### Brake Disc



FORD ESCORT VI (GAL)  
FORD ESCORT VII (GAL, AAL, ABL)  
FORD SIERRA (GBG, GB4)  
FORD SIERRA 2 volumi /Coda spiovente (GBC, GBG)

#### OE


1661467  
1664467  
5024174  
5026674  
V89BX1125AC  
V89BX1125BA

Brake Disc Thickness [mm]: 24  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 22,2  
Number of Bores: 4  
Outer Diameter [mm]: 278

## Brake system

### DI-0376C

#### Brake Disc




FORD P 100 I  
FORD P 100 II

**OE**  
1610869  
5022679  
617443  
6174443  
88PX1125BA  
T77BC1125BB

Brake Disc Thickness [mm]: 24  
Brake Disc Type: Vented  
Centering Diameter [mm]: 63,6  
Fitting Position: Front Axle  
Height [mm]: 58,1  
Minimum Thickness [mm]: 22,2  
Number of Bores: 5  
Outer Diameter [mm]: 240  
Tightening Torque [Nm]: 11,5

### DI-0380C

#### Brake Disc




FORD PUMA

**OE**  
2384229  
L1TC1125AA

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Height [mm]: 43,9  
Hub Diameter [mm]: 63,6  
Minimum Thickness [mm]: 23  
Number of Bores: 5  
Outer Diameter [mm]: 278  
Pitch Circle [mm]: 108

### DI-0384C

#### Brake Disc




FORD TOURNEO CUSTOM Autobus  
FORD TRANSIT CUSTOM Autobus  
FORD TRANSIT CUSTOM Furgonato

**OE**  
2199111  
JK211125GA

Brake Disc Thickness [mm]: 33  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 93,1  
Fitting Position: Front Axle  
Height [mm]: 55,4  
Inner Diameter [mm]: 136  
Minimum Thickness [mm]: 30  
Number of Bores: 5  
Outer Diameter [mm]: 324  
Pitch Circle [mm]: 116

### DI-0393C

#### Brake Disc




VOLVO 440 K (445)  
VOLVO 460 L (464)  
VOLVO 480 E

**OE**  
3410294  
34102947  
3410297  
345661  
34596  
3459661

Brake Disc Thickness [mm]: 12  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 10,8  
Number of Bores: 6  
Outer Diameter [mm]: 260  
Tightening Torque [Nm]: 11

### DI-0597C

#### Brake Disc



JEEP GRAND CHEROKEE IV (WK, WK2)  
MERCEDES-BENZ CLASSE S Coupe (C126)

**OE**  
1264200272  
A1264200272  
A126420027264


Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Centering Diameter [mm]: 80  
Fitting Position: Front Axle  
Height [mm]: 60  
Minimum Thickness [mm]: 19,4  
Number of Bores: 5  
Outer Diameter [mm]: 286  
Tightening Torque [Nm]: 11



## Brake system

### DI-0730C

#### Brake Disc




RENAULT SCÉNIC I (JA0/1\_)

**OE**  
8200196263

Bore [mm]: 15,6  
Brake Disc Thickness [mm]: 26  
Brake Disc Type: Vented  
Centering Diameter [mm]: 61  
Fitting Position: Front Axle  
Height [mm]: 44  
Minimum Thickness [mm]: 22,8  
Number of Bores: 5  
Outer Diameter [mm]: 300

### DI-0981C

#### Brake Disc




VW TRANSPORTER IV Autobus (70XB, 70XC, 7DB, 7DW)  
VW TRANSPORTER IV Furgonato (70XA)  
VW TRANSPORTER IV Pianale piatto/Telaio (70XD)

**OE**  
701615301  
701615301C

Brake Disc Thickness [mm]: 16  
Brake Disc Type: Solid  
Centering Diameter [mm]: 68,1  
Fitting Position: Front Axle  
Height [mm]: 64,2  
Minimum Thickness [mm]: 13  
Number of Bores: 5  
Outer Diameter [mm]: 260  
Tightening Torque [Nm]: 11,5

### DI-0983C

#### Brake Disc




AUDI 80 (8C, B4)  
AUDI 80 Avant (8C, B4)  
AUDI CABRIOLET (8G7, B4)  
AUDI COUPE (89, 8B)

**OE**  
8A0615301A  
8A0615301E

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Centering Diameter [mm]: 68  
Fitting Position: Front Axle  
Height [mm]: 56,2  
Minimum Thickness [mm]: 20  
Number of Bores: 4  
Outer Diameter [mm]: 280  
Tightening Torque [Nm]: 11

### DI-0984C

#### Brake Disc




AUDI 80 (8C, B4)  
AUDI 80 Avant (8C, B4)

**OE**  
8A0615301  
8A0615301D

Brake Disc Thickness [mm]: 13  
Brake Disc Type: Solid  
Centering Diameter [mm]: 68  
Fitting Position: Front Axle  
Height [mm]: 56,2  
Minimum Thickness [mm]: 11  
Number of Bores: 4  
Outer Diameter [mm]: 280  
Tightening Torque [Nm]: 11

### DI-5012C

#### Brake Disc



MERCEDES-BENZ CLS (C218)  
MERCEDES-BENZ CLS Shooting Brake (X218)


**OE**  
0004211712  
2184210212  
A0004211712  
A2184210212

Brake Disc Thickness [mm]: 36  
Brake Disc Type: Perforated / Vented  
Centering Diameter [mm]: 67  
Fitting Position: Front Axle  
Height [mm]: 51,5  
Minimum Thickness [mm]: 34  
Number of Bores: 5  
Outer Diameter [mm]: 360

## Brake system

### DI-9008C

#### Brake Disc



VW 1500,1600 (31)  
VW 1500,1600 2 volumi /Coda spiovente (31)  
VW 1500,1600 Variant (36)  
VW KAEFER  
VW KAEFER Cabriolet (15)  
VW KARMANN GHIA Cabriolet (14, 34)

**OE**  
113407075  
311405583A

Brake Disc Thickness [mm]: 9,5  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 8  
Number of Bores: 4  
Outer Diameter [mm]: 278  
Tightening Torque [Nm]: 11

### DP-0023C

#### Brake Disc




RENAULT GRAND SCÉNICC IV  
RENAULT MEGANE IV  
RENAULT MEGANE IV Grandtour (K9A/M\_)  
RENAULT SCÉNIC III (JZ0/1\_)  
RENAULT SCÉNIC IV  
RENAULT TALISMAN

**OE**  
43 20 218 78R  
43 20 249 62R  
43 20 291 76R  
432021878R  
432024962R  
432029176R

Brake Disc Thickness [mm]: 11  
Brake Disc Type: Solid  
Centering Diameter [mm]: 52  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 9,5  
Number of Bores: 5  
Outer Diameter [mm]: 290  
Pitch Circle [mm]: 114  
Thickness [mm]: 90

### DP-0179C

#### Brake Disc




BMW 7 (E65, E66, E67)

**OE**  
34216765889  
34216864054

Brake Disc Thickness [mm]: 24  
Brake Disc Type: Vented  
Centering Diameter [mm]: 79  
Fitting Position: Rear Axle  
Height [mm]: 74  
Minimum Thickness [mm]: 22,4  
Number of Bores: 5  
Outer Diameter [mm]: 345  
Tightening Torque [Nm]: 12

### DP-0342C

#### Brake Disc




SAAB 9-5 (YS3E)  
SAAB 9-5 Station wagon (YS3E)

**OE**  
05391537  
12763591  
4907523  
5057476  
5391537  
DN20224251

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Centering Diameter [mm]: 65,5  
Fitting Position: Rear Axle  
Height [mm]: 69  
Minimum Thickness [mm]: 8  
Number of Bores: 5  
Outer Diameter [mm]: 286  
Tightening Torque [Nm]: 11,5

### DP-0345C

#### Brake Disc



JAGUAR F-TYPE Cabriolet  
JAGUAR F-TYPE Coupé  
JAGUAR XF (\_J05\_, CC9)  
JAGUAR XF SPORTBRAKE (CC9)  
JAGUAR XJ (X35\_, \_J12\_, \_J24\_)  
JAGUAR XK Cabriolet (\_J43\_)


**OE**  
C2P13648  
T2R5942

Brake Disc Thickness [mm]: 26  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 64,5  
Fitting Position: Rear Axle  
Height [mm]: 41,9  
Minimum Thickness [mm]: 24  
Number of Bores: 5  
Outer Diameter [mm]: 376  
Pitch Circle [mm]: 108

## Brake system

### DP-0738C

#### Brake Disc



AUDI 100 (44, 44Q, C3)  
AUDI 100 Avant (43, C2)  
AUDI 100 Avant (44, 44Q, C3)  
AUDI 200 (43)  
AUDI 200 (44, 44Q)  
AUDI 200 Avant (44, 44Q)

**OE**  
437615601

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 8  
Number of Bores: 5  
Outer Diameter [mm]: 245  
Tightening Torque [Nm]: 11

### DP-448C

#### Brake Disc




ACURA ILX Tre volumi  
GREAT WALL TENGYI C50 Tre volumi  
HONDA CIVIC Coupé  
HONDA CIVIC IX Tre volumi (FB, FG)  
HONDA CIVIC VIII Hatchback (FN, FK)  
HONDA CIVIC VIII Tre volumi (FD, FA)

**OE**  
3301105JZ08  
3501011XJZ08A  
42510SMGE20  
42510SNAA00  
42510SNAA01  
42510SNEA00

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Centering Diameter [mm]: 64,2  
Fitting Position: Rear Axle  
Height [mm]: 42  
Inner Diameter [mm]: 140,5  
Minimum Thickness [mm]: 8  
Number of Bores: 5  
Number of mounting bores: 4  
Outer Diameter [mm]: 260  
Pitch Circle [mm]: 114,3  
Surface: Painted  
Wheel Bolt Bore [mm]: 12,6

### DP-929C

#### Brake Disc




PEUGEOT 605 (6B)  
PEUGEOT 607 (9D, 9U)

**OE**  
4246V7  
9640247180

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Centering Diameter [mm]: 71  
Fitting Position: Rear Axle  
Height [mm]: 51  
Minimum Thickness [mm]: 8  
Number of Bores: 5  
Outer Diameter [mm]: 290

### DP-930C

#### Brake Disc




CITROEN JUMPER Autobus  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Pianale piatto/Telaio  
FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

**OE**  
1612435780  
1612435880  
51957511  
51957512

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 79  
Fitting Position: Rear Axle  
Height [mm]: 80  
Minimum Thickness [mm]: 19,9  
Number of Bores: 5  
Outer Diameter [mm]: 300  
Surface: Coated

### DP-L17C

#### Brake Disc



LAND ROVER RANGE ROVER III (LM)

**OE**  
LR011891  
LR031846

Brake Disc Thickness [mm]: 20  
Brake Disc Type: Vented  
Centering Diameter [mm]: 79  
Fitting Position: Rear Axle  
Height [mm]: 75  
Minimum Thickness [mm]: 17  
Number of Bores: 5  
Number of mounting bores: 2  
Outer Diameter [mm]: 365,2  
Pitch Circle [mm]: 120

## Brake system

### PA-L26AF

#### Brake Pad Set, disc brake



LAND ROVER RANGE ROVER SPORT (LW)  
LAND ROVER RANGE ROVER SPORT III (L461)  
LAND ROVER RANGE ROVER V (L460)

#### OE

LR157389  
LR157390  
LR180976

Brake System: Brembo  
Fitting Position: Front Axle  
Height [mm]: 112,8  
Thickness [mm]: 17,2  
Wear Warning Contact: Prepared for wear indicator  
Width [mm]: 181,1  
WVA Number: 26856

### PF-K55

#### Master Cylinder, brakes



HYUNDAI SANTA FÉ II (CM)  
KIA SORENTO II (XM)

#### OE

585102P800

Braking / Drive Dynamics: For vehicles with ESP  
Diameter 1 [mm]: 22,2  
Transmission Type: Fully Automatic

### PF-K56

#### Master Cylinder, brakes



HYUNDAI ACCENT IV Tre volumi (RB)  
KIA RIO III (UB)  
KIA RIO III Tre volumi (UB)

#### OE

585101R200

Diameter 1/ Diameter 2 [mm]: 20,64  
Material: Aluminium

### PP-0045AF

#### Brake Pad Set, disc brake



MG MG 4  
MG MG HS  
MG MG HS (AS33)


#### OE

11223145  
11306733

Fitting Position: Rear Axle  
Height [mm]: 56,3  
Thickness [mm]: 15,5  
Wear Warning Contact: Incl. wear warning contact  
Width [mm]: 123,1  
WVA Number: 26573  
WVA Number: 26574  
WVA Number: 26575

### PP-L11AF

#### Brake Pad Set, disc brake



LAND ROVER RANGE ROVER SPORT (LW)  
LAND ROVER RANGE ROVER SPORT III (L461)  
LAND ROVER RANGE ROVER V (L460)

#### OE

LR156904  
LR156906  
M8E22M008AA

Brake System: Mando  
Height 1 [mm]: 65,2  
Height 2 [mm]: 65,3  
Supplementary Article/Supplementary Info: With accessories  
Thickness [mm]: 17,3  
Wear Warning Contact: Prepared for wear indicator  
Width [mm]: 144,5  
WVA Number: 20278  
WVA Number: 20279

## Clutch

## Clutch

### BCV-02169

#### Cable, manual transmission



FIAT DOBLO Cassone / Furgonato / Promiscuo (263)  
FIAT DOBLO MPV / Space wagon (152, 263)  
FIAT DOBLO Pianale piatto/Telaio (263)

#### OE

46339912  
46349044  
46351781  
55213945  
55230984

Length 1/ Length 2 [mm]: 1020+1100  
Length 1/ Length 2 [mm]: 1355+1475  
Production Number: DOUBLE CABLE

### GC-0240

#### Clutch Cable



FIAT DUCATO Autobus (230)

#### OE

1306291080  
1318451080

Length 1/ Length 2 [mm]: 1705/1500

### GC-0604

#### Clutch Cable



CITROEN EVASION (22, U6)  
CITROEN JUMPY (U6U)  
CITROEN JUMPY Pianale piatto/Telaio (BU\_, BV\_, BW\_, BX\_)  
FIAT SCUDO Combinato (220P)  
FIAT ULYSSE (220)

#### OE

1476128080  
2150P6

Adjustment: With automatic adjustment  
Length 1/ Length 2 [mm]: 1080/765

### KV-0202M

#### Clutch Kit



ALFA ROMEO 145 (930)  
ALFA ROMEO 146 (930)  
ALFA ROMEO 147 (937)  
ALFA ROMEO 156 (932)  
ALFA ROMEO 156 Sportwagon (932)  
ALFA ROMEO 166 (936)

#### OE

0046534953  
0060814061  
0060816363  
0071713150  
46465174  
46534953

Clutch: Conversion from dual-mass flywheel to single-mass flywheel  
Number of Teeth: 20  
Outer Diameter 1 [mm]: 235  
Supplementary Article/Supplementary Info 2: with flywheel  
Supplementary Article/Supplementary Info 2: With releaser  
Supplementary Article/Supplementary Info 2: With screw set

### KV-0203M

#### Clutch Kit



ALFA ROMEO 159 (939)  
ALFA ROMEO 159 Sportwagon (939)  
FIAT CROMA (194)  
FIAT CROMA Furgonato (194\_)  
OPEL SIGNUM  
OPEL VECTRA C

#### OE

55192449  
55195392  
55197680  
55202417  
55217625  
55231671

Clutch: Conversion from dual-mass flywheel to single-mass flywheel  
Number of mounting bores: 6  
Number of Teeth: 20  
Outer Diameter 1 [mm]: 240  
Supplementary Article/Supplementary Info 2: with flywheel  
Supplementary Article/Supplementary Info 2: With screw set  
Supplementary Article/Supplementary Info: With central slave cylinder

## Clutch

### KV-0204M

#### Clutch Kit



FIAT BRAVO II (198)  
FIAT IDEA  
FIAT STILO (192)  
FIAT STILO Multi Wagon (192)  
LANCIA MUSA (350)

#### OE

46760001  
55180278  
55183501  
55185864  
55190649  
55191330

Bore [mm]: 24  
Clutch: Conversion from dual-mass flywheel to single-mass flywheel  
Number of mounting bores: 6  
Number of Teeth: 20  
Outer Diameter 1 [mm]: 235  
Supplementary Article/Supplementary Info 2: with flywheel  
Supplementary Article/Supplementary Info 2: With screw set  
Supplementary Article/Supplementary Info: With central slave cylinder

### KV-0401M

#### Clutch Kit



CHEVROLET CRUZE (J300)  
CHEVROLET CRUZE 2 volumi /Coda spiovente (J305)  
CHEVROLET CRUZE Station Wagon (J308)  
OPEL ASTRA GTC J  
OPEL ASTRA J

#### OE

55197680  
55352048  
55558917  
55558918  
55563511  
55563645

Clutch: Conversion from dual-mass flywheel to single-mass flywheel  
Number of mounting bores: 8  
Number of Teeth: 20  
Outer Diameter 1 [mm]: 239  
Supplementary Article/Supplementary Info 2: with flywheel  
Supplementary Article/Supplementary Info 2: With screw set  
Supplementary Article/Supplementary Info: With central slave cylinder

### KV-0600M

#### Clutch Kit



CITROEN C3 II  
CITROEN C3 Picasso  
CITROEN C4 Grand Picasso I (UA\_)  
CITROEN C4 II (B7)  
CITROEN C4 Picasso I (UD\_)  
CITROEN C5 III (RD\_)

#### OE

0532-T4  
0532-W4  
0532T4  
0532W4  
2041A5  
2052Z1

Bore [mm]: 24  
Clutch: Conversion from dual-mass flywheel to single-mass flywheel  
Material: Plastic  
Number of mounting bores: 3  
Number of Teeth: 26  
Outer Diameter 1 [mm]: 235  
Supplementary Article/Supplementary Info 2: with flywheel  
Supplementary Article/Supplementary Info 2: With lock screw set  
Supplementary Article/Supplementary Info 2: With screw set  
Supplementary Article/Supplementary Info 2: Without sensor  
Supplementary Article/Supplementary Info: With central slave cylinder

### KV-0900M

#### Clutch Kit



AUDI A3 (8P1)  
AUDI A3 Cabriolet (8P7)  
AUDI A3 Sportback (8PA)  
AUDI Q3 (8U)  
AUDI TT (8J3)  
AUDI TT Roadster (8J9)

#### OE

022141015AA  
022141015S  
022141015SX  
022141016  
022141016X  
02M141671

Clutch: Conversion from dual-mass flywheel to single-mass flywheel  
Diameter [mm]: 241  
Number of mounting bores: 6  
Number of Teeth: 23  
Supplementary Article/Supplementary Info 2: with flywheel  
Supplementary Article/Supplementary Info 2: With screw set  
Supplementary Article/Supplementary Info: With central slave cylinder

## Electrics



## Electrics

### K6RTC

#### Spark plug Torch



CHRYSLER CROSSFIRE  
CHRYSLER CROSSFIRE Roadster  
DR DR 1  
DR DR 2  
DR DR 3  
DR DR 5

#### OE

003 159 97 03  
003 159 97 03 26  
1UN7-18-110  
22401-AA510  
3101500008  
77 00 273 698

Outer Thread [mm]: 14,0  
Spanner Size: 16 mm  
Spark Plug: 1 - Earthed Electrode  
Spark Plug: Fixed SAE connector  
Spark Plug: interference Suppression 1kOhm  
Spark Plug: Iridium Middle Electrode  
Spark Plug: With gasket seat  
Spark Position [mm]: 3,5  
Thread Length [mm]: 19,0  
Thread Size: M14 x 1,25

### K6RTMI

#### Spark plug Torch



DR DR 4  
EVO EVO 3  
EVO EVO 4

#### OE

1026080GG010  
3101500014

Overall Length [mm]: 84  
Spanner Size: 16  
Spark Plug: Iridium Middle Electrode

### KL7RTPP

#### Spark plug Torch



BAIC SENOVA X55  
EVO EVO 5

#### OE

3101500021

Overall Length [mm]: 84  
Spanner Size: 16  
Spark Plug: Iridium Middle Electrode

### LDK7RTC

#### Spark plug Torch



DR DR 3  
DR DR 3.0  
DR DR 5  
DR DR 6  
DR DR ZERO

#### OE

3101500009

Overall Length [mm]: 84  
Spanner Size: 16  
Spark Plug: Iridium Middle Electrode

### LDK8RAPP

#### Spark plug Torch



CADILLAC CT6  
DONGFENG SHINE  
FORD C-MAX II  
FORD FIESTA VII  
FORD FIESTA VII Van  
FORD FOCUS IV

#### OE

10427930  
18849-08080  
3707200F0000A  
55 490 097  
A330010JX0101

Outer Thread [mm]: 12,0  
Spanner Size: 14 mm  
Spark Plug: 1 - Earthed Electrode  
Spark Plug: Fixed SAE connector  
Spark Plug: interference Suppression 5 kOhm  
Spark Plug: Iridium Middle Electrode  
Spark Plug: With taper gasket seat  
Spark Position [mm]: 3,5  
Thread Length [mm]: 25,0

## Electrics

### OE208

#### Spark plug Torch



DR DR 4.0  
DR DR 5.0 SUV  
DR DR F35 SUV  
HYUNDAI i20 (GB)  
HYUNDAI i20 ACTIVE (GB)  
HYUNDAI i20 Coupe

#### OE

1822A011  
18848-10080  
18868-08115  
3101500018

Electrode Gap [mm]: 0,7  
Outer Thread [mm]: 12,0  
Overall Length [mm]: 83  
Spanner Size: 16 mm  
Spanner Size: 16,0 mm  
Spark Plug: 1 - Earthed Electrode  
Spark Plug: Fixed SAE connector  
Spark Plug: interference Suppression 5 kOhm  
Spark Plug: Iridium Middle Electrode  
Spark Plug: With gasket seat  
Spark Position [mm]: 3,5  
Thread Length [mm]: 26,5  
Thread Pitch [mm]: 1,25

### SAC-104

#### Sensor, camshaft position



NISSAN JUKE (F15)  
NISSAN JUKE Van (F15)  
NISSAN MICRA IV (K13)  
NISSAN NOTE (E12)  
NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)  
NISSAN QASHQAI / QASHQAI +2 I VAN (J10,

#### OE

23731-1HC1A

Number of ports: 3

### TORCH11

#### Spark plug Torch



BMW 1 (F20)  
BMW 1 (F21)  
BMW 3 (F30, F35, F80)  
BMW 3 Touring (F31)  
CITROEN BERLINGO (B9)  
CITROEN BERLINGO Furgonato (B9)

#### OE

0 034 098  
0 034 677  
0 035 933  
1026080GH030A  
12 12 0 034 097  
12 12 0 034 098

Outer Thread [mm]: 12,0  
Spanner Size: 14 mm  
Spark Plug: 1 - Earthed Electrode  
Spark Plug: Fixed SAE connector  
Spark Plug: interference Suppression 5 kOhm  
Spark Plug: Platinum Middle Electrode  
Spark Plug: With gasket seat  
Spark Position [mm]: 5  
Spark Position [mm]: 5,0  
Standard: Bi-Hex  
Thread Length [mm]: 26,5  
Thread Size: M12 x 1,25

## Engine

### BCA-801

#### Accelerator Cable



SANTANA SAMURAI  
SUZUKI SJ 410  
SUZUKI SJ 410 Cabrio

#### OE

15910A80011

Length [mm]: 1267

## Engine

### BCA-802

#### Accelerator Cable



SUZUKI VITARA (ET, TA)  
SUZUKI VITARA Cabrio (ET, TA)

**OE**  
1591061A10

Length [mm]: 1000

### BCA-803

#### Accelerator Cable



SANTANA SAMURAI  
SUZUKI SJ 410 Cabrio  
SUZUKI SJ 413

**OE**  
15910A83010

Length [mm]: 1002

### BCA-804

#### Accelerator Cable



SUZUKI VITARA (ET, TA)  
SUZUKI VITARA Cabrio (ET, TA)

**OE**  
1591063A01  
1591085C20

Max. Length [mm]: 1155

### BL-008

#### Bolt Kit, cylinder head



ALFA ROMEO GIULIETTA (940)  
ALFA ROMEO GIULIETTA Furgonato (940\_)  
ALFA ROMEO MITO (955)  
ALFA ROMEO TONALE (965\_)  
CHRYSLER DELTA  
FIAT 500L

**OE**  
1111779J52  
1111779J52 (10X)  
55206686  
55206686 (10X)  
55206689  
55214378

Bolt Head-/Nut Design: Female Splined  
(Ribe-CV®)  
Number of screws: 10  
Spanner Size: CV - M 14  
Thread Size: M12x1,25x198

### BL-011

#### Bolt Kit, cylinder head



FIAT BRAVA (182)  
FIAT BRAVO I (182)  
FIAT DOBLO (119)  
FIAT DOBLO Cargo (223)  
FIAT MAREA (185)  
FIAT MAREA Weekend (185)

**OE**  
7758731  
7758731 (10X)

Bolt Head-/Nut Design: Female Splined  
(Ribe-CV®)  
Number of screws: 10  
Spanner Size: CV - M 12  
Thread Size: M10x1,75x101

## Engine

### BL-012

#### Bolt Kit, cylinder head



ALFA ROMEO 145 (930)  
ALFA ROMEO 146 (930)  
ALFA ROMEO 147 (937)  
ALFA ROMEO 155 (167)  
ALFA ROMEO 156 (932)  
ALFA ROMEO 156 Sportwagon (932)

**OE**  
7710582  
7710582 (10X)

Bolt Head-/Nut Design: Female Splined (Ribe-CV®)  
Number of screws: 10  
Spanner Size: M 13  
Thread Size: M10x1,25x254

### BL-013

#### Bolt Kit, cylinder head



ALFA ROMEO MITO (955)  
CHRYSLER YPSILON  
FIAT 500 (312)  
FIAT 500 C (312)  
FIAT 500L  
FIAT PANDA (519, 312, 319)

**OE**  
55225419  
55225419 (6X)

Bolt Head-/Nut Design: Female Splined (Ribe-CV®)  
Number of screws: 6  
Spanner Size: M 8  
Thread Size: M9x1,25x120

### BL-122

#### Bolt Kit, cylinder head




ALPINA D3 (E90)  
ALPINA D3 Coupé (E92)  
ALPINA D3 Station wagon (E91)  
BMW 1 (E81)  
BMW 1 (E87)  
BMW 1 (F20)

**OE**  
11 12 7 807 294  
11 12 8 513 128  
11127807294  
1112851162  
11128511621  
11128511621 (10X)

Bolt Head-/Nut Design: Male Torx  
Number of screws: 10  
Spanner Size: TX - E 18  
Thread Size: M12x1,5x200

### BL-402

#### Bolt Kit, cylinder head



ALFA ROMEO 147 (937)  
ALFA ROMEO 156 (932)  
ALFA ROMEO 156 Sportwagon (932)  
ALFA ROMEO 159 (939)  
ALFA ROMEO 159 Sportwagon (939)  
ALFA ROMEO GT (937)

**OE**  
55 571 177  
55571177  
55571777 (10X)  
56 07 692  
5607692  
5607692 (10X)

Bolt Head-/Nut Design: Female Torx  
Number of screws: 10  
Spanner Size: TX - T 60  
Thread Size: M12x1,25x224,5

### BL-614

#### Bolt Kit, cylinder head



DACIA DUSTER  
DACIA JOGGER  
DACIA LOGAN II  
DACIA LOGAN III  
DACIA LOGAN MCV II  
DACIA SANDERO II

**OE**  
11 05 693 95R  
110567488R  
110567488R (8X)  
110569395R  
110582794R  
110582794R (8X)

Bolt Head-/Nut Design: Female Hex  
Number of screws: 8  
Spanner Size: 10  
Thread Size: M10x1,5x123

## Engine

### BL-615

#### Bolt Kit, cylinder head



NISSAN KUBISTAR Furgonato (X80)  
RENAULT CLIO I (B/C57\_, 5/357\_)  
RENAULT CLIO II (BB0/1/2\_, CB0/1/2\_)  
RENAULT CLIO II Furgonato (SB0/1/2\_)  
RENAULT KANGOO (KC0/1\_)  
RENAULT KANGOO Express (FC0/1\_)

#### OE

77 00 107 044  
77 00 869 008  
7700107044  
7700107044 (10X)  
7700869008  
7700869008 (10X)

Bolt Head-/Nut Design: Male Torx  
Number of screws: 10  
Spanner Size: TX - E 12  
Thread Size: M9x1,25x103

### BL-616

#### Bolt Kit, cylinder head



ARO 10  
DACIA PICK UP  
DACIA SOLENZA  
MITSUBISHI CARISMA (DA\_)  
MITSUBISHI CARISMA Tre volumi (DA\_)  
OPEL ARENA Autobus

#### OE

30853027  
30853027 (10X)  
77 00 865 991  
7700865991  
7700865991 (10X)  
M853027

Bolt Head-/Nut Design: Male Torx  
Number of screws: 10  
Spanner Size: TX - E 14  
Thread Size: M12x1,5x119

### BL-618

#### Bolt Kit, cylinder head



MITSUBISHI i (HA\_)  
SMART FORTWO Cabrio (451)  
SMART FORTWO Coupé (451)

#### OE

10054A425 (8X)  
1005A425  
1320160069  
1320160069 (8X)  
A1320160069  
A1320160069 (8X)

Bolt Head-/Nut Design: Female Torx  
Number of screws: 8  
Spanner Size: TX - T 50  
Thread Size: M9x1,25x106

### EGR-0217

#### EGR Valve



ALFA ROMEO GIULIETTA (940)  
FIAT 500L  
FIAT 500X  
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)  
FIAT DOBLO MPV / Space wagon (152, 263)

#### OE

55260127  
55275471  
55283136  
68275182AA  
68376412AA  
68413629AA

For OE number: 55283136

### KAA-001AJM

#### Camshaft Kit



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 III (SX)

#### OE

16 381 598 80  
16 970 547 80  
1638159880  
2 646 856  
2646854  
2648852

Additionally required articles (article numbers): BL-221  
Fitting Position: Exhaust Side  
Fitting Position: Intake Side  
Number of Chain Links: 42  
Paired article numbers: KAA-001JM  
Specification: Assemblato  
Supplementary Article/Supplementary Info 2:  
With cover  
Timing Chain Size: 8mm Pitch

## Engine

### OP-00008

#### Oil Pump



BMW 1 (F20)  
BMW 1 (F21)  
MINI MINI (R56)  
MINI MINI Cabriolet (R57)  
MINI MINI CLUBMAN (R55)  
MINI MINI CLUBVAN (R55)

**OE**  
11417823007

For OE number: 11 41 7 823 007  
Fuel Type: Diesel  
Operating Mode: Mechanical  
Pump Type: Tandem Pump  
Supplementary Article/Supplementary Info:  
Without gasket / seal

### OP-00012

#### Oil Pump



AUDI A3 (8V1)  
AUDI A3 Cabriolet (8V7)  
AUDI A3 Limousine (8VS)  
AUDI A3 Sportback (8VA)  
SEAT LEON (5F1)  
SEAT LEON SC (5F5)

**OE**  
04L145208D

For OE number: 04L 145 208 D  
Operating Mode: Mechanical  
Pump Type: Tandem Pump  
Supplementary Article/Supplementary Info:  
Without gasket / seal

### XX-PE10ES

#### Cylinder Head



CITROEN BERLINGO (B9)  
CITROEN BERLINGO (MF)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN BERLINGO Furgonato (M\_)  
CITROEN BERLINGO Pianale piatto/Telaio (B9)

**OE**  
0200HS  
1685778  
1850526  
36001473  
4AV6Q6C032AA  
908933

For OE number: 0200HS  
Supplementary Article/Supplementary Info 2:  
Without camshaft(s)  
Supplementary Article/Supplementary Info 2:  
Without valve springs  
Supplementary Article/Supplementary Info 2:  
Without valves  
Supplementary Article/Supplementary Info:  
Without gaskets/seals

## Engine Timing Control

### TS-H12

#### Tensioner Lever, v-ribbed belt



HYUNDAI ix55

**OE**  
252813A000

Outer Diameter [mm]: 70  
Width [mm]: 30

## Filter

### FA-0150JM

#### Air Filter



ALPINA B3 (E46)  
ALPINA B3 Cabriolet (E46)  
ALPINA B3 Coupe (E46)  
ALPINA B3 Station wagon (E46)  
ALPINA ROADSTER S (Z4)  
BMW 3 (E36)

**OE**  
13 72 1 74  
13 72 1 744 869

Filter Type: Filter Insert  
Height [mm]: 58  
Length [mm]: 243  
Supplementary Article/Supplementary Info 2:  
For dusty conditions  
Width [mm]: 178



## Filter

### FA-0420JM

#### Air Filter



OPEL CORSA E  
OPEL CORSA E Van  
VAUXHALL CORSA Mk IV (E)  
VAUXHALL CORSAVAN Mk IV (E) (X15)

#### OE

13442297  
13452141  
30932998  
39032998  
834848  
834849

Filter Type: Filter Insert  
Height [mm]: 58  
Length [mm]: 211  
Width [mm]: 201

### FA-0632JM

#### Air Filter



CITROEN BERLINGO (B9)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN C3 II  
CITROEN C3 Picasso  
CITROEN C4 Coupé (LA\_)  
CITROEN C4 Grand Picasso I (UA\_)

#### OE

1444 RJ  
1444 RK  
1444 RV  
1444 RW  
1444 XG

Filter Type: Filter Insert  
Height [mm]: 56  
Length [mm]: 495  
Width [mm]: 85

### FA-0717JM

#### Air Filter



DACIA DUSTER  
DACIA LOGAN (LS\_)  
DACIA LOGAN EXPRESS (FS\_)  
DACIA LOGAN MCV (KS\_)  
DACIA LOGAN Pick-up (US\_)  
DACIA SANDERO

#### OE

1654-600Q0  
1654-600Q0D  
16546-00Q1F  
16546-00QAS  
7701068471  
82 00 298 074

Filter Type: Filter Insert  
Height [mm]: 58  
Length [mm]: 376  
Supplementary Article/Supplementary Info 2:  
For dusty conditions  
Width [mm]: 83

### FA-0958JM

#### Air Filter



AUDI A4 (8D2, B5)  
AUDI A4 Avant (8D5, B5)  
AUDI A6 (4B2, C5)  
AUDI A6 Avant (4B5, C5)  
AUDI ALLROAD (4BH, C5)  
SKODA SUPERB (3U4)

#### OE

058 133 843  
1444 Q7  
5019 408  
870 X 9601 CCA  
8D0 133 843

Filter Type: Filter Insert  
Height [mm]: 57  
Length [mm]: 252  
Width [mm]: 211

### FA-0964JM

#### Air Filter



AUDI A6 (C8, 4A2)  
AUDI A6 Allroad (4AH, C8)  
AUDI A6 Avant (C8, 4A5)  
AUDI A7 Sportback (4KA)

#### OE

4K0133844A  
4K0133844E

Filter Type: Filter Insert  
Height [mm]: 158  
Inner Diameter 1 [mm]: 77  
Inner Diameter 2 [mm]: 31  
Outer Diameter [mm]: 162

## Filter

### FAA-107JM

#### Filter, interior air



AUDI A3 (8L1)  
AUDI TT (8N3)  
AUDI TT Roadster (8N9)  
SKODA OCTAVIA (1U2)  
SKODA OCTAVIA Combi (1U5)  
SKODA OCTAVIA I Cassone / Furgonato /

#### OE

1J0 819 64  
1J0 819 644  
1J0 819 644 A  
1J0819648  
1J1819640B  
JZW 819 653

Filter Type: Activated Carbon Filter  
Height [mm]: 30  
Length [mm]: 280  
Width [mm]: 206

### FAA-119JM

#### Filter, interior air



ALPINA B3 (E46)  
ALPINA B3 Cabriolet (E46)  
ALPINA B3 Coupe (E46)  
ALPINA B3 Station wagon (E46)  
BMW 3 (E46)  
BMW 3 Cabriolet (E46)

#### OE

1000004  
2182458  
64 31 2 18  
64 31 2 182 458  
64 31 9 071 935  
64 31 9 216 590

Filter Type: Activated Carbon Filter  
Height [mm]: 20  
Length [mm]: 660  
Width [mm]: 95

### FAA-128JM

#### Filter, interior air



CITROEN BERLINGO (MF)  
CITROEN BERLINGO Furgonato (M\_)  
CITROEN XSARA (N1)  
CITROEN XSARA Break (N2)  
CITROEN XSARA Cassone / coda spiovente  
CITROEN XSARA Coupe (N0)


#### OE

6447 SQ  
6447 SZ  
6479 A2

Filter Type: Activated Carbon Filter  
Height [mm]: 36  
Length [mm]: 218  
Width [mm]: 226

### FAA-144JM

#### Filter, interior air



RENAULT GRAND SCÉNIC II (JM0/1\_)  
RENAULT SCÉNIC II (JM0/1\_)


#### OE

77 01 064 237  
86 71 018 402

Filter Type: Activated Carbon Filter  
Height [mm]: 50  
Length [mm]: 215  
Width [mm]: 238

### FAA-HY44

#### Filter, interior air



HYUNDAI SANTA FÉ II (CM)  
HYUNDAI SANTA FÉ II Cassone/SUV (CM)

#### OE


97133-1U000  
97133-2B005  
97133-2B005AT  
971331U000  
971332B005  
S97133-2B005AT

Basic version (Art. No.): FAA-HY33  
Filter Type: Activated Carbon Filter  
For OE number: 971332B005  
Height [mm]: 30  
Length [mm]: 208  
Width [mm]: 262

## Filter

### FAA-HY45

#### Filter, interior air



HYUNDAI ACCENT Tre volumi (HC)  
HYUNDAI ACCENT V 2 volumi /Coda spiovente (HC)  
HYUNDAI CRETA  
HYUNDAI CRETA (SU2\_)  
HYUNDAI i20 (GB)


#### OE

97133-D1000  
97133-D3000  
97133-D3200  
97133-J9000  
971331R000  
97133D1000

Filter Type: Activated Carbon Filter  
For OE number: 97133D1000  
Height [mm]: 28  
Length [mm]: 225  
Width [mm]: 201

### FAA-HY46

#### Filter, interior air



HYUNDAI IONIQ  
HYUNDAI KONA (OS)  
HYUNDAI KONA Cassone/SUV (OS)  
HYUNDAI TUCSON  
HYUNDAI TUCSON Cassone/SUV (TLE)  
KIA SPORTAGE (QL)


#### OE

97133 F2100  
97133-F2100  
97133-K4000

Basic version (Art. No.): FAA-HY29  
Filter Type: Particulate Filter  
Height [mm]: 29  
Length [mm]: 195  
Width [mm]: 240

### FAA-MI14

#### Filter, interior air



CHEVROLET TRAILBLAZER (31UX)  
CITROEN C-CROSSER (EP\_)  
CITROEN C-CROSSER ENTERPRISE  
CITROEN C-CROSSER Van (VU\_)  
CITROEN C4 AIRCROSS  
FIAT FULLBACK Pick-up (KT\_)

#### OE

1609998680  
6000606985  
6447 ZX  
6447 ZY  
6479 E9  
7803A004

Basic version (Art. No.): FAA-MI7  
Filter Type: Activated Carbon Filter  
For OE number: MZ690961  
Height [mm]: 30  
Length [mm]: 215  
Width [mm]: 201

### FAA-NS30

#### Filter, interior air



INFINITI FX  
INFINITI Q50  
LEXUS GS (GRL1\_, GWL1\_)  
LEXUS GS (GRS19\_, UZS19\_, GWS19\_)  
LEXUS IS III (GSE3\_, AVE3\_)  
LEXUS RC (GSC1\_, USC1\_)


#### OE

27891-BM400  
27891-BM401  
27891-BM401-KE  
27891-BM402  
27891-BM410  
27891BM400

Basic version (Art. No.): FAA-NS4  
Filter Type: Activated Carbon Filter  
For OE number: 27891BM400  
Height [mm]: 30  
Length [mm]: 200  
Width [mm]: 219

### FAA-SZ22

#### Filter, interior air



DAIHATSU CUORE VIII  
DAIHATSU TERIOS (J1)  
FIAT SEDICI  
SUBARU BRZ  
SUZUKI BALENO  
SUZUKI SWIFT II 2 volumi /Coda spiovente (EA,

#### OE

08975B4000  
08975B4000100  
1A0261148  
71743821  
72880AJ010  
8856837020

Basic version (Art. No.): FAA-TY8  
Filter Type: Pollen Filter  
For OE number: 9586062J00  
Height [mm]: 29  
Length [mm]: 185  
Width [mm]: 176,5

## Filter

### FAB-001JM



LEXUS UX (\_AA1\_, \_AH1\_)  
SUZUKI SWACE (AMZ\_)  
TOYOTA COROLLA (\_E21\_)  
TOYOTA COROLLA Cross (ZVG1\_, ZSG1\_,  
MXGH1\_, MXGA1\_)  
TOYOTA COROLLA Station wagon (\_E21\_)

**Air Filter, traction battery casing**

**OE**

G92DH-12050  
TG92D-H1205  
TG92DH1205

Filter Type: Pollen Filter  
Height [mm]: 20  
Length [mm]: 198  
Width [mm]: 129

### FAB-004JM



TOYOTA AURIS (NZE18\_, ZRE18\_)  
TOYOTA AURIS TOURING SPORTS (ADE18\_,  
ZWE18\_, ZRE18\_)

**Air Filter, traction battery casing**

**OE**

G92DH-12030  
G92DH-12031  
G92DH12030

Filter Type: Pollen Filter  
Height [mm]: 35  
Length [mm]: 105  
Width [mm]: 101

### FAB-006JM



TOYOTA PRIUS (ZVW3\_)

**Air Filter, traction battery casing**

**OE**

G92DJ47010

Filter Type: Filter Insert

### FAB-007JM



TOYOTA C-HR VAN (\_X1\_)  
TOYOTA CH-R (NGX1, NGX5\_, ZYX1\_)  
TOYOTA PRIUS (ZVW5\_)  
TOYOTA PRIUS PHV (\_W52\_)

**Air Filter, traction battery casing**

**OE**

G92DH-47070  
G92DH47070

Height [mm]: 14  
Length [mm]: 179  
Width [mm]: 112

### FAB-008JM



TOYOTA COROLLA (\_E21\_)  
TOYOTA COROLLA Station wagon (\_E21\_)  
TOYOTA COROLLA Tre volumi (\_E21\_)

**Air Filter, traction battery casing**

**OE**

G92DJ02040

Height [mm]: 16  
Length [mm]: 129  
Width [mm]: 113

## Filter

### FAB-009JM



LEXUS ES (\_Z10\_)  
TOYOTA CAMRY (\_V7\_, \_VA7\_, \_VH7\_)

Air Filter, traction battery  
casing

**OE**  
G92DH-33050  
G92DH33050

Height [mm]: 14  
Length [mm]: 258  
Width [mm]: 114

### FAB-010JM



TOYOTA RAV 4 V (\_A5\_)  
TOYOTA RAV 4 V VAN (\_A5\_, \_H5\_)

Air Filter, traction battery  
casing

**OE**  
G92DH42010

Height [mm]: 20  
Length [mm]: 340  
Width [mm]: 130

### FAB-011JM



TOYOTA PRIUS PHV (\_W52\_)

Air Filter, traction battery  
casing

**OE**  
G92DH47080

Height [mm]: 15  
Length [mm]: 246  
Width [mm]: 46

### FAB-013JM



TOYOTA COROLLA (\_E21\_)  
TOYOTA COROLLA Cross (ZVG1\_, ZSG1\_,  
MXGH1\_, MXGA1\_)  
TOYOTA COROLLA Station wagon (\_E21\_)  
TOYOTA COROLLA Tre volumi (\_E21\_)

Air Filter, traction battery  
casing

**OE**  
G92DJ02010

Height [mm]: 15  
Length [mm]: 157  
Width [mm]: 93

### FAB-014JM



LEXUS LBX (MAYH1\_)  
MAZDA 2 2 volumi /Coda spiovente (KB)  
TOYOTA YARIS (\_P21\_, \_PA1\_, \_PH1\_)  
TOYOTA YARIS CROSS (MXP\_)

Air Filter, traction battery  
casing

**OE**  
1M00-61-P11  
G92DH-K0010  
G92DHK0010

Height [mm]: 14  
Length [mm]: 170  
Width [mm]: 146

## Filter

### FAB-016JM



LEXUS RX (\_LA1\_, \_LH1\_)

**Air Filter, traction battery casing**

**OE**  
G92DH48020

Height [mm]: 15  
Length [mm]: 270  
Width [mm]: 100

### FAB-017JM



TOYOTA CAMRY (\_V7\_, \_VA7\_, \_VH7\_)

**Air Filter, traction battery casing**

**OE**  
G92DH06010

Height [mm]: 14  
Length [mm]: 258,8  
Width [mm]: 114,6

### FAB-018JM



TOYOTA CENTURY (GZG5\_)

**Air Filter, traction battery casing**

**OE**  
G92DH15010

Height [mm]: 17  
Length [mm]: 254  
Width [mm]: 129

### FAB-020JM



TOYOTA SIENNA (\_L4\_)

**Air Filter, traction battery casing**

**OE**  
G92DH45010  
G92DJ45010

Length [mm]: 300  
Width [mm]: 110

### FC-024JM



VOLVO XC40

**Fuel filter**

**OE**  
31465948

Filter Type: In-Line Filter  
For OE number: 31465948  
Height [mm]: 142  
Housing material: Plastic  
Outer Diameter [mm]: 65  
Pipe [mm]: 10  
Pipe [mm]: 8  
Supplementary Article/Supplementary Info:  
with holder



## Filter

### FC-048JM

#### Fuel filter



OPEL CORSA D  
OPEL CORSA D Van  
OPEL CORSA E  
OPEL CORSA E Van  
VAUXHALL CORSA Mk III (D) (L\_8)  
VAUXHALL CORSA Mk IV (E)

**OE**  
0813070  
13 286 584  
813070  
818031  
93196533  
95521116

Filter Type: In-Line Filter  
Height [mm]: 182  
Inlet [mm]: 9,5  
Outer Diameter [mm]: 85  
Outlet [mm]: 8

### FC-049JM

#### Fuel filter



ALPINA B6 Cabriolet (F12)  
ALPINA B6 Coupé (F13)  
BMW 1 (E81)  
BMW 1 (E87)  
BMW 1 (F20)  
BMW 1 (F21)

**OE**  
16 12 7 22  
16 12 7 221 846.9  
16 12 7 233 840  
16 12 7 451 424  
7451424

Filter Type: In-Line Filter  
Height [mm]: 250  
Inlet [mm]: 9,5  
Outer Diameter [mm]: 55  
Outlet [mm]: 8  
Return pipe connector diameter [mm]: 8

### FC-051JM

#### Fuel filter



MERCEDES-BENZ CLASSE C (W204)  
MERCEDES-BENZ CLASSE C Coupé (C204)  
MERCEDES-BENZ CLASSE C T-Model (S204)  
MERCEDES-BENZ CLASSE E (W212)  
MERCEDES-BENZ CLASSE E Cabriolet (A207)  
MERCEDES-BENZ CLASSE E Coupé (C207)

**OE**  
651 090 15  
651 090 15 52  
651 090 29 52  
A 651 090 15 52  
A 651 090 29 52

Filter Type: In-Line Filter  
Height [mm]: 100  
Inlet [mm]: 10  
Outer Diameter [mm]: 86  
Outlet [mm]: 8

### FC-052JM

#### Fuel filter



AUDI A4 (8W2, B9)  
AUDI A4 Allroad (8WH, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

**OE**  
8W0 127 434  
8W0127177

Filter Type: Filter Insert  
Height [mm]: 133  
Inner Diameter [mm]: 45  
Outer Diameter 1 [mm]: 70  
Outer Diameter [mm]: 61  
Supplementary Article/Supplementary Info:  
with seal

### FC-063JM

#### Fuel filter



IVECO DAILY Cassone / Furgonato / Promiscuo  
IVECO DAILY CITYS Autobus  
IVECO DAILY LINE Autobus  
IVECO DAILY Pianale piatto/Telaio

**OE**  
5802050393  
5802786087  
5802925674

Filter Type: Filter Insert  
Height [mm]: 200  
Inner Diameter 1 [mm]: 14  
Inner Diameter [mm]: 49  
Outer Diameter [mm]: 68  
Supplementary Article/Supplementary Info:  
with seal

## Filter

### FC-066JM

#### Fuel filter



OPEL ASTRA K  
OPEL ASTRA K Cassone / coda spiovente  
OPEL ASTRA K Cassone / Furgonato /  
Promiscuo  
OPEL ASTRA K Sports Tourer  
VAUXHALL ASTRA Mk VII (K) (B16)

#### OE

13383061  
13539108  
22.937.279  
22937279  
23304095  
23304096

Filter Type: Filter Insert  
Height [mm]: 106  
Inner Diameter 1 [mm]: 11  
Inner Diameter [mm]: 25  
Outer Diameter [mm]: 88  
Supplementary Article/Supplementary Info:  
with seal

### FC-072JM

#### Fuel filter



BREDAMENARINIBUS VIVACITY  
FIAT Series 180  
FIAT Series 260  
FIAT Series 300  
FIAT Series 330  
FIAT Series 600

#### OE

190 1605  
190 9103  
190 9119  
1901605  
1909103  
1909119

Filter Type: Screw-on Filter  
Gasket inner diameter: 62  
Gasket outer diameter: 71  
Height [mm]: 186  
Outer Diameter [mm]: 108  
Thread Size: 3/4-16 UNF

### FC-H31S

#### Fuel filter



HYUNDAI TUCSON (NX4E, NX4A)  
KIA SPORTAGE V (NQ5)

#### OE

31920-N780  
31920-N7800  
31922-N7800

Filter Type: Filter Insert  
Height [mm]: 55  
Outer Diameter 1 [mm]: 113  
Outer Diameter [mm]: 111

### FC-K34S

#### Fuel filter



KIA CLARUS (K9A)  
KIA CLARUS Station wagon (GC)

#### OE

0K9A220490B

Filter Type: In-Line Filter  
For OE number: 0K9A220490B  
Height [mm]: 117  
Thread Size Entry: M14X1.5  
Thread Size Exit: M12X1.25

### FCU-001JM

#### Urea Filter (AdBlue)



IVECO EuroCargo  
IVECO EuroCargo IV  
IVECO Stralis  
IVECO Trakker  
IVECO TRAKKER II  
RENAULT TRUCKS Kerax

#### OE

042561177  
2880299  
4 256 1177  
490 6272  
74 20 877 958  
84247272

Filter Type: Filter Insert  
Height [mm]: 30  
Outer Diameter 1 [mm]: 7  
Outer Diameter [mm]: 4

## Filter

### FCU-002JM

#### Urea Filter (AdBlue)



DAF 65 CF  
DAF 75 CF  
DAF 85 CF  
DAF CF 75  
DAF CF 85  
DAF LF 45

#### OE

154 5482  
176 1034  
179 5459  
185 2188  
190 7422  
20421-NY00J

Filter Type: Filter Insert  
Height [mm]: 76  
Inner Diameter [mm]: 33  
Outer Diameter 1 [mm]: 70  
Outer Diameter [mm]: 67  
Supplementary Article/Supplementary Info:  
with seal

### FCU-003JM

#### Urea Filter (AdBlue)



CASE IH MAGNUM  
CASE IH MAXXUM  
CASE IH PUMA  
CASE IH STEIGER  
IRISBUS EUROMIDI  
IVECO EuroCargo

#### OE

293 4622  
2997 594  
4 255 5073  
4 256 1605  
500055579  
500055972

Filter Type: Filter Insert  
Height [mm]: 99,5  
Inner Diameter [mm]: 23  
Outer Diameter [mm]: 66  
Supplementary Article/Supplementary Info:  
with seal

### FCU-004JM

#### Urea Filter (AdBlue)



DAF CF  
DAF XB  
DAF XBC  
DAF XD  
DAF XDC  
DAF XF

#### OE

00 077 331.10  
00 1999 948.0  
000 142 05 89  
000 142 07 89  
000 142 09 89  
000 142 10 89

Height [mm]: 79  
Inner Diameter [mm]: 26  
Outer Diameter [mm]: 43

### FCU-007JM

#### Urea Filter (AdBlue)



#### OE

Filter Type: Filter Insert  
Height [mm]: 29  
Length [mm]: 73  
Width [mm]: 36

### FCU-008JM

#### Urea Filter (AdBlue)



#### OE

Filter Type: Filter Insert  
Height 1 [mm]: 76  
Height 2 [mm]: 83  
Width [mm]: 48

## Filter

### FCU-009JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 12  
Length [mm]: 96  
Width [mm]: 55

### FCU-010JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 100  
Width [mm]: 47

### FCU-012JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 25  
Width 1 [mm]: 75  
Width [mm]: 43

### FCU-013JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 65  
Width [mm]: 60

### FCU-014JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 32  
Length [mm]: 73  
Width [mm]: 66

## Filter

### FCU-015JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 47  
Width [mm]: 39

### FCU-016JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 56  
Width [mm]: 53

### FCU-017JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 76  
Width [mm]: 48

### FCU-018JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 44  
Width 1 [mm]: 84  
Width [mm]: 73

### FCU-019JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 47  
Width [mm]: 39

## Filter

### FCU-020JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 19  
Length [mm]: 124  
Width [mm]: 62

### FCU-021JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 15  
Length [mm]: 130  
Width [mm]: 54

### FCU-023JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height 1 [mm]: 43  
Height 2 [mm]: 68  
Width [mm]: 38

### FCU-024JM

#### Urea Filter (AdBlue)



OE

Filter Type: Filter Insert  
Height [mm]: 57  
Outer Diameter 1 [mm]: 22

### FO-005JM

#### Oil Filter



AUDI 100 (4A, C4)  
AUDI 100 Avant (4A, C4)  
AUDI 200 (44, 44Q)  
AUDI 200 Avant (44, 44Q)  
AUDI 80 (89, 89Q, 8A, B3)  
AUDI 80 (8C, B4)

OE

0009831444  
034 115 56  
034 115 561 A  
06A 115 561  
06A 115 561 B  
06A 115 561 E

Bypass Valve Opening Pressure [bar]: 2,5  
Filter Type: Screw-on Filter  
Gasket inner diameter: 62  
Gasket outer diameter: 71  
Height [mm]: 123  
Outer Diameter [mm]: 76  
Part number of the recommended special tools: LS 7  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: 3/4-16 UNF



## Filter

### FO-006JM

#### Oil Filter



DACIA LOGAN (LS\_)  
 DACIA LOGAN II  
 DACIA LOGAN MCV II  
 DACIA SANDERO  
 DACIA SANDERO II  
 NISSAN KUBISTAR Furgonato (X80)

#### OE

15208-00QA  
 15208-00QAG  
 82 00 257 642

Bypass Valve Opening Pressure [bar]: 1,3  
 Filter Type: Screw-on Filter  
 Gasket inner diameter: 54  
 Gasket outer diameter: 62  
 Height [mm]: 60  
 Outer Diameter [mm]: 66  
 Part number of the recommended special tools: LS 6  
 Thread Size: M20x1.5

### FO-007JM

#### Oil Filter



ARO 10  
 AUDI 100 (43, C2)  
 AUDI 100 (44, 44Q, C3)  
 AUDI 100 Avant (43, C2)  
 AUDI 100 Avant (44, 44Q, C3)  
 AUDI 80 (81, 85, B2)

#### OE

0 141 758  
 000 983 0624  
 000 983 0624V  
 00830640  
 06 811 5561  
 068 115 561

Bypass Valve Opening Pressure [bar]: 2,5  
 Filter Type: Screw-on Filter  
 Gasket inner diameter: 62  
 Gasket outer diameter: 71  
 Height [mm]: 142  
 Outer Diameter [mm]: 93  
 Part number of the recommended special tools: LS 9  
 Supplementary Article/Supplementary Info 2:  
 With one anti-return valve  
 Thread Size: 3/4-16 UNF

### FO-008JM

#### Oil Filter



DACIA DOKKER  
 DACIA DOKKER Express  
 DACIA DOKKER Pick-up  
 DACIA DUSTER  
 DACIA DUSTER Furgonato  
 DACIA LODGY

#### OE

15 20 096 45R  
 15 20 857 58R  
 152085758R

Bypass Valve Opening Pressure [bar]: 1,0  
 Filter Type: Screw-on Filter  
 Gasket inner diameter: 54  
 Gasket outer diameter: 62  
 Height [mm]: 75  
 Outer Diameter [mm]: 66  
 Supplementary Article/Supplementary Info 2:  
 With one anti-return valve  
 Thread Size: M20x1.5

### FO-009JM

#### Oil Filter



ALFA ROMEO 145 (930)  
 ALFA ROMEO 146 (930)  
 ALFA ROMEO 156 (932)  
 ALFA ROMEO 156 Sportwagon (932)  
 ALFA ROMEO 166 (936)  
 FIAT BRAVA (182)

#### OE

104.2175.104  
 104.2175.116  
 1930892  
 3101000065  
 333C4085  
 46402457

Bypass Valve Opening Pressure [bar]: 1,2  
 Filter Type: Screw-on Filter  
 Gasket inner diameter: 62  
 Gasket outer diameter: 71  
 Height [mm]: 79  
 Outer Diameter [mm]: 76  
 Part number of the recommended special tools: LS 7  
 Supplementary Article/Supplementary Info 2:  
 With one anti-return valve  
 Thread Size: M20x1.5

## Filter

### FO-011JM

#### Oil Filter



ALFA ROMEO 145 (930)  
ALFA ROMEO 146 (930)  
ALFA ROMEO 155 (167)  
ALFA ROMEO 164 (164)  
ALFA ROMEO 1750-2000  
ALFA ROMEO 75 (162B)

#### OE

1109 W7  
1164406030  
116440603000  
4434895  
4449040  
46805831

Bypass Valve Opening Pressure [bar]: 1,5  
Filter Type: Screw-on Filter  
Gasket inner diameter: 62  
Gasket outer diameter: 71  
Height [mm]: 100  
Outer Diameter [mm]: 76  
Part number of the recommended special tools: LS 7  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: 3/4-16 UNF

### FO-012JM

#### Oil Filter



CITROEN C5 AIRCROSS  
CITROEN JUMPER Autobus  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Pianale piatto/Telaio  
CITROEN JUMPY  
CITROEN JUMPY Furgonato

#### OE

98 095 323  
98 095 323 80  
SU001-A4322

Bypass Valve Opening Pressure [bar]: 1,5  
Filter Type: Screw-on Filter  
Gasket inner diameter: 66  
Gasket outer diameter: 72  
Height [mm]: 95  
Outer Diameter [mm]: 76  
Part number of the recommended special tools: LS 7  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M20x1.5

### FO-013JM

#### Oil Filter



ALFA ROMEO 147 (937)  
ALFA ROMEO 155 (167)  
ALFA ROMEO 156 (932)  
ALFA ROMEO 156 Sportwagon (932)  
ALFA ROMEO 164 (164)  
ALFA ROMEO 166 (936)

#### OE

0000005889209  
0003897992  
0004449040  
0060507080  
0060574554  
0075221627

Bypass Valve Opening Pressure [bar]: 1,5  
Filter Type: Screw-on Filter  
Gasket inner diameter: 62  
Gasket outer diameter: 71  
Height [mm]: 79  
Outer Diameter [mm]: 76  
Part number of the recommended special tools: LS 7  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: 3/4-16 UNF

### FO-014JM

#### Oil Filter



FORD FIESTA Furgonato (J5\_, J3\_)  
FORD FIESTA Furgonato (JV\_)  
FORD FIESTA IV (JA\_, JB\_)  
FORD FOCUS (DAW, DBW)  
FORD FOCUS Cassone / Furgonato / Promiscuo (DNW)

#### OE

1003003  
1017110GH030  
1059 924  
1136 568  
1148 703  
1207 066

Bypass Valve Opening Pressure [bar]: 0,8  
Filter Type: Screw-on Filter  
Gasket inner diameter: 75  
Gasket outer diameter: 88,6  
Height [mm]: 85,5  
Outer Diameter [mm]: 93  
Part number of the recommended special tools: LS 9  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M22x1.5

## Filter

### FO-015JM

#### Oil Filter



AUDI A4 (8D2, B5)  
AUDI A4 Avant (8D5, B5)  
VW PASSAT (3B2)  
VW PASSAT Variant (3B5)

**OE**  
028 115 56  
028 115 561 G  
028115561E  
21785821

Bypass Valve Opening Pressure [bar]: 2,5  
Filter Type: Screw-on Filter  
Gasket inner diameter: 63  
Gasket outer diameter: 71  
Height [mm]: 142  
Outer Diameter [mm]: 93  
Part number of the recommended special tools: LS 9  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: 3/4-16 UNF

### FO-020JM

#### Oil Filter



FORD FOCUS IV  
FORD FOCUS IV Turnier (HP)  
FORD GALAXY  
FORD GALAXY MK III VAN (CK)  
FORD KUGA III (DFK)  
FORD MONDEO V 2 volumi /Coda spiovente

**OE**  
2279 222  
HG9Q6714AA

Bypass Valve Opening Pressure [bar]: 1,0  
Filter Type: Screw-on Filter  
Gasket inner diameter: 63  
Gasket outer diameter: 72  
Height [mm]: 79  
Outer Diameter [mm]: 76  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M22x1.5-6H

### FO-021JM

#### Oil Filter



AUDI A4 (8EC, B7)  
AUDI A4 (8K2, B8)  
AUDI A4 Allroad (8KH, B8)  
AUDI A4 Avant (8ED, B7)  
AUDI A4 Avant (8K5, B8)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

**OE**  
057 115 561 M  
955.107.22  
955.107.222.00

Filter Type: Filter Insert  
Height [mm]: 200  
Inner Diameter 1 [mm]: 29  
Inner Diameter [mm]: 29  
Outer Diameter 1 [mm]: 76  
Outer Diameter [mm]: 72  
Supplementary Article/Supplementary Info:  
with seal

### FO-061JM

#### Oil Filter



CITROEN JUMPER Autobus (244, Z\_)  
CITROEN JUMPER Furgonato (244)  
CITROEN JUMPER Pianale piatto/Telaio (244)  
FIAT DUCATO Autobus (244, Z\_)  
FIAT DUCATO Furgonato (244)  
FIAT DUCATO Pianale piatto/Telaio (244)

**OE**  
1109 AS  
1109 Y5  
1109 Y6  
1582036  
1582037  
1582038

Bypass Valve Opening Pressure [bar]: 1,7  
Filter Type: Screw-on Filter  
Gasket inner diameter: 62  
Gasket outer diameter: 71  
Height [mm]: 142  
Outer Diameter [mm]: 93  
Part number of the recommended special tools: LS 9  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M22x1.5

### FO-064JM

#### Oil Filter



ASTRA HD 7  
ASTRA HD 8  
FIAT Series 300  
IRISBUS DOMINO  
IVECO 370  
IVECO EuroCargo

**OE**  
190 2102  
190 3629  
190 3715  
190 7581  
190 7584  
193 0542

Bypass Valve Opening Pressure [bar]: 2,5  
Filter Type: Screw-on Filter  
Gasket inner diameter: 103  
Gasket outer diameter: 93  
Height [mm]: 213  
Outer Diameter [mm]: 108  
Part number of the recommended special tools: LS 11  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M30x2

## Filter

### FO-325S

#### Oil Filter



MAZDA 2 (DL, DJ)  
MAZDA 2 Tre volumi (DL)  
MAZDA 3 (BM)  
MAZDA 3 2 volumi /Coda spiovente (BP)  
MAZDA 3 Cassone / coda spiovente (BM)  
MAZDA 3 Tre volumi

#### OE

PE01-14-30  
PE01-14-302  
PE01-14-302A  
PE01-14-302A 9A  
PE01-14-302B 9A  
PE0114302B

Bypass Valve Opening Pressure [bar]: 0,8  
Filter Type: Screw-on Filter  
Gasket inner diameter: 54  
Gasket outer diameter: 62  
Height [mm]: 65  
Outer Diameter [mm]: 66  
Part number of the recommended special tools: LS 6/1  
Thread Size: M20x1.5

### FO-K07S

#### Oil Filter



HYUNDAI ACCENT IV (RB)  
HYUNDAI ACCENT IV Tre volumi (RB)  
HYUNDAI ACCENT Tre volumi (HC)  
HYUNDAI BAYON (BC3)  
HYUNDAI i10 (AC3, AI3)  
HYUNDAI i10 (IA)

#### OE

26300-0250  
26300-02502  
26300-02503  
26300-03000  
26300-03001  
S2630-003001

Bypass Valve Opening Pressure [bar]: 1,0  
Filter Type: Screw-on Filter  
Gasket inner diameter: 55  
Gasket outer diameter: 65  
Height [mm]: 77  
Outer Diameter [mm]: 66  
Part number of the recommended special tools: LS 6/2  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M20x1.5

### FO-K08S

#### Oil Filter



HYUNDAI i30 (FD)  
HYUNDAI i30 (GD)  
HYUNDAI i30 Coupé  
HYUNDAI i30 CW (GD)  
HYUNDAI i30 Hatchback Van (GDE)  
HYUNDAI i30 Kombi Van (GDE, GD)

#### OE

26300 35530  
26300-3553  
26300-35530  
26300-35531

Bypass Valve Opening Pressure [bar]: 1,0  
Filter Type: Screw-on Filter  
Gasket inner diameter: 58  
Gasket outer diameter: 65  
Height [mm]: 87  
Outer Diameter [mm]: 80  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M20x1.5

### FT201

#### Hydraulic Filter, automatic transmission



VW BEETLE (5C1)  
VW BEETLE Cabriolet (5C7)  
VW GOLF VI (5K1)  
VW GOLF VI Van (5K1\_)  
VW JETTA IV (162, 163)  
VW PASSAT (362)

#### OE

09G325429B  
9G325429B

Filter Type: Filter Insert  
Height [mm]: 29  
Length [mm]: 199  
Supplementary Article/Supplementary Info 2:  
with oil pan gasket  
Width [mm]: 146

### FT204

#### Hydraulic Filter, automatic transmission



CHEVROLET CAPTIVA (C100, C140)  
CHEVROLET CAPTIVA Van (C100)  
CHEVROLET EPICA (KL1\_)  
CHEVROLET LACETTI (J200)  
CHEVROLET NUBIRA Station wagon  
OPEL ANTARA

#### OE

093743025  
48 07 044  
4807044  
93743025

Filter Type: Screen Filter  
Height [mm]: 119  
Length [mm]: 191  
Width [mm]: 115

## Filter

### FT212



CHEVROLET AVEO 2 volumi /Coda spiovente (T300)  
CHEVROLET AVEO Tre volumi (T300)  
CHEVROLET COBALT  
CHEVROLET CRUZE 2 volumi /Coda spiovente (J305)

#### Hydraulic Filter, automatic transmission

**OE**  
24237508

Filter Type: Screen Filter  
Height [mm]: 70  
Length [mm]: 256  
Transmission Type: Automatic Transmission, 6-speed  
Width [mm]: 138

### FT214



HONDA ACCORD IV (CB)  
HONDA ACCORD IV Aerodeck (CB)  
HONDA ACCORD IV Coupé (CB, CC)  
HONDA ACCORD V (CC, CD)  
HONDA ACCORD V (CE, CF)  
HONDA ACCORD V Aerodeck (CE)

#### Hydraulic Filter, automatic transmission

**OE**  
25420-P0X-003  
25420-PX4-701  
25420P0X003  
25420PX4701

Filter Type: Screen Filter

### FT215



SEAT AROSA (6H)  
VW LUPO (6X1, 6E1)  
VW POLO (6N1)  
VW POLO (6N2)

#### Hydraulic Filter, automatic transmission

**OE**  
001 325 429  
001325429  
01 325 429  
01325429

Filter Type: Screen Filter

### FT216



ACURA CL Coupé  
HONDA ACCORD VII (CL)  
HONDA ACCORD VII (CM)  
HONDA INSPIRE  
HONDA ODYSSEY (RB\_)

#### Hydraulic Filter, automatic transmission

**OE**  
25420-P7W-003  
25420P7W003

Filter Type: Screen Filter  
Height [mm]: 74  
Length [mm]: 259  
Width [mm]: 207

### FT218



TOYOTA DYNA Pianale piatto/Telaio (KD\_, LY\_, TRY2\_, KDY2\_)  
TOYOTA HIACE / COMMUTER IV (TRH2\_, KDH2\_)  
TOYOTA HIACE IV Autobus (LH1\_)  
TOYOTA HIACE IV Furgonato (LXH1\_, RZH1\_, LH1\_)

#### Hydraulic Filter, automatic transmission

**OE**  
35330-30060  
3533030060

Filter Type: Screen Filter  
Height [mm]: 20  
Length [mm]: 304  
Width [mm]: 134

## Filter

### FT220



HAVAL CHITU  
HAVAL H6  
HAVAL JOLION SUV

Hydraulic Filter, automatic transmission

**OE**  
151100002

Filter Type: Filter Insert  
Height [mm]: 99  
Inner Diameter [mm]: 13  
Outer Diameter [mm]: 42  
Supplementary Article/Supplementary Info 2:  
With seal

## Mounting

### BJ-025



MG MG 5 Station wagon

Ball Joint

**OE**  
10133136  
10816681

Cone Size [mm]: 20  
Fitting Position: Front Axle Left  
Paired article numbers: 73-00-026  
Paired article numbers: 73026  
Paired article numbers: BJ-026

### BJ-026



MG MG 5 Station wagon

Ball Joint

**OE**  
10133166  
10816682

Cone Size [mm]: 20  
Fitting Position: Front Axle Right  
Paired article numbers: 73-00-025  
Paired article numbers: 73025  
Paired article numbers: BJ-025

### KK-0444JM



MG MG ZT  
MG MG ZT - T  
ROVER 75 (RJ)  
ROVER 75 Tourer (RJ)

Wheel Hub

**OE**  
GHK1693  
GHK1693INC01  
RLB100292  
RLB100292INC01

Flange [mm]: 140  
Rim Hole Number: 5  
Supplementary Article/Supplementary Info 2:  
With integrated ABS sensor

### KK-0455JM



RENAULT LAGUNA I (B56\_, 556\_)

Wheel Hub

**OE**  
7700820850  
7701204690

Flange [mm]: 132,9  
Rim Hole Number: 5  
Supplementary Article/Supplementary Info 2:  
With ABS sensor ring



## Mounting

### KK-0478JM

#### Wheel Hub



FORD KUGA I

#### OE

1538604  
1769851  
8V411A049AA  
AV4C2C300AAA

Flange [mm]: 136  
Rim Hole Number: 5

### KK-0482JM

#### Wheel Bearing Kit



RENAULT 4 (112\_)  
RENAULT 4 Furgonato (R21\_, R23\_)  
RENAULT 5 (122\_)  
RENAULT 5 Furgonato (238\_)  
RENAULT 6 (118\_)

#### OE

7701460637  
7703090036  
7703090271

Inner Diameter 1 [mm]: 30  
Inner Diameter 2 [mm]: 30  
Outer Diameter 1 [mm]: 62  
Outer Diameter 2 [mm]: 62  
Width 1 [mm]: 16  
Width 2 [mm]: 16

### KK-0543JM

#### Wheel Hub



RENAULT LAGUNA I (B56\_, 556\_)

#### OE

7701206353

Inner Diameter 2 [mm]: 25  
Inner Diameter [mm]: 25  
Number of Teeth, ABS ring: 88  
Outer Diameter [mm]: 133  
Rim Hole Number: 4  
Supplementary Article/Supplementary Info 2:  
With integrated ABS sensor  
Thread Size: M12X1,5

### KK-0550JM

#### Wheel Hub



SUZUKI IGNIS II

#### OE

4340277A11  
4340277A20  
4340277A21  
4340277A70  
4340277A70000

Inner Diameter 2 [mm]: 28  
Inner Diameter [mm]: 28  
Number of Teeth, ABS ring: 43  
Outer Diameter [mm]: 120  
Rim Hole Number: 4  
Supplementary Article/Supplementary Info 2:  
With ABS sensor ring  
Thread Size: M12X1,25

### KK-0570JM

#### Wheel Hub



MG MG ZS Fuoristrada chiuso

#### OE

10226250

Fitting Position: Front Axle

## Mounting

### KK-0571JM

#### Wheel Hub



MG MG ZS Fuoristrada chiuso

**OE**  
10094254

Fitting Position: Rear Axle  
Supplementary Article/Supplementary Info 2:  
Wheel Bearing integrated into wheel hub

### KK-0572JM

#### Wheel Bearing Kit



MG MG ZS Fuoristrada chiuso

**OE**  
30004452

Fitting Position: Front Axle  
Height [mm]: 39  
Inner Diameter [mm]: 39  
Number of Parts [parts]: 3  
Outer Diameter [mm]: 74

### KTP-0140

#### Dust Cover Kit, shock absorber



MG MG 4

**OE**  
10969589  
11124760

Fitting Position: Rear Axle

### KTP-0141

#### Dust Cover Kit, shock absorber



MG MG 4

**OE**  
10970993  
11229420

Fitting Position: Front Axle

### MM-01200

#### Shock Absorber



GIOTTI VICTORIA GLADIATOR Autobus  
GIOTTI VICTORIA GLADIATOR Furgonato  
GIOTTI VICTORIA GLADIATOR Pianale  
piatto/Telaio

**OE**

Fitting Position: Rear Axle  
Inner Diameter [mm]: 12  
Max. Length [mm]: 460  
Min. Length [mm]: 320  
Required quantity: 2  
Shock Absorber Design: Telescopic Shock  
Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber Type: Oil Pressure

## Mounting

### MM-01208

#### Shock Absorber



GREAT WALL TENGYI C20R 2 volumi /Coda spiovente

#### OE

2915100D0001  
2915100XG08XB

Fitting Position: Rear Axle  
For OE number: 2915100XG08XB  
Inner Diameter [mm]: 10  
Max. Length [mm]: 710  
Min. Length [mm]: 490  
Required quantity: 2  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-01215

#### Shock Absorber



MAHINDRA GOA  
MAHINDRA GOA Pick-up

#### OE

0403AA0450N

Fitting Position: Front Axle  
Fitting Position: Left  
Fitting Position: Right  
For OE number: 0403AA0450N  
Inner Diameter [mm]: 12  
Max. Length [mm]: 460  
Min. Length [mm]: 320  
Required quantity: 2  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Oil Pressure

### MM-01216

#### Shock Absorber



MAHINDRA XUV500

#### OE

0403AA1010N

Fitting Position: Front Axle Right  
For OE number: 0403AA1010N  
Paired article numbers: MA-01217  
Paired article numbers: MJ01217  
Paired article numbers: MM-01217  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-01217

#### Shock Absorber



MAHINDRA XUV500

#### OE

0401BAA05521N

Fitting Position: Front Axle Left  
For OE number: 0401BAA05521N  
Paired article numbers: MA-01216  
Paired article numbers: MJ01216  
Paired article numbers: MM-01216  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-01218

#### Shock Absorber



MAHINDRA XUV500

OE  
0403BAA01070N

Fitting Position: Left  
Fitting Position: Rear Axle  
Fitting Position: Right  
For OE number: 0403BAA01070N  
Required quantity: 2  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-01219

#### Shock Absorber



MAHINDRA XUV500

OE  
0403BA0620N

Fitting Position: Left  
Fitting Position: Rear Axle  
Fitting Position: Right  
For OE number: 0403BA0620N  
Inner Diameter [mm]: 14  
Overall Length [mm]: 510  
Required quantity: 2  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-01220

#### Shock Absorber



MAHINDRA BOLERO Pick-up  
MAHINDRA THAR

OE  
0403BA0201N

Fitting Position: Left  
Fitting Position: Rear Axle  
Fitting Position: Right  
For OE number: 0403BA0201N  
Required quantity: 2  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber Type: Oil Pressure

### MM-01221

#### Shock Absorber



MAHINDRA GOA  
MAHINDRA GOA Pick-up

OE  
0403BA0680N

Fitting Position: Left  
Fitting Position: Rear Axle  
Fitting Position: Right  
For OE number: 0403BA0680N  
Required quantity: 2  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber Type: Oil Pressure

## Mounting

### MM-01223

#### Shock Absorber



MAHINDRA GOA  
MAHINDRA GOA Pick-up

**OE**  
0403AA0940N

Fitting Position: Front Axle  
Fitting Position: Left  
Fitting Position: Right  
For OE number: 0403AA0940N  
Min. Length [mm]: 300  
Overall Length [mm]: 415  
Required quantity: 2  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Oil Pressure

### MM-01324

#### Shock Absorber



VW T-ROC (A11)

**OE**  
5Q0513049HT  
5Q0513049JA  
L5QD513049N

Fitting Position: Rear Axle  
For OE number: L5QD513049N  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-01325

#### Shock Absorber



AUDI A4 Allroad (8KH, B8)

**OE**  
8K0 513 035 AC  
8K0513035AC

Fitting Position: Rear Axle  
For OE number: 8K0 513 035 AC  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-01335

#### Shock Absorber



IVECO DAILY Cassone / Furgonato / Promiscuo  
IVECO DAILY III Autobus  
IVECO DAILY III Cassone / Furgonato / Promiscuo  
IVECO DAILY III Pianale piatto/Telaio  
IVECO DAILY IV Autobus

**OE**  
500378189  
500378190  
504043876  
504043882  
504064993  
504069580

Bore [mm]: 35  
Fitting Position: Rear Axle  
Length 1 [mm]: 316  
Length 2 [mm]: 478  
Piston Rod Diameter [mm]: 15,8  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Oil Pressure  
Weight [kg]: 2,470

### MM-01361

#### Shock Absorber



ALPINA B6 Coupé (F06)  
BMW 5 (F10, F18)  
BMW 5 Touring (F11)  
BMW 6 Cabriolet (F12)  
BMW 6 Gran Coupé (F06)

**OE**  
31 31 6 784 013  
31 31 6 789 361  
31 31 6 789 603  
31 31 6 798 779  
31 31 6 798 781  
31 31 6 852 873

Fitting Position: Front Axle Left  
Paired article numbers: MA-01362  
Paired article numbers: MJ01362  
Paired article numbers: MM-01362  
Shock Absorber Design: Spring-bearing Damper  
Shock Absorber Mounting Type: Bottom Fork  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-01362

#### Shock Absorber



ALPINA B6 Coupé (F06)  
BMW 5 (F10, F18)  
BMW 5 Touring (F11)  
BMW 6 Cabriolet (F12)  
BMW 6 Gran Coupe (F06)

#### OE

31 31 6 784 014  
31 31 6 789 362  
31 31 6 789 604  
31 31 6 798 780  
31 31 6 798 782  
31 31 6 852 874

Fitting Position: Front Axle Right  
Paired article numbers: MA-01361  
Paired article numbers: MJ01361  
Paired article numbers: MM-01361  
Shock Absorber Design: Spring-bearing  
Damper  
Shock Absorber Mounting Type: Bottom Fork  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-10144

#### Shock Absorber



NISSAN PIXO (UA0)  
SUZUKI ALTO (HA25, HA35)

#### OE

4106962L00  
41602M68K00  
543034A00F  
543034A00L

Fitting Position: Front Axle Left  
Paired article numbers: MA-10145  
Paired article numbers: MJ10145  
Paired article numbers: MM-10145  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-10145

#### Shock Absorber



NISSAN PIXO (UA0)  
SUZUKI ALTO (HA25, HA35)

#### OE

4106862L00  
41601M68K00  
543024A00F  
543024A00L

Fitting Position: Front Axle Right  
Paired article numbers: MA-10144  
Paired article numbers: MJ10144  
Paired article numbers: MM-10144  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-33134

#### Shock Absorber



FORD FOCUS III  
FORD FOCUS III Tre volumi  
FORD FOCUS III Turnier

#### OE

1855006  
1866903  
1866904  
1866905  
1898202  
2227156

Fitting Position: Front Axle Right  
Paired article numbers: MA-33135  
Paired article numbers: MJ33135  
Paired article numbers: MM-33135  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-33135

#### Shock Absorber



FORD FOCUS III  
FORD FOCUS III Tre volumi  
FORD FOCUS III Turnier

#### OE

1866152  
1866153  
1866155  
1885005  
1898197  
2227172

Fitting Position: Front Axle Left  
Paired article numbers: MA-33134  
Paired article numbers: MJ33134  
Paired article numbers: MM-33134  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure



## Mounting

### MM-40071

#### Shock Absorber



OPEL CORSA E  
OPEL CORSA E Van  
VAUXHALL CORSA Mk IV (E)  
VAUXHALL CORSAVAN Mk IV (E) (X15)

#### OE

013432673  
13432673  
13432674  
13435302  
13435303  
436980

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-60034

#### Shock Absorber



PEUGEOT 208  
PEUGEOT 208 Furgonato

#### OE

9808033680  
9820325480

Diameter 1 [mm]: 47  
Fitting Position: Front Axle Left  
Paired article numbers: MA-60035  
Paired article numbers: MJ60035  
Paired article numbers: MM-60035  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-60035

#### Shock Absorber



PEUGEOT 208  
PEUGEOT 208 Furgonato


#### OE

9808033580  
9820325380

Diameter 1 [mm]: 47  
Fitting Position: Front Axle Right  
Paired article numbers: MA-60034  
Paired article numbers: MJ60034  
Paired article numbers: MM-60034  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-60037

#### Shock Absorber



PEUGEOT 2008  
PEUGEOT 2008 I Van (CU\_)


#### OE

9809625480  
9820327880

Diameter 1 [mm]: 51  
Fitting Position: Front Axle Left  
Paired article numbers: MA-60038  
Paired article numbers: MJ60038  
Paired article numbers: MM-60038  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-60038

#### Shock Absorber



PEUGEOT 2008  
PEUGEOT 2008 I Van (CU\_)

#### OE


9809625380  
9820327780

Diameter 1 [mm]: 51  
Fitting Position: Front Axle Right  
Paired article numbers: MA-60037  
Paired article numbers: MJ60037  
Paired article numbers: MM-60037  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-60041

#### Shock Absorber



CITROEN C3 II  
CITROEN C3 III (SX)  
CITROEN C3 III Van (SX\_, SY\_)

**OE**  
9812428780

Fitting Position: Front Axle Left  
Paired article numbers: MA-60042  
Paired article numbers: MJ60042  
Paired article numbers: MM-60042  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure  
Strut outside diameter [mm]: 51

### MM-60042

#### Shock Absorber



CITROEN C3 II  
CITROEN C3 III (SX)  
CITROEN C3 III Van (SX\_, SY\_)

**OE**  
9812428680

Fitting Position: Front Axle Right  
Paired article numbers: MA-60041  
Paired article numbers: MJ60041  
Paired article numbers: MM-60041  
Piston Rod Diameter [mm]: 22  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure  
Strut outside diameter [mm]: 51

### MM-60045

#### Shock Absorber



DACIA SANDERO  
RENAULT SANDERO/STEPWAY I

**OE**  
56 21 077 88R  
562107788R

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-70072

#### Shock Absorber



RENAULT MODUS / GRAND MODUS (F/JP0\_)

**OE**  
543028848R  
8200127279  
8200127280  
8200675732

Fitting Position: Front Axle  
Shock Absorber Design: Damper with Rebound Spring  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-70075

#### Shock Absorber



RENAULT CLIO IV

**OE**  
543021923R  
543023278R

Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-90058

#### Shock Absorber



AUDI A1 Allstreet (GBH)  
AUDI A1 CITY CARVER (GBH)  
AUDI A1 Sportback (GBA)  
SEAT ARONA (KJ7)  
SKODA KAMIQ (NW4)  
SKODA SCALA

#### OE

2Q0413031AA  
2Q0413031AB  
2Q0413031CF  
2Q0413031CP  
2Q0413031CT  
2Q0413031DA

Fitting Position: Front Axle  
Length [mm]: 170  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-90060

#### Shock Absorber



AUDI A4 (8K2, B8)  
AUDI A4 Avant (8K5, B8)  
AUDI A6 (4G2, C7, 4GC)  
AUDI A6 Avant (4G5, C7, 4GD)

#### OE

4G5513035E  
4G5513035G  
4GD513035B  
8K0513035AF  
8K0513035BB

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-90066

#### Shock Absorber



JEEP AVENGER  
PEUGEOT 2008 II (U\_)  
PEUGEOT 208 II (UB\_, UP\_, UW\_, UJ\_)

#### OE

9834826580  
9836658080  
9846716480

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-90067

#### Shock Absorber



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)  
VW CALIFORNIA T6 Camper (SGC, SGG, SHC)  
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)  
VW MULTIVAN VI (SGF, SGM, SGN)  
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB,


#### OE

7E8413031  
7E8413031A  
7H8413031C  
7LA413031M

Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-90068

#### Shock Absorber



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)  
VW CALIFORNIA T6 Camper (SGC, SGG, SHC)  
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)  
VW MULTIVAN VI (SGF, SGM, SGN)  
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB,

#### OE

7E5413031A  
7E5413031C  
7E5413031H  
7H0413031K  
7H0413031N

Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-ASC081



INFINITI QX56  
INFINITI QX80  
NISSAN ARMADA (Y62)

Compressor, compressed air system

#### OE

534001LA4A  
534001LA4B  
534001LA4C

Spring Type: for pneumatic suspension vehicles  
Supplementary Article/Supplementary Info 2:  
With dryer

### MM-ASC082



KIA BORREGO

Compressor, compressed air system

#### OE

558102J000

Spring Type: for pneumatic suspension vehicles  
Supplementary Article/Supplementary Info 2:  
With dryer

### MM-ASV028



ROLLS-ROYCE DAWN  
ROLLS-ROYCE GHOST  
ROLLS-ROYCE WRAITH Coupé

Valve, compressed-air system

#### OE

37206782222  
37206850319  
37206886059  
6782222  
6850319  
6886059

Valve Type: Solenoid Valve

### RD-009



MG MG ZS Fuoristrada chiuso

Tie Rod Axle Joint

#### OE

10353671

Fitting Position: Front Axle left and right  
Length [mm]: 225  
Outer Diameter [mm]: 37  
Outer Thread [mm]: M14x1,5  
Spanner Size: 34

### RD-285



CITROEN JUMPY  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Pianale piatto/Telaio  
CITROEN SPACETOURER  
OPEL VIVARO C Combi (K0)  
OPEL VIVARO C Furgonato (K0)

Tie Rod Axle Joint

#### OE

1682733180\*  
9820340280\*  
SU001A7257\*

Axle Joint Length [mm]: 265  
Fitting Position: Front Axle  
Thread Measurement 1: MM14X1,5R  
Thread Size: MM16X1,5R

## Mounting

### RD-444

#### Tie Rod Axle Joint




HONDA FR-V (BE)

**OE**  
53521SCVA01

Axle Joint Length [mm]: 562  
Fitting Position: Front Axle  
Thread Measurement 1: MM14X1,5R  
Thread Size: MM14X1,25R

### RD-712

#### Tie Rod Axle Joint




SUBARU IMPREZA 2 volumi /Coda spiovente (GP)  
SUBARU IMPREZA Tre volumi (GJ)

**OE**  
34160FJ000

Axle Joint Length [mm]: 302  
Fitting Position: Front Axle  
Thread Measurement 1: MM14X1,5R  
Thread Size: MM16X1,5R

### RD-K30

#### Tie Rod Axle Joint



KIA OPTIMA  
KIA OPTIMA Sportswagon

**OE**  
57724D4000

Axle Joint Length [mm]: 230  
Fitting Position: Front Axle  
Thread Measurement 1: MM16X1,5R  
Thread Size: MM18X1,5R

### RD-M03

#### Tie Rod Axle Joint



RENAULT TWINGO III  
SMART FORFOUR 2 volumi /Coda spiovente (453)  
SMART FORTWO Cabriolet (453)  
SMART FORTWO Coupé (453)

**OE**  
4534630000\*  
485215653R\*

Axle Joint Length [mm]: 393  
Fitting Position: Front Axle  
Thread Measurement 1: MM14X1,5R  
Thread Size: MM12X1R

### RU-1297

#### Bearing Bush, stabiliser



NISSAN NAVARA Pick-up (D23)

**OE**  
546134KH2A

Inner Diameter [mm]: 19  
Length [mm]: 49

## Mounting

### RU-1302

#### Stabiliser Mounting



NISSAN CABSTAR Pick-up

#### OE

546129X200  
546129X50A

Fitting Position: Front Axle  
Length [mm]: 51  
Material: Elastomer  
Thickness [mm]: 46  
Width [mm]: 42

### RU-1359

#### Stabiliser Mounting



NISSAN INTERSTAR Autobus (X70)  
NISSAN INTERSTAR Furgonato (X70)  
NISSAN INTERSTAR Pianale piatto/Telaio  
OPEL MOVANO Combi (J9)  
OPEL MOVANO Furgonato (F9)  
OPEL MOVANO Pianale piatto/Telaio (U9, E9)

#### OE

4401134  
5631500QAA  
7700667184  
9109134

Fitting Position: Rear Axle  
Inner Diameter [mm]: 22,4  
Length [mm]: 24

### RU-2901

#### Stabiliser Mounting



CITROEN JUMPY  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Pianale piatto/Telaio  
FIAT SCUDO (270\_)  
FIAT SCUDO Furgonato (270\_)  
FIAT SCUDO Pianale piatto/Telaio (270\_)

#### OE

1330890080\*  
1400245280\*  
1440123280\*  
1440177280\*  
1494976080\*  
1494977080\*

Fitting Position: Front Axle  
Inner Diameter [mm]: 24  
Length [mm]: 47  
Outer Diameter [mm]: 42,5

### RU-8021

#### Stabiliser Mounting



SUZUKI IGNIS (MF)

#### OE

4243174P00

Fitting Position: Front Axle  
Height [mm]: 32,5  
Inner Diameter [mm]: 17  
Length [mm]: 32

### RU-9057

#### Stabiliser Mounting



CHRYSLER GRAND VOYAGER III VAN (GS)  
CHRYSLER VOYAGER III (GS)  
CHRYSLER VOYAGER III VAN (GS\_)

#### OE

0004228785  
04228785  
4228785

Fitting Position: Rear Axle  
Inner Diameter [mm]: 15  
Material: Elastomer



## Mounting

### RU-9089



JEEP GRAND CHEROKEE IV (WK, WK2)

#### Control Arm-/Trailing Arm Bush

##### OE

68022 624AE  
68046 195AF\*  
68046 196AF\*  
Part of

Fitting Position: Upper Front Axle  
Height [mm]: 45  
Inner Diameter [mm]: 12,1  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 45,5  
Steering Type: Control Arm

### SM0477C



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)  
AUDI A3 (8L1)  
AUDI TT (8N3)  
AUDI TT Roadster (8N9)  
FORD GALAXY (WGR)

#### Friction Bearing, suspension strut support mounting

##### OE

1J0412249  
357412249  
357412249A  
4503300051  
6R0412249  
7201688

Fitting Position: Front Axle left and right

### SM0498C



LANCIA KAPPA (838A)  
LANCIA KAPPA Coupe (838)  
LANCIA KAPPA SW (838B)

#### Friction Bearing, suspension strut support mounting

##### OE

50700511  
7778950

Fitting Position: Front Axle

### SM0503



AUDI A4 (8K2, B8)  
AUDI A4 Allroad (8KH, B8)  
AUDI A4 Avant (8K5, B8)  
AUDI A5 (8T3)  
AUDI A5 Cabriolet (8F7)  
AUDI A5 Sportback (8TA)

#### Strut Mount

##### OE

8K0513353E  
8K0513353F

Fitting Position: Rear Axle

### SM0505



FIAT PUNTO (176)  
FIAT PUNTO Cabriolet (176C)  
FIAT PUNTO Van (176L)  
LANCIA Y (840A)

#### Strut Mount

##### OE

46452740  
7775940

Fitting Position: Front Axle

## Mounting

### SM0525

#### Strut Mount



AUDI A4 (8E2, B6)  
AUDI A4 (8EC, B7)  
AUDI A4 Avant (8E5, B6)  
AUDI A4 Avant (8ED, B7)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)  
AUDI A6 (4F2, C6)

**OE**  
4F0513353D

Fitting Position: Rear Axle

### SM0535C

#### Friction Bearing, suspension strut support mounting



MERCEDES-BENZ VIANO (W639)  
MERCEDES-BENZ VITO / MIXTO Furgonato (W639)  
MERCEDES-BENZ VITO Autobus (W639)

**OE**  
6399810025  
6399810125  
6399810225  
6399810325  
A6399810025  
A6399810125

Fitting Position: Front

### TI-377

#### Tie Rod End



MAZDA CX-5 (KF)

**OE**  
K12332280

Cone Size [mm]: 13,6  
Fitting Position: Front Axle  
Length [mm]: 148  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5R

### TI-707L

#### Tie Rod End



SUBARU BRZ  
TOYOTA GT 86 Coupé (ZN6\_)

**OE**  
34161CA010  
SU00300834

Cone Size [mm]: 13,2  
Fitting Position: Front Axle Left  
Length [mm]: 137  
Paired article numbers: 111-07-707R  
Paired article numbers: 111707R  
Paired article numbers: TI-707R  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5R

### TI-707R

#### Tie Rod End



SUBARU BRZ  
TOYOTA GT 86 Coupé (ZN6\_)

**OE**  
34161CA000  
SU00300833

Cone Size [mm]: 13,2  
Fitting Position: Front Axle Right  
Length [mm]: 137  
Paired article numbers: 111-07-707L  
Paired article numbers: 111707L  
Paired article numbers: TI-707L  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5R

## Mounting

### TI-H33L

#### Tie Rod End



HYUNDAI IONIQ  
HYUNDAI KONA (OS)  
HYUNDAI KONA Cassone/SUV (OS)  
KIA NIRO  
KIA NIRO VAN (DE)

#### OE

56820G2000  
56820G2500  
56820K4000  
56820S0001

Cone Size [mm]: 12,1  
Fitting Position: Front Axle Left  
Length [mm]: 122  
Paired article numbers: 111-0H-H33R  
Paired article numbers: 111H33R  
Paired article numbers: TI-H33R  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM16X1,5R

### TI-H33R

#### Tie Rod End



HYUNDAI IONIQ  
HYUNDAI KONA (OS)  
HYUNDAI KONA Cassone/SUV (OS)  
KIA NIRO  
KIA NIRO VAN (DE)

#### OE

56825G2000  
56825G2500  
56825K4090  
56825S0001

Cone Size [mm]: 12,1  
Fitting Position: Front Axle Right  
Length [mm]: 122  
Paired article numbers: 111-0H-H33L  
Paired article numbers: 111H33L  
Paired article numbers: TI-H33L  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM16X1,5R

### ZC00009

#### Coil Spring



AUDI TT (8J3)  
AUDI TT Roadster (8J9)


#### OE

8J0 511 115 AK  
8J0 511 115 BA  
8J0 511 115 F

Fitting Position: Rear Axle  
Spring Design: Coil spring with constant wire diameter

### ZC00010

#### Coil Spring



NISSAN QASHQAI  
NISSAN QASHQAI (J11, J11\_)  
NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)


#### OE

54010BM91A

Fitting Position: Front Axle  
Length [mm]: 324  
Outer Diameter [mm]: 156  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 13,8

### ZC00011

#### Coil Spring



NISSAN X-TRAIL (T32)

#### OE


540104CE0C  
540104CE1C  
540104CE2C  
540104CM0A

Fitting Position: Front Axle  
Length [mm]: 332  
Outer Diameter [mm]: 155  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 13,8

## Mounting

### ZC00016

#### Coil Spring



VW PASSAT ALLTRACK (365)  
VW PASSAT ALLTRACK (3G5)  
VW PASSAT Variant (365)

#### OE

3C0511115BP  
3C0511115BQ  
3Q0511115AS  
3Q0511115AT

Fitting Position: Rear Axle  
Length [mm]: 364  
Outer Diameter [mm]: 118  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 13,8

### ZC00023

#### Coil Spring



SKODA OCTAVIA Combi (5E5)


#### OE

5Q0411105HN

Fitting Position: Front Axle  
Length [mm]: 332  
Outer Diameter [mm]: 149  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 12,2

### ZC00025

#### Coil Spring



RENAULT SANDERO/STEPWAY II (B8\_)

#### OE

540105571R

Fitting Position: Front Axle  
Length [mm]: 316  
Outer Diameter [mm]: 150  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 11,5

### ZC00030

#### Coil Spring



HYUNDAI CRETA

#### OE

54632M0200

Fitting Position: Front Axle  
Length [mm]: 327  
Outer Diameter [mm]: 147  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 13,8

### ZC00037

#### Coil Spring



SKODA OCTAVIA (1Z3)  
SKODA YETI (5L)  
VW JETTA IV (162, 163)

#### OE


1K0511115CK

Fitting Position: Rear Axle  
Length [mm]: 372  
Outer Diameter [mm]: 114  
Parameter: E  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 11,8

## Mounting

### ZC00038

#### Coil Spring



BMW 5 (F10, F18)

#### OE

31336795427  
31336795428

Fitting Position: Front Axle  
Length [mm]: 361  
Outer Diameter [mm]: 115  
Parameter: AC  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 12,5

### ZC00039

#### Coil Spring



RENAULT CLIO Grandtour IV  
RENAULT CLIO IV Grandtour (KH\_)


#### OE

550201136R

Fitting Position: Rear Axle  
Length [mm]: 239  
Outer Diameter [mm]: 97  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 11,25

### ZC00041

#### Coil Spring



DACIA DUSTER


#### OE

540107794R

Fitting Position: Front Axle  
Length [mm]: 394  
Outer Diameter [mm]: 134  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 11,8

### ZC00042

#### Coil Spring



DACIA SANDERO


#### OE

550209436R

Fitting Position: Rear Axle  
Length [mm]: 339  
Outer Diameter [mm]: 104  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 11,8

### ZC00043

#### Coil Spring



RENAULT ZOE

#### OE

540101627R  
540103712R  
540105283R  
540106815R  
540106968R  
540107003R

Fitting Position: Front Axle  
Length [mm]: 337  
Outer Diameter [mm]: 157  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 12,5

## Mounting

### ZC00044

#### Coil Spring



HYUNDAI ix35 (LM, EL, ELH)

**OE**  
546303U304

Fitting Position: Front Axle  
Length [mm]: 307  
Outer Diameter [mm]: 161  
Parameter: E  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 13,8

### ZC00045

#### Coil Spring



HYUNDAI SANTA FÉ II (CM)

**OE**  
546302B950

Fitting Position: Front Axle  
Length [mm]: 366  
Outer Diameter [mm]: 157  
Parameter: AA  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 14,5

### ZC00046

#### Coil Spring



BMW 5 (F10, F18)

**OE**  
33536794654

Fitting Position: Rear Axle  
Length [mm]: 390  
Outer Diameter [mm]: 115  
Parameter: AC  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 12

### ZC00047

#### Coil Spring




NISSAN NOTE (E12)

**OE**  
550203VU0A  
550203WF0A

Fitting Position: Rear Axle  
Length [mm]: 287  
Outer Diameter [mm]: 133  
Parameter: AC  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 12,5

### ZC00049

#### Coil Spring



AUDI A3 Sportback (8VA)  
SKODA OCTAVIA Combi (5E5)  
VW GOLF VII (5G1, BE1)

**OE**  
5Q0511115BH  
5Q0511115BJ  
5Q0511115DR

Fitting Position: Rear Axle  
Length [mm]: 350  
Outer Diameter [mm]: 108  
Parameter: E  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 12,2



## Mounting

### ZC00050

#### Coil Spring




HYUNDAI SOLARIS Tre volumi  
KIA RIO IV Tre volumi (SC, FB)

**OE**  
54630H5103

Fitting Position: Front Axle  
Length [mm]: 323  
Outer Diameter [mm]: 155  
Parameter: E  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 13,2

### ZC00051

#### Coil Spring




HYUNDAI SOLARIS Tre volumi  
KIA RIO IV Tre volumi (SC, FB)

**OE**  
54630H5003

Fitting Position: Front Axle  
Length [mm]: 323  
Outer Diameter [mm]: 153  
Parameter: E  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 12,8

### ZC00052

#### Coil Spring



BMW i3 (I01)

**OE**  
31336867117  
31336867118

Fitting Position: Front Axle  
Length [mm]: 319  
Outer Diameter [mm]: 117  
Parameter: AC  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 10,5

### ZC00053

#### Coil Spring



SKODA SUPERB (3T4)  
SKODA SUPERB Station wagon (3T5)  
VW PASSAT (3C2)  
VW PASSAT Variant (3C5)

**OE**  
3C0411105N  
3C0411105P

Fitting Position: Front Axle  
Spring Design: Coil Spring

### ZC00054

#### Coil Spring



MERCEDES-BENZ VITO Furgonato (W447)  
MERCEDES-BENZ VITO Mixto (W447)  
MERCEDES-BENZ VITO Tourer (W447)

**OE**  
4473210100  
4473211104  
A4473210100  
A4473211104

Fitting Position: Front Axle  
Length [mm]: 379  
Outer Diameter [mm]: 160  
Spring Design: Coil Spring  
Thickness/Strength 1 [mm]: 15

## Mounting

### ZS00092

#### Gas Spring, boot-/cargo area



BMW 2 Gran Tourer (F46)  
BMW 2 Gran Tourer Van (F46)

#### OE

51247411918  
51247445018  
7411918  
7445018

Eject Force [N]: 690  
Length [mm]: 588,5  
Stroke [mm]: 161,5  
Supplementary Article/Supplementary Info:  
With external spring

### ZS00093

#### Gas Spring, boot-/cargo area



BMW 2 Gran Tourer (F46)  
BMW 2 Gran Tourer Van (F46)

#### OE

51247411917  
51247445017  
7411917  
7445017

Eject Force [N]: 690  
Length [mm]: 588,5  
Stroke [mm]: 161,5  
Supplementary Article/Supplementary Info:  
With external spring

### ZS00097

#### Gas Spring, boot-/cargo area



BMW 2 Active Tourer (F45)  
BMW 2 Active Tourer Van (F45)

#### OE

51247410916  
7410916

Eject Force [N]: 845  
Length [mm]: 528,5  
Stroke [mm]: 130  
Supplementary Article/Supplementary Info:  
With external spring

### ZS00098

#### Gas Spring, boot-/cargo area



BMW 2 Active Tourer (F45)  
BMW 2 Active Tourer Van (F45)

#### OE

51247410915  
7410915

Eject Force [N]: 845  
Length [mm]: 528,5  
Stroke [mm]: 130  
Supplementary Article/Supplementary Info:  
With external spring

### ZS00113

#### Gas Spring, boot-/cargo area



ALPINA B3 (G20)  
ALPINA D3 (G20)  
BMW 3 (G20)

#### OE

5124745061  
51247450612  
7450612

Compressive Force [N]: 25  
Length [mm]: 331  
Tensile Force [N]: 570

## Mounting

### ZS05060

#### Gas Spring, boot-/cargo area



MERCEDES-BENZ AMG GT (X290)  
 MERCEDES-BENZ CLASSE E (W213)  
 MERCEDES-BENZ CLASSE E All-Terrain (S213)  
 MERCEDES-BENZ CLASSE E Cabriolet (A238)  
 MERCEDES-BENZ CLASSE E Coupè (C238)  
 MERCEDES-BENZ CLASSE E T-Model (S213)

#### OE

213 980 01 64  
 2139800164  
 2139800764  
 A2139800164  
 A2139800764

Eject Force [N]: 260  
 Fitting Position: Left  
 Length [mm]: 471  
 Paired article numbers: ZS05061  
 Paired article numbers: ZSA05061  
 Paired article numbers: ZSJ05061  
 Stroke [mm]: 160  
 Supplementary Article/Supplementary Info:  
 with protector pipe

### ZS05061

#### Gas Spring, boot-/cargo area



MERCEDES-BENZ AMG GT (X290)  
 MERCEDES-BENZ CLASSE E (W213)  
 MERCEDES-BENZ CLASSE E All-Terrain (S213)  
 MERCEDES-BENZ CLASSE E Cabriolet (A238)  
 MERCEDES-BENZ CLASSE E Coupè (C238)  
 MERCEDES-BENZ CLASSE E T-Model (S213)

#### OE

213 980 02 64  
 2139800264  
 2139800864  
 A2139800264  
 A2139800864

Eject Force [N]: 260  
 Fitting Position: Right  
 Length [mm]: 471  
 Paired article numbers: ZS05060  
 Paired article numbers: ZSA05060  
 Paired article numbers: ZSJ05060  
 Stroke [mm]: 160  
 Supplementary Article/Supplementary Info:  
 with protector pipe