




STARTERS MOTORINI AVVIAMENTO



www.japanparts.eu


CATALOGUE
FOR CARS AND
COMMERCIAL VEHICLES

CATALOGO
PER AUTOMOBILI E VEICOLI
COMMERCIALI

Electrics

MT-101JM

Starter



ALFA ROMEO 145 (930)
ALFA ROMEO 146 (930)
ALFA ROMEO 147 (937)
ALFA ROMEO 156 (932)
ALFA ROMEO 156 Sportwagon (932)
ALFA ROMEO 159 (939)

OE
1202282
3110079J00
3110079J00000
31100H79J00
31100H79J00000
31100T79J00

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Flange [mm]: 81,5
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-102JM

Starter



ALFA ROMEO MITO (955)
CITROEN NEMO Station wagon
FIAT 500 (312)
FIAT 500 C (312)
FIAT DOBLO (119)
FIAT FIORINO MPV / Space wagon (225_)

OE
09115193
1202265
1202499
1571299
1612794380
1637179980

Clamp: M8 B+
Flange [mm]: 64
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 1,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-103JM

Starter



ABARTH 124 Spider (348_)
ABARTH 500 (312)
ABARTH 500C (312)
ABARTH PUNTO EVO (199)
ALFA ROMEO GIULIETTA (940)
ALFA ROMEO MITO (955)

OE
1202291
1202503
136908
1542468
1567033
1726802

Clamp: M8 B+
Flange [mm]: 64
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 8
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-104JM

Starter



FIAT PALIO (178BX)
FIAT PALIO Weekend (178DX)
FIAT PUNTO (188)
FIAT SEICENTO (187)
FIAT SIENA (178_)
LANCIA Y (840A)

OE
136910
2506910
46429594
46473785
46518059
46548653

Clamp: M8, Pin "50" M6
Flange [mm]: 64
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 8
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-105JM

Starter



DACIA LOGAN (LS_)
DACIA LOGAN II
DACIA LOGAN MCV (KS_)
DACIA LOGAN MCV II
DACIA LOGAN Pick-up (US_)
DACIA SANDERO

OE
2330000Q0F
2330000Q1H
2330000Q1M
2330000Q2C
2330000Q6L
2330000QA0

Clamp: M8 B+, Pin "50" Plug
Flange [mm]: 63
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 12
Number of Teeth: 13
Number of Thread Bores: 3
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-106JM

Starter



IVECO MASSIF Pick-up
IVECO MASSIF Station Wagon

OE

1516689R
2994100
2995990
2997002
42498717
500059592

Clamp: M8, Pin "50" M6
Flange [mm]: 81,5
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 2,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-107JM

Starter



FORD FIESTA V (JH_, JD_)
FORD FIESTA VI
FORD FUSION (JU_)
MAZDA 2 (DY)


OE

1140757
1144505
1350459
1366195
1368974
1483817

Clamp: M8, Pin "50" M6
Number of mounting bores: 3
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-108JM

Starter



CITROEN BERLINGO (B9)
CITROEN BERLINGO (K9)
CITROEN BERLINGO (MF)
CITROEN C-ELYSEE
CITROEN C1 (PM_, PN_)
CITROEN C2 (JM_)

OE

00005802AZ
00005802FG
1213257
1638115880
28100YV010
28100YV011

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Number of mounting bores: 4
Number of Teeth: 11
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-109JM

Starter



CITROEN JUMPER Autobus
CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Furgonato (244)

OE

130019808
1300198080
130019808080
131955508
1319555080
1319555088

Clamp: M8, Pin "50" M6
Flange [mm]: 81,5
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 2,5
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-110JM

Starter



CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Furgonato (244)
CITROEN JUMPER Pianale piatto/Telaio (230)
CITROEN JUMPER Pianale piatto/Telaio (244)

OE

1319555080
1331329080
134705808
1347058080
134705880
1524014R

Clamp: M8
Flange [mm]: 82
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 2,5
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-111JM

Starter



CITROEN BERLINGO (MF)
CITROEN BX (XB-_)
CITROEN BX Break (XB-_)
CITROEN C-CROSSER (EP-)
CITROEN C15 Station wagon
CITROEN C4 Coupé (LA-)

OE

1320921080
1332419080
1502453001E
151412580
1516680R
1516741R

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Number of mounting bores: 3
Number of Teeth: 11
Number of Thread Bores: 2
Rated Power [kW]: 1,9
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-112JM

Starter



CITROEN BERLINGO (MF)
CITROEN BX (XB-_)
CITROEN BX Break (XB-_)
CITROEN C-CROSSER (EP-)
CITROEN C15 Station wagon
CITROEN C4 Coupé (LA-)

OE

0016531
1005831356
1319121080
1342792080
1516776R
1516779R

Clamp: M8, Pin "50" M5
Flange [mm]: 66
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 11
Number of Teeth: 12
Number of Teeth: 13
Number of Thread Bores: 3
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-113JM

Starter



MERCEDES-BENZ CLASSE C (W202)
MERCEDES-BENZ CLASSE C (W203)
MERCEDES-BENZ CLASSE C Coupe (CL203)
MERCEDES-BENZ CLASSE C Station wagon (S202)
MERCEDES-BENZ CLASSE C T-Model (S203)

OE

0031515001
003151500180
0041512101
004151210180
0041513001
004151300180

Clamp: M8
Flange [mm]: 82,5
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-114JM

Starter



FORD FIESTA IV (JA-, JB-)
FORD FOCUS (DAW, DBW)
FORD FOCUS Station wagon (DNW)
FORD FOCUS Tre volumi (DFW)
FORD PUMA (EC-)
MAZDA 121 III (JASM, JBSM)

OE

0018882
1004565
1004566
1011330
1011331
1018882

Clamp: Pin "50" M6
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 10
Number of Thread Bores: 3
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-115JM

Starter



CITROEN AX (ZA-)
CITROEN BERLINGO (B9)
CITROEN BERLINGO (MF)
CITROEN C-ELYSEE
CITROEN C2 (JM-)
CITROEN C3 I (FC-)

OE

1613850
1638115980
5802000000000
580298
580299
5802A0

Clamp: M8, Pin "50" M5
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 0,9
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-116JM

Starter



ALFA ROMEO 159 (939)
ALFA ROMEO 159 Sportwagon (939)
ALFA ROMEO BRERA
ALFA ROMEO SPIDER (939)
CHRYSLER DELTA
FIAT BRAVO II (198)

OE

0001Y03631
00K68080459AA
3110055L00
3110055L00000
3110055L01
31100T55L00

Clamp: M8 B+, Pin "50" M6
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 11
Number of Thread Bores: 0
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-117JM

Starter



FIAT PALIO (178BX)
FIAT PALIO Weekend (178DX)
FIAT PANDA (141A_)
FIAT PUNTO (188)
FIAT SEICENTO (187)
FIAT SIENA (178_)


OE

46432262
46465475
46758241
46763530
46765839
46796553

Clamp: M8, Pin "50" M6
Flange [mm]: 64
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-118JM

Starter



LAND ROVER DEFENDER Cabrio (LD)
LAND ROVER DEFENDER Pick-up (LD_)
LAND ROVER DEFENDER Station Wagon (LD)

OE

1372739
1375378
1385378
1574338
1606413580
1638117780

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Flange [mm]: 89
Number of mounting bores: 2
Number of Teeth: 12
Number of Thread Bores: 0
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-119JM

Starter



FORD C-MAX (DM2)
FORD C-MAX II
FORD FOCUS C-MAX
FORD FOCUS II (DA_)
FORD FOCUS II Station wagon (DA_)
FORD FOCUS II Tre volumi (DA_)


OE

1229427
1233234
1254222
1368970
1469712
1707507

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Number of mounting bores: 3
Number of Teeth: 11
Number of Thread Bores: 2
Rated Power [kW]: 1,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-120JM

Starter



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
AUDI Q3 (8U)

OE


02M911023N
02M911023NX
02M911023P
02M911023PX
02M911024
02M911024A

Clamp: Pin "50" Plug
Flange [mm]: 76
Number of mounting bores: 2
Number of Teeth: 11
Number of Teeth: 12
Number of Thread Bores: 0
Rated Power [kW]: 2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

Electrics

MT-121JM

Starter



FORD ESCORT CLASSIC (AAL, ABL)
FORD ESCORT V (GAL)
FORD ESCORT V Station wagon (GAL, AVL)
FORD ESCORT VI (GAL)
FORD ESCORT VI Station wagon (GAL)
FORD ESCORT VI Tre volumi (GAL)


OE

1008813
1008835
1027300
1058429
1061267
1061627

Clamp: M8, Pin "50" M6
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 10
Number of Thread Bores: 3
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-122JM

Starter



MERCEDES-BENZ CLASSE X (470)
NISSAN NAVARA Pick-up (D23)
NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)
NISSAN X-TRAIL (T31)
RENAULT ALASKAN
RENAULT ESPACE IV (JK0/1_)

OE

1202193
1202204
1202395
1638118680
2330000Q0A
2330000Q0D

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 11
Number of Thread Bores: 0
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-123JM

Starter



HYUNDAI GALLOPER II (JK-01)
HYUNDAI TERRACAN (HP)
MITSUBISHI GALANT VI (EA_)
MITSUBISHI GALANT VI Station wagon (EA_)
MITSUBISHI L 200 (K7_T, K6_T)
MITSUBISHI LANCER V (CB/D_A)

OE

23300FY500
3610042250
3610042350
3610042450
DMX140056
M002T84170

Clamp: M10
Flange [mm]: 77
Number of mounting bores: 2
Number of Teeth 1: 12
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-124JM

Starter



CITROEN C1 (PM_, PN_)
CITROEN C1 II
PEUGEOT 107
PEUGEOT 108
TOYOTA AYGO (PAB4_, KGB4_)
TOYOTA AYGO (WNB1_, KGB1_)

OE

1612092980
1612350580
281000Q012
281000Q012C
281000Q012D
281000Q021

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 1
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-125JM

Starter



FIAT CINQUECENTO (170)
FIAT PANDA (141A_)
FIAT SEICENTO (187)
FIAT UNO (146A/E)
LANCIA A 112
SEAT FURA (025A)

OE

0003914191
0003974104
0011891
0014710
127908000AX
3914191

Clamp: M8
Flange [mm]: 62
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-126JM

Starter



CITROEN BERLINGO (B9)
CITROEN C1 (PM_, PN_)
CITROEN C2 (JM_)
CITROEN C3 I (FC_)
CITROEN C3 II
CITROEN C3 III (SX)

OE

02T911023Q
28100YV020
3110073J00
3647959
5645100680
580228

Clamp: M8
Number of mounting bores: 3
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 1,5
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-127JM

Starter



AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
SEAT ALTEA (5P1)
SEAT ALTEA XL (5P5, 5P8)
SEAT CORDOBA (6L2)

OE

02Z911023B
02Z911023F
02Z911023FX
02Z911023H
02Z911023HX
02Z911024J

Clamp: Pin "30" M8 B+
Clamp: Pin "50" Plug
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 10
Number of Thread Bores: 0
Rated Power [kW]: 2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-128JM

Starter



CHEVROLET CORSA Pick-up
CHEVROLET CORSA Station wagon
CHEVROLET CORSA Tre volumi
CHEVROLET TRAX
HONDA CIVIC VII Hatchback (EU, EP, EV)
OPEL ASTRA CLASSIC (L48)

OE

1202591
136934
1638117380
2506934
31200PLZD00
6202000

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M4
Flange [mm]: 78
Number of mounting bores: 2
Number of Teeth: 13
Number of Thread Bores: 1
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-129JM

Starter



FORD C-MAX (DM2)
FORD FOCUS C-MAX
FORD FOCUS II (DA_)
FORD FOCUS II Cabriolet
FORD FOCUS II Station wagon (DA_)
FORD FOCUS II Tre volumi (DA_)

OE

1427763
1476606
1529431
1904993
4M5T11000FA
6G9N11000GA

Clamp: M8 B+
Flange [mm]: 63
Number of mounting bores: 3
Number of Teeth: 11
Number of Thread Bores: 3
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-130JM

Starter



BMW 02 (E10)
BMW 02 Cabriolet (E10)
BMW 02 Touring (E6)
BMW 1500-2000 (115, 116, 118, 121)
BMW 1600 GT Coupe
BMW 2000-3.2 Coupe (E9)

OE


1005821194
12411308543
12411312104
12411312130
1312104
1312130

Clamp: M8, Pin "50" M6
Flange [mm]: 76
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-131JM

Starter



DAEWOO LACETTI 2 volumi /Coda spiovente (KLAN)
FIAT STILO (192)
FIAT STILO Multi Wagon (192)
OPEL AGILA (A) (H00)
OPEL COMBO Tour

OE
091151190
09151190
12596233
24436877
25187957
3110084AE

Clamp: M8, Pin "50" M6
Flange [mm]: 68
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-132JM

Starter



HYUNDAI GALLOPER I
HYUNDAI GALLOPER II (JK-01)
HYUNDAI TERRACAN (HP)
MITSUBISHI GALANT II Station Wagon (A16_V)
MITSUBISHI GALANT IV (A16_)
MITSUBISHI GALANT V (E5_A, E7_A, E8_A)

OE
1516954R
3610042010
3610042011
3610042050
3610047600
3610047650

Clamp: M8 B+
Flange [mm]: 77
Number of mounting bores: 2
Number of Teeth: 13
Number of Thread Bores: 2
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-133JM

Starter



CARBODIES TX1
FORD MAVERICK (UDS, UNS)
NISSAN NAVARA (D21)
NISSAN NAVARA (D22)
NISSAN PATHFINDER (R50)
NISSAN PICK UP (D21)

OE
1516934
1516934R
1953357
1958173
1962439
2330002N00

Clamp: M8
Flange [mm]: 95
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 2,5
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-134JM

Starter



FIAT DOBLO (119)
LANCIA YPSILON (843)
OPEL AGILA (A) (H00)
OPEL AGILA (B) (H08)
OPEL ASTRA CLASSIC (L48)
OPEL ASTRA H (L48)

OE
1202224
1202399
1638136480
3110084ECO
3110084EC0000
3110085E00

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Flange [mm]: 64
Number of mounting bores: 2
Number of Teeth: 8
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-135JM

Starter



TOYOTA YARIS (SCP1_, NLP1_, NCP1_)

OE
2280009540
281000J010
281000J020
281000J02084
281000J020R
281000J030

Clamp: Pin "50" Plug
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 1
Rated Power [kW]: 1,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-136JM

Starter



IVECO DAILY I Autobus
IVECO DAILY I Cassone / Furgonato / Promiscuo
IVECO DAILY I Pianale piatto/Telaio
IVECO DAILY I Ribaltabile
IVECO DAILY II Cassone / Furgonato / Promiscuo

OE
004719664
106055
1516663R
1516714R
1516792R
2995140

Clamp: M8
Flange [mm]: 110
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-137JM

Starter



AUTOBIANCHI Y10
FIAT PANDA (141A_)
FIAT TIPO (160)
FIAT UNO (146A/E)
LANCIA Y10 (156)

OE
0013940
46231510
4623510
46402984
5999906
71ZBAB

Clamp: M8
Flange [mm]: 64
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-138JM

Starter



CHEVROLET AVEO 2 volumi /Coda spiovente (T200)
CHEVROLET AVEO 2 volumi /Coda spiovente (T250, T255)
CHEVROLET AVEO Tre volumi (T200)
CHEVROLET AVEO Tre volumi (T250, T255)

OE
09000700
09000756
09115191
09117031
09130838
09133598

Clamp: M8, Pin "50" M6
Flange [mm]: 68
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 0
Rated Power [kW]: 1,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-139JM

Starter



DACIA LOGAN (LS_)
DACIA LOGAN II
DACIA LOGAN MCV II
DACIA SANDERO
DACIA SANDERO II
RENAULT CLIO Grandtour (KR0/1_)

OE
2330000QAM
2330000QAY
233008504R
5802X6
7700864608
7700864608A

Clamp: M8
Flange [mm]: 63,5
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 0,9
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-140JM

Starter



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)

OE
281000N010

Clamp: Pin "50" Plug
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-141JM

Starter



LEXUS IS II (GSE2_, ALE2_, USE2_)
TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
TOYOTA AURIS (NZE18_, ZRE18_)
TOYOTA AURIS TOURING SPORTS (ADE18_, ZWE18_, ZRE18_)

OE
281000G040
281000R010
281000R01084
281000R021
281000R030
281000R03084

Clamp: Pin "30" M8 B+
Clamp: Pin "50" Plug
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-142JM

Starter



MITSUBISHI CARISMA (DA_)
MITSUBISHI CARISMA Tre volumi (DA_)
MITSUBISHI SPACE STAR (DG_A)
NISSAN PRIMERA (P12)
NISSAN PRIMERA Hatchback (P12)
NISSAN PRIMERA Station wagon (WP12)

OE
1810A048
2330000Q0E
2330000QAC
2330000QAE
23300AW300
23300AW302

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Number of mounting bores: 4
Number of Teeth: 11
Number of Thread Bores: 3
Rated Power [kW]: 2,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-143JM

Starter



MERCEDES-BENZ CLASSE A (W168)
MERCEDES-BENZ Vaneo (414)

OE
0051511601
005151160180
00515160180
0051517401
005151740180
51517401

Clamp: M8, Pin "50" M6
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 0
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-144JM

Starter



OPEL ASTRA GTC J
OPEL ASTRA J
OPEL ASTRA J Sports Tourer
OPEL ASTRA J Tre volumi
OPEL CORSA D
OPEL MERIVA B

OE
1202110
1202281
1202421
55566800
55568572
71739864

Clamp: Pin "50" M6
Flange [mm]: 68
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-145JM

Starter



CITROEN BERLINGO (B9)
CITROEN BERLINGO (K9)
CITROEN BERLINGO (MF)
CITROEN C-ELYSEE
CITROEN C2 (JM_)
CITROEN C3 AIRCROSS II

OE
12417794971
12417805098
1638116880
3110069K00
3640318
5802AE

Clamp: Pin "50" M5
Number of mounting bores: 4
Number of Teeth: 11
Number of Thread Bores: 2
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-146JM

Starter



AUDI A2 (8Z0)
AUDI A3 (8L1)
FORD GALAXY (WGR)
SEAT ALHAMBRA (7V8, 7V9)
SEAT AROSA (6H)
SEAT CORDOBA (6K1, 6K2)

OE

02A911023G
02A911023GX
02A911023J
02A911023JX
02A911023R
02A911023RX

Clamp: M8
Flange [mm]: 76
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 0
Rated Power [kW]: 1,8
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-147JM

Starter



SUZUKI JIMNY (FJ)
SUZUKI JIMNY Fuoristrada aperto (SN)
SUZUKI SAMURAI (SJ)
SUZUKI SAMURAI Fuoristrada aperto (SJ)
SUZUKI SJ 413
SUZUKI VITARA (ET, TA)

OE

1A5118400
3100083021
3110060A10
3110060A10000
3110060A11
3110060A12

Clamp: M8
Flange [mm]: 66
Number of mounting bores: 2
Number of Teeth: 8
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 0,9
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-148JM

Starter



AUDI 80 (89, 89Q, 8A, B3)
AUDI 80 (8C, B4)
AUDI 80 Avant (8C, B4)
AUDI 90 (89, 89Q, 8A, B3)
AUDI A4 (8D2, B5)
AUDI A4 (8E2, B6)

OE

068911023P
068911023PX
068911023R
068911023RX
068911023S
068911023SX

Clamp: M8
Clamp: Pin "50" 6.3mm Spade
Flange [mm]: 82,5
Number of mounting bores: 2
Number of Teeth: 10
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-149JM

Starter



MERCEDES-BENZ CLASSE A (W168)
MERCEDES-BENZ CLASSE A (W169)
MERCEDES-BENZ CLASSE B (W245)
MERCEDES-BENZ Vaneo (414)

OE

0041518501
004151850180
0051212101
0051511101
00515111010080
005151110180

Clamp: Pin "50" M6
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 10
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 1,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-150JM

Starter



FORD MONDEO III (B5Y)
FORD MONDEO III Station wagon (BWY)
FORD MONDEO III Tre volumi (B4Y)
JAGUAR X-TYPE (CF1)
JAGUAR X-TYPE Estate
LTI TX

OE

0255CB
1096338
1120215
1140110
1151641
1202166

Clamp: M8, Pin "50" M6
Number of mounting bores: 4
Number of Teeth: 19
Number of Thread Bores: 0
Rated Power [kW]: 2,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-151JM

Starter



ALFA ROMEO MITO (955)
CHRYSLER YPSILON
CITROEN NEMO Station wagon
FIAT 500 (312)
FIAT 500 C (312)
FIAT 500L


OE

1202203
1202266
1202508
1612794380
1616323380
1723350

Clamp: M8 B+
Flange [mm]: 64
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 1
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-152JM

Starter



DACIA SOLENZA
DACIA SUPERNOVA
MAZDA 2 (DE)
RENAULT 11 (B/C37_)
RENAULT 19 I (B/C53_)
RENAULT 19 I Cabriolet (D53_)


OE

0000431120
0000434120
1059564
1516729R
1516807R
17089200

Clamp: M8
Flange [mm]: 66
Number of mounting bores: 4
Number of Teeth: 11
Number of Teeth: 9
Number of Thread Bores: 4
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-153JM

Starter



NISSAN CABSTAR Pick-up
NISSAN TRADE Autobus
NISSAN TRADE Furgonato
NISSAN TRADE Pianale piatto/Telaio


OE

136914
233000T600
2330015900
233001S900
2330054T00
2330090067

Clamp: M8
Flange [mm]: 95
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-154JM

Starter



NISSAN MICRA C+C (K12)
NISSAN MICRA II (K11)
NISSAN MICRA III (K12)
NISSAN NOTE (E11)

OE

233001F710
233001F715
233001F770
233001F771
233001F772
233001F772B

Clamp: M8, Pin "50" M6
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 1
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-155JM

Starter



DACIA DOKKER
DACIA DUSTER
DACIA LODGY
RENAULT CAPTUR
RENAULT CLIO Grandtour IV
RENAULT CLIO IV

OE

2330000Q3D
233000557R
233000779R
233001071
233001071R
233003307R

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Number of mounting bores: 4
Number of Teeth: 11
Number of Thread Bores: 3
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-156JM

Starter



SMART CABRIO (450)
SMART CITY-COUPE (450)
SMART CROSSBLADE (450)
SMART FORTWO Cabrio (450)
SMART FORTWO Coupé (450)
SMART ROADSTER (452)

OE
0003188V004
0003188V005
0003188V006
0003188V007
0003188V008
0003188V008000000

Clamp: M8
Flange [mm]: 70
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-157JM

Starter



MERCEDES-BENZ CLASSE C (W204)
MERCEDES-BENZ CLASSE C Coupé (C204)
MERCEDES-BENZ CLASSE C T-Model (S204)
MERCEDES-BENZ CLASSE E (W212)
MERCEDES-BENZ CLASSE E Cabriolet (A207)
MERCEDES-BENZ CLASSE E Coupé (C207)

OE
0009060126
000906012680
0061514501
006151450180
61514501
6519060025

Clamp: M8 B+
Clamp: Pin "50" M6
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-158JM

Starter



FIAT FIORINO Pick up (146)
FIAT PALIO (178BX)
FIAT PALIO Weekend (178DX)
FIAT PUNTO (176)
FIAT SIENA (178_)
FIAT STRADA Pick-up (178E)

OE
46430721
46439669
4643970
46439700
46440079
46446291

Clamp: Pin "50" M6
Flange [mm]: 82
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-159JM

Starter



DACIA DOKKER
DACIA DUSTER
DACIA LODGY
DACIA LOGAN II
DACIA LOGAN MCV II
DACIA SANDERO II

OE
231004GD3A
231004GD3ACX
231004GD3AEM
2330000Q2H
2330000Q3B
233000379R

Clamp: M8 B+
Clamp: Pin "50" Plug
Flange [mm]: 64
Number of mounting bores: 2
Number of Teeth: 12
Number of Teeth: 13
Number of Thread Bores: 2
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-160JM

Starter



RENAULT AVANTIME (DE0_)
RENAULT ESPACE III (JE0_)
RENAULT ESPACE IV (JK0/1_)
RENAULT LAGUNA II (BG0/1_)
RENAULT LAGUNA II Grandtour (KG0/1_)
RENAULT VEL SATIS (BJ0_)


OE
1202206
1202208
2330000Q0B
2330000Q0C
2330000QAF
2330000QAG

Clamp: M8
Number of mounting bores: 4
Number of Teeth: 10
Number of Thread Bores: 3
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-161JM

Starter



PIAGGIO APE (MP) VESPACAR
PIAGGIO APE TM Furgonato
PIAGGIO APE TM Pianale piatto/Telaio

OE

157715
803499
8034993
834692

Number of mounting bores: 2
Number of Thread Bores: 0
Rated Power [kW]: 0,8
Voltage [V]: 12

MT-162JM

Starter



FORD C-MAX II
FORD FOCUS II (DA_)
FORD FOCUS II Station wagon (DA_)
FORD FOCUS II Tre volumi (DA_)
FORD FOCUS III
FORD FOCUS III Tre volumi


OE

1687623
1715211
1778016
1893556
1898356
2033247

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Number of mounting bores: 3
Number of Teeth: 11
Number of Thread Bores: 0
Rated Power [kW]: 2,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-163JM

Starter



BMW 1 (E87)
BMW 3 (E46)
BMW 3 Cabriolet (E46)
BMW 3 Compact (E46)
BMW 3 Coupe (E46)
BMW 3 Touring (E46)

OE

12417787354
12417787356
4110907CD
7787354
7787356

Clamp: 30H M5
Clamp: Pin 50 M6
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 1,6
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-164JM

Starter



CHEVROLET MATIZ (M200, M250)
CHEVROLET SPARK
DAEWOO MATIZ
DAEWOO MATIZ (KLYA)
DAEWOO TICO (KLY3)
SUZUKI WAGON R+ (EM)

OE

25186107
3110070B20
3110075F0
3110075F00
3110075F01
3110075F01000

Clamp: M8
Flange [mm]: 75
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 2
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-165JM

Starter



SUBARU TREZIA
TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
TOYOTA AURIS (NZE18_, ZRE18_)
TOYOTA AURIS TOURING SPORTS (ADE18_, ZWE18_, ZRE18_)

OE


281000N040
281000N04084
281000N060
2810033090
2810033110

Clamp: Pin "50" Plug
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 1,6
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-166JM

Starter




AUDI A6 (4B2, C5)
DAEWOO MATIZ (KLYA)
JAGUAR XJ (X350, X358)
NEW HOLLAND TN-A
TOYOTA LAND CRUISER (KDJ12_, GRJ12_)

OE
0005801441816
580 144 18 16
5801441816

Clamp: M8 B+
Flange [mm]: 110
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 2,6
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-167JM

Starter



TOYOTA AVENSIS VERSO (_CLM2_, _ACM2_)
TOYOTA CARINA E (_T19_)
TOYOTA CARINA E Sportswagon (_T19_)
TOYOTA CARINA E Tre volumi (_T19_)
TOYOTA COROLLA (_E11_)
TOYOTA COROLLA Compact (_E11_)

OE
2810064140
2810064310
2810064430
281006443084
9622809364
TT15639

Clamp: M8
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-168JM

Starter



FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT DOBLO (119)
FIAT MAREA (185)
FIAT MAREA Weekend (185)
FIAT MULTIPLA (186)

OE
361002B402
46231536
46451529
46524472
46531437
46748349

Clamp: M8, Pin "50" M6
Flange [mm]: 63,5
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 1,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-169JM

Starter



BMW 1 (E81)
BMW 1 (E87)
BMW 1 (F20)
BMW 1 (F21)
BMW 1 Cabriolet (E88)
BMW 1 Coupé (E82)

OE
12417798006
12417801203
12417802508
12417804138
12417804140
12417811601

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Flange [mm]: 69
Number of mounting bores: 3
Number of Teeth: 11
Number of Thread Bores: 0
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-170JM

Starter



AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
AUDI TT (8J3)
AUDI TT (8N3)
AUDI TT Roadster (8J9)

OE
02E911023H
02E911023HX
02E911023L
02E911023LX
2E911023H
2E911023HX

Clamp: Pin "50" Plug
Flange [mm]: 76
Number of mounting bores: 2
Number of Teeth: 11
Number of Thread Bores: 0
Rated Power [kW]: 2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

Electrics

MT-171JM

Starter



DACIA LOGAN (LS_)
DACIA LOGAN Pick-up (US_)
DACIA SANDERO
NISSAN ALMERA II (N16)
NISSAN ALMERA II Hatchback (N16)
NISSAN MICRA III (K12)

OE

2330000Q0G
2330000Q0H
2330000QAB
2330000QAW
2330000QAZ
2330000QUA

Clamp: M8
Flange [mm]: 65
Number of mounting bores: 3
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-172JM

Starter



BMW 1 Cabriolet (E88)
HYUNDAI ACCENT III (MC)
HYUNDAI ACCENT III Tre volumi (MC)
HYUNDAI ACCENT IV Tre volumi (RB)
HYUNDAI ELANTRA Tre volumi (MD, UD)
HYUNDAI GETZ (TB)


OE

361002A000
361002A100
361002A300
TT16345
TT16345PRO

Clamp: M8 B+
Clamp: Pin "50" Plug
Flange [mm]: 77
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 2
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-173JM

Starter



BMW 1 (E81)
BMW 1 (E87)
BMW 3 (E46)
BMW 3 (E90)
BMW 3 Cabriolet (E46)
BMW 3 Cabriolet (E93)


OE

12417794952
12417796892
12417798035
12417798036
7794952
7796892

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 1,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-174JM

Starter



CHRYSLER SEBRING (JS)
CHRYSLER SEBRING Cabriolet (JS)
DODGE AVENGER
DODGE CALIBER
DODGE JOURNEY
JEEP COMPASS (MK49)


OE

050033440AC
05033440AA
05033440AC
1810A062
1810A143
5033440AA

Clamp: M8 B+
Number of mounting bores: 3
Number of Teeth: 22
Number of Thread Bores: 0
Rated Power [kW]: 2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-175JM

Starter



METROCAB Taxi
TOYOTA CROWN Tre volumi (_S1_)
TOYOTA HILUX Fuoristrada chiuso (ZN13_, LN9_, RN1_, YN8_,
TOYOTA HILUX II Pick-up (RN6_, RN5_, LN6_, YN6_, YN5_, LN

OE

1516979R
2810005030
2810014070
2810054070
2810054080
2810054100

Clamp: M8
Flange [mm]: 82,5
Number of mounting bores: 2
Number of Teeth: 10
Number of Teeth: 11
Number of Thread Bores: 1
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-176JM

Starter



CHEVROLET AVEO 2 volumi /Coda spiovente (T200)
CHEVROLET AVEO 2 volumi /Coda spiovente (T250, T255)
CHEVROLET AVEO 2 volumi /Coda spiovente (T300)

OE

25187951
63522629
96289430
96469962
96497702
96943429

Clamp: M8
Flange [mm]: 75
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 1
Position / Degree: 30
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-177JM

Starter



DACIA DOKKER
DACIA DUSTER
DACIA LODGY
DACIA LOGAN (LS_)
DACIA LOGAN II
DACIA LOGAN MCV (KS_)

OE

2330000QAA
2330000QAX
233001105R
233004003R
233007189R
233009363R

Clamp: M8
Flange [mm]: 65
Number of mounting bores: 3
Number of Teeth: 8
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-178JM

Starter



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8P1)
AUDI A3 Sportback (8PA)
SEAT ALTEA (5P1)
SEAT ALTEA XL (5P5, 5P8)

OE

027911023S
02T911023R
02T911023RX
02T911023S
02T911023SX
02T911024A

Clamp: M8 B+
Clamp: Pin "50" Plug
Flange [mm]: 76
Number of mounting bores: 2
Number of Teeth: 10
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 1
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-179JM

Starter



FIAT SEDICI
SUBARU JUSTY III (G3X)
SUZUKI GRAND VITARA II (JT)
SUZUKI IGNIS (FH)
SUZUKI IGNIS II
SUZUKI JIMNY (FJ)

OE

3110063J00
3110063J10
3110075F60
3110080G0
3110080G00
3110080G1

Clamp: Pin "30" M8 B+
Clamp: Pin "50" 6.4mm Plug
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 2
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-180JM

Starter



MITSUBISHI PAJERO II (V3_W)
MITSUBISHI PAJERO II (V3_W, V2_W, V4_W)
MITSUBISHI PAJERO III (V7_W, V6_W)
MITSUBISHI PAJERO III Fuoristrada aperto (V6_W, V7_W)
MITSUBISHI PAJERO IV (V8_W, V9_W)

OE


009154720280
1516512R
1810A050
1810A050R
A009154720280
M002T63271

Clamp: M8
Flange [mm]: 77
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-181JM

Starter



DAIHATSU HIJET Furgonato (S85)
DAIHATSU HIJET Pick-up
PIAGGIO PORTER Autobus
PIAGGIO PORTER Furgonato
PIAGGIO PORTER Pianale piatto/Telaio

OE
2280005711
2810087548
2810087551
2810087551000

Clamp: M8
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 0
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-182JM

Starter



RENAULT KANGOO (KC0/1_)
RENAULT MEGANE I (BA0/1_)
RENAULT MEGANE I Classic (LA0/1_)
RENAULT MEGANE I Coach (DA0/1_)
RENAULT MEGANE I Grandtour (KA0/1_)
RENAULT MEGANE Scenic (JA0/1_)

OE
6001545511
7700113267
7700113627
7700116282
7711134297
7711134790

Clamp: M8
Flange [mm]: 65
Number of mounting bores: 3
Number of Teeth: 12
Number of Thread Bores: 3
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-183JM

Starter



FORD TRANSIT Autobus (E_ _)
FORD TRANSIT Autobus (V_ _)
FORD TRANSIT Furgonato (E_ _)
FORD TRANSIT Furgonato (T_ _)
FORD TRANSIT Furgonato (V_ _)
FORD TRANSIT Pianale piatto/Telaio (E_ _)

OE
1008823
1024508
1027928
1059179
1073108
1093471

Clamp: M8, Pin "50" M6
Flange [mm]: 92
Number of mounting bores: 3
Number of Teeth: 13
Number of Thread Bores: 0
Rated Power [kW]: 2,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-184JM

Starter



AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
SEAT ALTEA (5P1)
SEAT ALTEA XL (5P5, 5P8)
SEAT IBIZA V (6J5, 6P5)

OE
0AH911023
0AH911023A
0AH911023AX
0AH911023D
0AH911023DX
0AH911023K

Clamp: M8
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 10
Number of Thread Bores: 0
Rated Power [kW]: 1,1
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-185JM

Starter



AUDI A4 (8EC, B7)
AUDI A4 Avant (8ED, B7)
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)
AUDI A6 (4F2, C6)
AUDI A6 Avant (4F5, C6)
SEAT EXEO (3R2)

OE
03G911023
03G911023X
TT15338PRO

Clamp: M8 B+
Flange [mm]: 82
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 0
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-186JM

Starter



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8P1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Sportback (8PA)
SEAT ALTEA (5P1)

OE

02N911023N
02Z911023K
02Z911023KX
02Z911023M
02Z911023MX
02Z911023N

Clamp: M8 B+
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 11
Number of Teeth: 12
Number of Thread Bores: 0
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-187JM

Starter



NISSAN NAVARA (D40)
NISSAN PATHFINDER (R51)

OE

23100EB30A
23300EB300
23300EB30A
23300EB30B
23300EB30REX
23300EB71B

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 11
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-188JM

Starter



CITROEN AX (ZA-)
CITROEN BERLINGO (B9)
CITROEN BERLINGO (MF)
CITROEN BX (XB-)
CITROEN BX Break (XB-)
CITROEN C-ELYSEE

OE

1516758R
3960404
534054A
534054B
534054C
534054D

Clamp: M8
Clamp: Pin "50" 6.4mm Plug
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 0,9
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-189JM

Starter



SEAT IBIZA II (6K1)
VW CALIFORNIA T4 Camper (7DJ, 7DK, 70J)
VW TRANSPORTER IV Autobus (70XB, 70XC, 7DB, 7DW)
VW TRANSPORTER IV Furgonato (70XA)
VW TRANSPORTER IV Pianale piatto/Telaio

OE

028911023A
028911023C
028911023M
02A911303B
02B911023A
02B911023AX

Clamp: M8
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 11
Rated Power [kW]: 2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-190JM

Starter



SEAT CORDOBA (6K2)
SEAT IBIZA II (6K1)
SEAT IBIZA III (6K1)
SEAT LEON (1M1)
VW BORA (1J2)
VW GOLF III (1H1)

OE

0041518701
020911012P
020911023D
020911023DX
020911023P
020911023PX

Clamp: M8
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 9
Rated Power [kW]: 2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

Electrics

MT-192JM

Starter



AUDI A3 (8L1)
FORD GALAXY (WGR)
FORD GALAXY MK I VAN (WGR)
SEAT ALHAMBRA (7V8, 7V9)
SEAT ALHAMBRA VAN (7V8, 7V9)
SEAT CORDOBA (6K1, 6K2)

OE

020911023
020911023F
020911023FV
020911023FX
020911024B
030911023F

Clamp: M8
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 10
Number of Teeth: 9
Rated Power [kW]: 1,1
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-193JM

Starter



OPEL ASTRA G 2 volumi /Coda spiovente (F48_, F08_)
OPEL ASTRA G Cabriolet (F67)
OPEL ASTRA G Coupe (F07_)
OPEL ASTRA G Furgonato (F70)
OPEL ASTRA G Station wagon (F35_)

OE

09200962
1202148
24422273
24454431
5342340
5343371

Clamp: M8
Clamp: Pin "50" M6
Flange [mm]: 82,5
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 1
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-194JM

Starter



BMW 3 (E36)
BMW 3 (E46)
BMW 3 Cabriolet (E36)
BMW 3 Cabriolet (E46)
BMW 3 Compact (E36)
BMW 3 Compact (E46)

OE

11531266463
12411266463
12411354823
12411466342
12411712937
12411712939

Clamp: M8 B+
Clamp: Pin "50" M6
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-195JM

Starter



ALFA ROMEO AR 6 Furgonato (280)
FIAT DUCATO Furgonato (280)
FIAT DUCATO Furgonato (290)
FIAT DUCATO Panorama (280)
FIAT DUCATO Panorama (290)
FIAT DUCATO Pianale piatto/Telaio (280)

OE

46231642
7580575
7666135
77671430

Clamp: M8
Flange [mm]: 110
Number of mounting bores: 3
Number of Teeth: 9
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-196JM

Starter



ABARTH PUNTO EVO (199)
ABARTH PUNTO EVO (199_)
ALFA ROMEO GIULIETTA (940)
ALFA ROMEO GIULIETTA Furgonato (940_)
ALFA ROMEO MITO (955)
CHRYSLER DELTA

OE


051873926
1202285
1715776
1881471
51804744
51808744

Flange [mm]: 64
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-197JM

Starter



FIAT DOBLO (119)
FIAT DOBLO Cargo (223)
FIAT PALIO Weekend (178DX)
FIAT PUNTO (188)
FIAT PUNTO Van (188AX)
FIAT STRADA Pick-up (178E)

OE

46437520
46522234
46830212
46835091
71723351
71723352

Clamp: M8
Clamp: Pin "50" M6
Flange [mm]: 82
Number of mounting bores: 3
Number of Teeth: 11
Number of Thread Bores: 1
Rated Power [kW]: 1,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-198JM

Starter



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8P1)
AUDI A3 (8V1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Cabriolet (8V7)

OE

02Z911021C
02Z911021CX
02Z911021K
02Z911021KX
02Z911023AX
02Z911023S

Clamp: Pin "50" Plug
Flange [mm]: 79
Number of mounting bores: 3
Number of Teeth: 13
Rated Power [kW]: 2,2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-199JM

Starter



ALFA ROMEO GIULIETTA (940)
ALFA ROMEO GIULIETTA Furgonato (940_)
ALFA ROMEO MITO (955)
ALFA ROMEO TONALE (965_)
FIAT 500L
FIAT 500X

OE

1202279
1202292
1202498
1202512
3110055PA0
3110062MA0

Clamp: M8 B+
Clamp: Pin "50" M6
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 11
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-200JM

Starter



MERCEDES-BENZ 190 (W201)
MERCEDES-BENZ CLASSE C (W202)
MERCEDES-BENZ CLASSE E (W124)
MERCEDES-BENZ CLASSE E Coupe (C124)
MERCEDES-BENZ CLASSE E Station wagon (S124)

OE

0011516901
0021519301
0031512801
003151280180
0031513801
004151060180

Clamp: M8
Flange [mm]: 82,5
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-201JM

Starter



MAYBACH 62 (240_)
MAYBACH MAYBACH (240_)
MERCEDES-BENZ CLASSE C (W202)
MERCEDES-BENZ CLASSE C (W203)
MERCEDES-BENZ CLASSE C (W204)
MERCEDES-BENZ CLASSE C Coupe (CL203)

OE

0009060202
0051516501
005151650180
0051517701
0061510601
0061514101

Clamp: M8
Clamp: Pin "50" M6
Flange [mm]: 59,5
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 1,7
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-202JM

Starter



AUDI A4 (8K2, B8)
AUDI A4 Allroad (8KH, B8)
AUDI A4 Avant (8K5, B8)
AUDI A5 (8T3)
AUDI A5 Cabriolet (8F7)
AUDI A5 Sportback (8TA)

OE

03L911021
03L911021C
03L911021CX
03L911021E
03L911021F
03L911021FX

Clamp: Pin "50" Plug
Flange [mm]: 66
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 1
Rated Power [kW]: 1,7
Voltage [V]: 12

MT-203JM

Starter



ALFA ROMEO AR 6 Autobus (280)
ALFA ROMEO AR 6 Furgonato (280)
CITROEN C25 Autobus (280_, 290_)
CITROEN C25 Pianale piatto/Telaio (280_, 290_)
FIAT DUCATO Autobus (230)
FIAT DUCATO Furgonato (230L)

OE

46231644
5802E3
71721282
71721296
7589005
7589151

Clamp: M8
Flange [mm]: 82
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-204JM

Starter



AUDI A1 (8X1, 8XF)
AUDI A1 Sportback (8XA, 8XK)
AUDI A3 (8P1)
AUDI A3 (8V1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Cabriolet (8V7)

OE

02M911021E
02M911021EX
02M911021P
02M911021PX
02M911021S
02M911021SX

Flange [mm]: 79
Number of mounting bores: 2
Number of Teeth: 13
Rated Power [kW]: 2,2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-205JM

Starter



PIAGGIO APE (MP) VESPA CAR
PIAGGIO APE CALESSINO Cabriolet
PIAGGIO APE CLASSIC Pianale piatto/Telaio
PIAGGIO APE TM Furgonato
PIAGGIO APE TM Pianale piatto/Telaio
PIAGGIO M500

OE

250761
292083
58402060
58402490

Clamp: Pin "50" M6
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 11
Number of Thread Bores: 3
Rated Power [kW]: 1,6
Voltage [V]: 12

MT-206JM

Starter



CHRYSLER 300 C (LX)
CHRYSLER 300 C Touring (LX)
JEEP COMMANDER (XK)
JEEP GRAND CHEROKEE III (WH, WK)
MAYBACH 62 (240_)
MAYBACH MAYBACH (240_)

OE

0009062402
0051510101
0051518901
0061514301
0061514401
0061516201

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M6
Flange [mm]: 60
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 1,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-207JM

Starter



TOYOTA AVENSIS (_T22_)
TOYOTA AVENSIS Liftback (_T22_)
TOYOTA AVENSIS Station Wagon (_T22_)
TOYOTA CARINA E (_T19_)
TOYOTA CARINA E Sportswagon (_T19_)
TOYOTA CARINA E Tre volumi (_T19_)

OE

2810001020
2810006020
2810008010
281000B010
281000B020
281000B02084

Clamp: M8
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-208JM

Starter



SMART CABRIO (450)
SMART CITY-COUPE (450)
SMART FORTWO Cabrio (450)
SMART FORTWO Cabrio (451)
SMART FORTWO Coupé (450)
SMART FORTWO Coupé (451)

OE

0001477V003
0001477V006
0051513801
005151380180
0051518301
6601510101

Clamp: M8
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-209JM

Starter



FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT DOBLO (119)
FIAT DOBLO Cargo (223)
FIAT MAREA (185)
FIAT MAREA Weekend (185)

OE

46748349
46748350
46800152
46808152
46816971
46821681

Clamp: M8
Clamp: Pin "50" M6
Flange [mm]: 66
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-210JM

Starter



ALFA ROMEO 75 (162B)
ALFA ROMEO 90 (162)
ALFA ROMEO GIULIETTA (116)
ALFA ROMEO GTV (116)
ALFA ROMEO SPIDER (115)

OE

0060522387
116550503000
116550503003
117010503000
60522387
60523034

Clamp: M8
Flange [mm]: 67
Number of mounting bores: 3
Number of Teeth: 9
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-211JM

Starter



LAND ROVER DEFENDER Cabrio (LD)
LAND ROVER DEFENDER Station Wagon (LD)
LAND ROVER DISCOVERY I (LJ, LG)
LAND ROVER RANGE ROVER I (AE, AN, HAA, HAB, HAM, HBM, RE, RN)
LAND ROVER RANGE ROVER II (LP)

OE

0051511501
0494285R
525026D
905720100081
A0051511501
BF5T11001AA

Clamp: M8
Flange [mm]: 92
Number of mounting bores: 3
Number of Teeth: 9
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-212JM

Starter




FORD GALAXY (WA6)
FORD MONDEO IV (BA7)
FORD MONDEO IV Tre volumi (BA7)
FORD MONDEO IV Turnier (BA7)
FORD S-MAX (WA6)

OE
1253808
1387092
1480550
1564725
1671579
1728770

Clamp: Pin "50" M6
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-213JM

Starter



OE
114362-77010
114362-77011
136954
2506954
QD114A
S114-414

Clamp: M8
Flange [mm]: 66
Number of Bores: 2
Number of Teeth: 8
Rated Power [kW]: 0,9
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-214JM

Starter



NISSAN INTERSTAR Autobus (X70)
NISSAN INTERSTAR Furgonato (X70)
NISSAN INTERSTAR Pianale piatto/Telaio
NISSAN TERRANO II (R20)
NISSAN TERRANO Van (R20)
OPEL MOVANO Combi (J9)

OE
233002W000
233002W200
233002W20A
233002W20B
233002W210
23300744501

Clamp: M8
Number of mounting bores: 2
Number of Teeth: 9
Rated Power [kW]: 2,5
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-215JM

Starter



CHEVROLET AVEO 2 volumi /Coda spiovente (T300)
CHEVROLET AVEO Tre volumi (T300)
OPEL AGILA (A) (H00)
OPEL ASTRA H (L48)
OPEL ASTRA H Furgonato (L70)

OE
1202209
1638119980
55217672
55221292
55564491
55566491

Clamp: Pin "50" M6
Flange [mm]: 64
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 1
Rated Power [kW]: 1,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-216JM

Starter



CITROEN C-CROSSER (EP_)
CITROEN C-CROSSER ENTERPRISE
CITROEN C-CROSSER Van (VU_)
CITROEN C4 Coupé (LA_)
CITROEN C4 Grand Picasso I (UA_)
CITROEN C4 Grand Picasso II

OE
1638126880
1810A111
3553141
5802AT
5802AV
5802AW

Clamp: M10
Number of mounting bores: 5
Number of Teeth: 11
Number of Thread Bores: 5
Rated Power [kW]: 2,5
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-217JM

Starter



AUDI A3 (8P1)
AUDI A3 (8V1)
AUDI A3 Cabriolet (8P7)
AUDI A3 Cabriolet (8V7)
AUDI A3 Limousine (8VS)
AUDI A3 Sportback (8PA)

OE

02E911022C
02E911022CX
02E911023M
02E911023MX
02E911023Q
02E911023QX

Clamp: Pin "30" M8 B+
Clamp: Pin "50" Plug
Flange [mm]: 79
Number of mounting bores: 2
Number of Teeth: 13
Rated Power [kW]: 2
Rotation Direction: Anti-clockwise rotation
Voltage [V]: 12

MT-218JM

Starter



BMW 1 (E81)
BMW 1 (E87)
BMW 1 (F20)
BMW 1 (F21)
BMW 1 Cabriolet (E88)
BMW 1 Coupé (E82)

OE

12412344243
12412354701
12417521116
12417521122
12417521123
12417526236

Clamp: Pin "30" M8 B+
Clamp: Pin "50" Plug
Flange [mm]: 76
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 1,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-219JM

Starter



MERCEDES-BENZ CLASSE A (W168)
MERCEDES-BENZ Vaneo (414)

OE

1661510001
166151000180
A1661510001
A166151000180

Clamp: M8 B+
Clamp: Pin "50" M6
Flange [mm]: 70
Number of mounting bores: 2
Number of Teeth: 8
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-220JM

Starter



FORD FOCUS Station wagon (DNW)
SEAT AROSA (6H)
SEAT CORDOBA (6K1, 6K2)
SEAT CORDOBA (6K2)
SEAT CORDOBA Vario (6K5)
SEAT IBIZA II (6K1)

OE

0016800
031911023C
036911023BX
036911023Q
036911023QX
036911023S

Clamp: M8
Flange [mm]: 82,5
Number of mounting bores: 4
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 1,1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-221JM

Starter



CITROEN JUMPY (U6U)
CITROEN JUMPY Furgonato (BS_, BT_, BY_, BZ_)
FIAT BRAVA (182)
FIAT BRAVO I (182)
FIAT FIORINO Furgonato (146)
FIAT FIORINO MPV / Space wagon (146_)

OE

3059110236
4470377
44703770
4470378
46231535
46231537

Clamp: M8
Clamp: Pin "50" M6
Flange [mm]: 64
Number of mounting bores: 3
Number of Teeth: 8
Number of Thread Bores: 3
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-222JM

Starter



JEEP CHEROKEE (KJ)


OE

056041579AB
56041579
56041579AB
KRL041579AB
M002T88372
M002T88372ZC

Clamp: M8
Flange [mm]: 82,5
Number of mounting bores: 3
Number of Teeth: 10
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-223JM

Starter



CADILLAC BLS
OPEL ASTRA GTC J
OPEL ASTRA H (L48)
OPEL ASTRA H Furgonato (L70)
OPEL ASTRA H GTC (L08)
OPEL ASTRA H Station wagon (L35)

OE

1202283
1202489
1202594
55352882
55585238
6202073

Clamp: M8
Clamp: Pin "50" M6
Flange [mm]: 82
Number of mounting bores: 3
Number of Teeth: 10
Rated Power [kW]: 1,9
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-224JM

Starter



SUZUKI GRAND VITARA I (FT, GT)

OE

3110068D00
M002T85171
M002T85271
M002T85271ZC
M2T85271
M2T85271ZC

Clamp: M8
Flange [mm]: 66
Number of mounting bores: 3
Number of Teeth: 10
Number of Thread Bores: 3
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-225JM

Starter



JEEP GRAND CHEROKEE II (WJ, WG)

OE

05033125AA
05033125AB
5033125
5033125AA
5033125AB
8033125AA

Clamp: M8 B+
Flange [mm]: 82
Number of mounting bores: 2
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 2
Voltage [V]: 12

MT-226JM

Starter



HYUNDAI H-1 Pianale piatto/Telaio
MITSUBISHI L 200 (K7_T, K6_T)
MITSUBISHI L 200 (KB_T, KA_T)
MITSUBISHI L 200 Pianale piatto/Telaio (KA_T, KB_T)
MITSUBISHI L 300 Autobus (P0_W, P1_W, P2_W)

OE

1810A053
3610042200
3610042300
6000608524
M002T84071
M002T84071ZT

Clamp: M8
Flange [mm]: 77
Number of mounting bores: 2
Number of Teeth: 10
Number of Teeth: 12
Number of Thread Bores: 2
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-227JM

Starter



NISSAN MICRA IV (K13)
NISSAN NOTE (E12)

OE

0023001HC1A
00233001HC1A
233001HC0B
233001HC0D
233001HC0E
233001HC1A

Clamp: Pin "30" M8
Clamp: Pin "50" M5
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-228JM

Starter



LAND ROVER DEFENDER Cabrio (LD)
LAND ROVER DEFENDER Pick-up (LD_)
LAND ROVER DEFENDER Station Wagon (LD)
LAND ROVER DISCOVERY II (LJ, LT)


OE

NAD101240
NAD101240E
NAD101240G
NAD10240

Clamp: M8
Flange [mm]: 66
Number of mounting bores: 3
Number of Teeth: 9
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-229JM

Starter



LAND ROVER FREELANDER (LN)
LAND ROVER FREELANDER Soft Top
MG MG ZT
MG MG ZT- T
ROVER 75 (RJ)
ROVER 75 Tourer (RJ)

OE

GNU4824
GNU4904
NAD100500
NAD101140
NAD101140E
NAD101500

Clamp: M8
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-230JM

Starter



ISUZU TROOPER (UBS)

OE

2873K401
5811001840
894133-7582
894133-7583
894133-7584
8941337585

Clamp: M8
Flange [mm]: 95
Number of mounting bores: 2
Number of Teeth: 9
Rated Power [kW]: 2,2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-231JM

Starter



HYUNDAI ELANTRA (XD)
HYUNDAI ELANTRA Tre volumi (XD)
HYUNDAI GRANDEUR (TG)
HYUNDAI HIGHWAY VAN
HYUNDAI SANTA FÉ I (SM)
HYUNDAI SANTA FÉ I Cassone/SUV (SM)

OE


031013170
3610027000
3610027001
3610027010
3610027011
3610037000

Clamp: M8
Flange [mm]: 82,5
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 2
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-232JM

Starter



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
TOYOTA AURIS Furgonato (_E15_)
TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)
TOYOTA COROLLA Station wagon (_E12J_, _E12T_)

OE

12417791335
281000N030
2810033040
281003304084
2810033070
2810033071

Clamp: M8
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-233JM

Starter



ALFA ROMEO MITO (955)
CHRYSLER YPSILON
FIAT 500 (312)
FIAT 500 C (312)
FIAT 500L
FIAT PANDA (519, 312, 319)

OE

51872564
51938439

Clamp: Pin "30" M8 B+
Flange [mm]: 76
Number of mounting bores: 3
Number of Teeth: 10
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-234JM

Starter



BMW 3 (E46)
BMW 3 Cabriolet (E46)
BMW 3 Coupe (E46)
BMW 3 Touring (E46)
BMW 5 (E60)
BMW 5 Touring (E61)

OE

12412155827
12412344232
12417788680
12417788682
2155827
7788680

Clamp: M8
Clamp: Pin "50" M6
Flange [mm]: 76
Number of mounting bores: 2
Number of Teeth: 11
Number of Thread Bores: 2
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-235JM

Starter



TOYOTA BELTA
TOYOTA YARIS (NHP13_, NSP13_, NCP13_, KSP13_, NLP13_)
TOYOTA YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_)
TOYOTA YARIS Furgonato (_P13_)

OE

281000Q040
281000Q041
281000Q050
281000Q05084
2810040090
2810040091

Clamp: M8 B+
Clamp: Pin "50" Plug
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 1,3
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-236JM

Starter



LAND ROVER DISCOVERY SPORT (LC)
LAND ROVER FREELANDER 2 (FA_)
LAND ROVER RANGE ROVER EVOQUE (LV)

OE

6G9N11000MA
6G9N11000MB
6G9NMB
AH5211001AC
LR003468
LR007372

Clamp: Pin "30" M8 B+
Clamp: Pin "50" M5
Number of mounting bores: 3
Number of Teeth: 10
Number of Thread Bores: 3
Rated Power [kW]: 2
Rotation Direction: Clockwise rotation
Voltage [V]: 12

Electrics

MT-237JM

Starter



TOYOTA YARIS (SCP1_, NLP1_, NCP1_)
TOYOTA YARIS VERSO (_NLP2_, _NCP2_)
TOYOTA YARIS VERSO VAN Furgonato (_P2_)

OE

2810021030
281002103084
2810021032

Clamp: M8
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 9
Number of Thread Bores: 1
Rated Power [kW]: 1
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-238JM

Starter



TOYOTA CARINA E (_T19_)
TOYOTA CARINA E Sportswagon (_T19_)
TOYOTA CARINA E Tre volumi (_T19_)


OE

28100-64200
2810064130
2810064300
9622809362

Clamp: M8
Flange [mm]: 74
Number of mounting bores: 2
Number of Teeth: 10
Number of Thread Bores: 2
Rated Power [kW]: 1,4
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-239JM

Starter



HYUNDAI ATOS (MX)
HYUNDAI GETZ (TB)
HYUNDAI i10 (PA)
KIA PICANTO (BA)

OE

3610002000
3610002500
3610002510
3610002511
3610002550
3610002555

Clamp: M8
Flange [mm]: 75
Number of mounting bores: 2
Number of Teeth: 8
Number of Thread Bores: 2
Rated Power [kW]: 0,8
Rotation Direction: Clockwise rotation
Voltage [V]: 12

MT-240JM

Starter



CITROEN JUMPER Autobus
CITROEN JUMPER Autobus (230P)
CITROEN JUMPER Autobus (244, Z_)
CITROEN JUMPER Furgonato
CITROEN JUMPER Furgonato (230L)
CITROEN JUMPER Furgonato (244)

OE

1349920080
1611206880
1614379980
1616451080
51779086
51832958

Clamp: Pin "50" M6
Flange [mm]: 82
Number of mounting bores: 3
Number of Teeth: 9
Number of Thread Bores: 3
Rated Power [kW]: 2,5
Rotation Direction: Clockwise rotation
Voltage [V]: 12