



# NEWS

# 05/2026



[www.japanparts.eu](http://www.japanparts.eu)

**CATALOGUE**  
FOR CARS AND  
COMMERCIAL VEHICLES

**CATALOGO**  
PER AUTOMOBILI E VEICOLI  
COMMERCIALI

## Brake system

### CAL1010LJM

#### Brake Caliper



FORD FOCUS II (DA\_)  
 FORD GALAXY (WA6)  
 FORD GALAXY MK II VAN (WA6)  
 FORD KUGA I  
 FORD KUGA I VAN  
 FORD MONDEO IV (BA7)

#### OE

1426844  
 1439862  
 1460305  
 1465777  
 1502341  
 1536999

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 11  
 Diameter [mm]: 38  
 Fitting Position: behind the axle  
 Fitting Position: Rear Axle Left  
 Paired article numbers: CAL1010RJM

### CAL1010RJM

#### Brake Caliper



FORD FOCUS II (DA\_)  
 FORD GALAXY (WA6)  
 FORD GALAXY MK II VAN (WA6)  
 FORD KUGA I  
 FORD KUGA I VAN  
 FORD MONDEO IV (BA7)

#### OE

1426838  
 1439860  
 1460302  
 1465776  
 1502337  
 1537001

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 11  
 Diameter [mm]: 38  
 Fitting Position: behind the axle  
 Fitting Position: Rear Axle Right  
 Paired article numbers: CAL1010LJM

### CAL1047LJM

#### Brake Caliper



FORD GALAXY  
 FORD GALAXY MK III VAN (CK)  
 FORD MONDEO V 2 volumi /Coda spiovente  
 FORD MONDEO V Tre volumi  
 FORD MONDEO V Turnier  
 FORD S-MAX

#### OE

2268036  
 2351165  
 5181342  
 5303800  
 DG9C2B302AB  
 DG9C2B302BA

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 28  
 Diameter [mm]: 60  
 Fitting Position: Front Axle Left  
 Fitting Position: in front of axle  
 Paired article numbers: CAL1047RJM

### CAL1047RJM

#### Brake Caliper



FORD GALAXY  
 FORD GALAXY MK III VAN (CK)  
 FORD MONDEO V 2 volumi /Coda spiovente  
 FORD MONDEO V Tre volumi  
 FORD MONDEO V Turnier  
 FORD S-MAX

#### OE

2268040  
 2351169  
 5181341  
 5303801  
 DG9C2B294AB  
 DG9C2B294BA

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 28  
 Diameter [mm]: 60  
 Fitting Position: Front Axle Right  
 Fitting Position: in front of axle  
 Paired article numbers: CAL1047LJM

### CAL1094LJM

#### Brake Caliper



FORD FOCUS III  
 FORD FOCUS III Turnier  
 FORD KUGA II (DM2)  
 FORD KUGA II Van  
 FORD TOURNEO CONNECT / GRAND TOURNEO  
 CONNECT Kombi

#### OE

1756683  
 1779721  
 1824922  
 1825214  
 2351159  
 BV612B302AB

Brake Caliper Type: Caliper (1 piston)  
 Brake Disc Thickness [mm]: 25  
 Diameter [mm]: 57  
 Fitting Position: Front Axle Left  
 Fitting Position: in front of axle  
 Paired article numbers: CAL1094RJM

## Brake system

### CAL1094RJM

#### Brake Caliper



FORD FOCUS III  
FORD FOCUS III Turnier  
FORD KUGA II (DM2)  
FORD KUGA II Van  
FORD TOURNEO CONNECT / GRAND TOURNEO  
CONNECT Kombi

**OE**  
1756682  
1779720  
1825213  
1835113  
2351157  
BV612B294AB

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 25  
Diameter [mm]: 57  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1094LJM

### CAL1120LJM

#### Brake Caliper



AUDI A6 (4G2, C7, 4GC)  
AUDI A6 Avant (4G5, C7, 4GD)  
AUDI A7 Sportback (4GA, 4GF)

**OE**  
4G0615403

Brake Disc Thickness [mm]: 12  
Diameter [mm]: 43  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1120RJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1120RJM

#### Brake Caliper



AUDI A6 (4G2, C7, 4GC)  
AUDI A6 Avant (4G5, C7, 4GD)  
AUDI A7 Sportback (4GA, 4GF)

**OE**  
4G0615404

Brake Disc Thickness [mm]: 12  
Diameter [mm]: 43  
Fitting Position: in front of axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1120LJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1124LJM

#### Brake Caliper



MINI MINI (R50, R53)  
MINI MINI (R56)  
MINI MINI Cabriolet (R57)  
MINI MINI CLUBMAN (R55)  
MINI MINI CLUBVAN (R55)  
MINI MINI Coupé (R58)

**OE**  
34216784645

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1124RJM

### CAL1124RJM

#### Brake Caliper



MINI MINI (R50, R53)  
MINI MINI (R56)  
MINI MINI Cabriolet (R57)  
MINI MINI CLUBMAN (R55)  
MINI MINI CLUBVAN (R55)  
MINI MINI Coupé (R58)

**OE**  
34216784646

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1124LJM

## Brake system

### CAL1166LJM

#### Brake Caliper



OPEL ASTRA K  
OPEL ASTRA K Cassone / coda spiovente  
OPEL ASTRA K Cassone / Furgonato /  
Promiscuo  
OPEL ASTRA K Sports Tourer  
VAUXHALL ASTRA Mk VII (K) (B16)

#### OE

13508995  
13589729  
95522594  
95524067

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Diameter [mm]: 54  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1166RJM

### CAL1166RJM

#### Brake Caliper



OPEL ASTRA K  
OPEL ASTRA K Cassone / coda spiovente  
OPEL ASTRA K Cassone / Furgonato /  
Promiscuo  
OPEL ASTRA K Sports Tourer  
VAUXHALL ASTRA Mk VII (K) (B16)

#### OE

13508996  
13589731  
95522594  
95522596  
95524067  
95524069

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 26  
Diameter [mm]: 54  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1166LJM

### CAL1184LJM

#### Brake Caliper



FORD C-MAX II  
FORD C-MAX II Van  
FORD FOCUS III  
FORD FOCUS III Cassone / coda spiovente  
FORD FOCUS III Tre volumi  
FORD FOCUS III Turnier

#### OE

1511569  
1857717  
1927082  
2210215  
2332705  
8M512M089B1C

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 11  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
for brake disk diameter [mm]: 265  
for brake disk diameter [mm]: 271  
for brake disk diameter [mm]: 280  
Paired article numbers: CAL1184RJM

### CAL1184RJM

#### Brake Caliper



FORD C-MAX II  
FORD C-MAX II Van  
FORD FOCUS III  
FORD FOCUS III Cassone / coda spiovente  
FORD FOCUS III Tre volumi  
FORD FOCUS III Turnier

#### OE

1857716  
1926723  
2210213  
2332703  
5164904  
8M512M088B1B

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 11  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
for brake disk diameter [mm]: 265  
for brake disk diameter [mm]: 271  
for brake disk diameter [mm]: 280  
Paired article numbers: CAL1184LJM

### CAL1192LJM

#### Brake Caliper



FORD FIESTA V (JH\_, JD\_)

#### OE

1355133  
1539682  
4N112553AA  
4N112553BA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1192RJM

## Brake system

### CAL1192RJM

#### Brake Caliper



FORD FIESTA V (JH\_, JD\_)

#### OE

1355131  
1539679  
4N112552AA  
4N112552BA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1192LJM

### CAL1197LJM

#### Brake Caliper



FORD COURIER Pick-up  
FORD FIESTA Furgonato (J5\_, J3\_)  
FORD FIESTA Furgonato (JV\_)  
FORD FIESTA IV (JA\_, JB\_)  
FORD KA (RB\_)  
FORD KA Van (RB)

#### OE

1106151  
1126291  
1478498  
RMY6J2B302AA  
RMYS6J2B302AA  
YS612L232AA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1197RJM

### CAL1197RJM

#### Brake Caliper



FORD COURIER Pick-up  
FORD FIESTA Furgonato (J5\_, J3\_)  
FORD FIESTA Furgonato (JV\_)  
FORD FIESTA IV (JA\_, JB\_)  
FORD KA (RB\_)  
FORD KA Van (RB)

#### OE

1106150  
1126286  
1478471  
RMY6J2B294AA  
YS612L231AA  
YS6J2B294AA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 20  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1197LJM

### CAL1238LJM

#### Brake Caliper



FORD FIESTA Tre volumi  
FORD FIESTA VI  
FORD FIESTA VI Van

#### OE

1803011  
1803012  
C1BC2553AA  
C1BC2553BA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
for brake disk diameter [mm]: 253  
Paired article numbers: CAL1238RJM

### CAL1238RJM

#### Brake Caliper



FORD FIESTA Tre volumi  
FORD FIESTA VI  
FORD FIESTA VI Van

#### OE


1803009  
1803010  
C1BC2552AA  
C1BC2552BA

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 34  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
for brake disk diameter [mm]: 253  
Paired article numbers: CAL1238LJM

## Brake system

### CAL1244LJM

#### Brake Caliper



AUDI A1 Allstreet (GBH)  
AUDI A1 CITY CARVER (GBH)  
AUDI A1 Sportback (GBA)  
SEAT ARONA (KJ7)  
SEAT IBIZA V (KJ1)  
SKODA FABIA IV (PJ3)

#### OE

2Q0615423  
2Q0615423C  
2Q0615423D

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1244RJM

### CAL1244RJM

#### Brake Caliper



AUDI A1 Allstreet (GBH)  
AUDI A1 CITY CARVER (GBH)  
AUDI A1 Sportback (GBA)  
SEAT ARONA (KJ7)  
SEAT IBIZA V (KJ1)  
SKODA FABIA IV (PJ3)

#### OE

2Q0615424  
2Q0615424C  
2Q0615424D

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1244LJM

### CAL1317LJM

#### Brake Caliper



TOYOTA AURIS (NRE15\_, ZZE15\_, ADE15\_,  
ZRE15\_, NDE15\_)  
TOYOTA AURIS (NZE18\_, ZRE18\_)  
TOYOTA AURIS Furgonato (\_E15\_)  
TOYOTA AURIS TOURING SPORTS (ADE18\_,  
ZWE18\_, ZRE18\_)

#### OE

4785002101

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1317RJM

### CAL1317RJM

#### Brake Caliper



TOYOTA AURIS (NRE15\_, ZZE15\_, ADE15\_,  
ZRE15\_, NDE15\_)  
TOYOTA AURIS (NZE18\_, ZRE18\_)  
TOYOTA AURIS Furgonato (\_E15\_)  
TOYOTA AURIS TOURING SPORTS (ADE18\_,  
ZWE18\_, ZRE18\_)

#### OE

4783002101

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1317LJM

### CAL1477LJM

#### Brake Caliper



AUDI A1 Allstreet (GBH)  
AUDI A1 CITY CARVER (GBH)  
AUDI A1 Sportback (GBA)  
SEAT ARONA (KJ7)  
SEAT IBIZA V (KJ1)

#### OE

2Q0615423A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
Paired article numbers: CAL1477RJM

## Brake system

### CAL1477RJM

#### Brake Caliper



AUDI A1 Allstreet (GBH)  
AUDI A1 CITY CARVER (GBH)  
AUDI A1 Sportback (GBA)  
SEAT ARONA (KJ7)  
SEAT IBIZA V (KJ1)

**OE**  
2Q0615424A

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 9  
Diameter [mm]: 38  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
Paired article numbers: CAL1477LJM

### CAL1490LJM

#### Brake Caliper



LEXUS IS C (GSE2\_)  
LEXUS IS II (GSE2\_, ALE2\_, USE2\_)  
LEXUS IS III (GSE3\_, AVE3\_)

**OE**  
4775053060  
477505306084

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1490RJM

### CAL1490RJM

#### Brake Caliper



LEXUS IS C (GSE2\_)  
LEXUS IS II (GSE2\_, ALE2\_, USE2\_)  
LEXUS IS III (GSE3\_, AVE3\_)

**OE**  
4773053060  
477305306084

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 28  
Diameter [mm]: 60  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1490LJM

### CAL1518LJM

#### Brake Caliper



FORD FOCUS IV  
FORD FOCUS IV Tre volumi (HM)  
FORD FOCUS IV Turnier (HP)  
FORD KUGA III (DFK)

**OE**  
2307826  
2307828  
2571524  
2571526  
KTJX612D347BEB  
KTJX612D347BFC

Brake Disc Thickness [mm]: 11  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Left  
for brake disk diameter [mm]: 271  
for brake disk diameter [mm]: 302  
Paired article numbers: CAL1518RJM  
Supplementary Article/Supplementary Info:  
with electric motor

### CAL1518RJM

#### Brake Caliper



FORD FOCUS IV  
FORD FOCUS IV Tre volumi (HM)  
FORD FOCUS IV Turnier (HP)  
FORD KUGA III (DFK)

**OE**  
2307321  
2307821  
2307824  
2571530  
2571536  
KTJX612D346BEB

Brake Disc Thickness [mm]: 11  
Diameter [mm]: 36  
Fitting Position: behind the axle  
Fitting Position: Rear Axle Right  
for brake disk diameter [mm]: 271  
for brake disk diameter [mm]: 302  
Paired article numbers: CAL1518LJM  
Supplementary Article/Supplementary Info:  
with electric motor

## Brake system

### CAL1536RJM

#### Brake Caliper



FIAT 127  
FIAT 127 Panorama

**OE**  
790329

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1536LJM

### CAL1592LJM

#### Brake Caliper



FSO POLONEZ I  
FSO POLONEZ II  
FSO POLONEZ III

**OE**  
4239314  
4395658

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Left  
Paired article numbers: CAL1592RJM

### CAL1592RJM

#### Brake Caliper



FSO POLONEZ I  
FSO POLONEZ II  
FSO POLONEZ III

**OE**  
4239315  
4395659

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 10  
Diameter [mm]: 48  
Fitting Position: behind the axle  
Fitting Position: Front Axle Right  
Paired article numbers: CAL1592LJM

### CAL1595LJM

#### Brake Caliper



AUDI A2 (8Z0)  
VW LUPO (6X1, 6E1)

**OE**  
6E0615123

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 15  
Diameter [mm]: 48  
Fitting Position: Front Axle Left  
Fitting Position: in front of axle  
Paired article numbers: CAL1595RJM

### CAL1595RJM

#### Brake Caliper



AUDI A2 (8Z0)  
VW LUPO (6X1, 6E1)

**OE**  
6E0615124

Brake Caliper Type: Caliper (1 piston)  
Brake Disc Thickness [mm]: 15  
Diameter [mm]: 48  
Fitting Position: Front Axle Right  
Fitting Position: in front of axle  
Paired article numbers: CAL1595LJM

## Brake system

### CAL732LJM

#### Brake Caliper



MERCEDES-BENZ CLASSE C (W205)  
 MERCEDES-BENZ CLASSE C Cabriolet (A205)  
 MERCEDES-BENZ CLASSE C Coupé (C205)  
 MERCEDES-BENZ CLASSE C T-Model (S205)

**OE**  
 2054230381  
 A2054230381

Brake Disc Thickness [mm]: 22  
 Diameter [mm]: 44  
 Fitting Position: behind the axle  
 Fitting Position: Rear Axle Left  
 Paired article numbers: CAL732RJM  
 Supplementary Article/Supplementary Info:  
 with electric motor

### CAL732RJM

#### Brake Caliper




MERCEDES-BENZ CLASSE C (W205)  
 MERCEDES-BENZ CLASSE C Cabriolet (A205)  
 MERCEDES-BENZ CLASSE C Coupé (C205)  
 MERCEDES-BENZ CLASSE C T-Model (S205)

**OE**  
 2054230481  
 A2054230481

Brake Disc Thickness [mm]: 22  
 Diameter [mm]: 44  
 Fitting Position: behind the axle  
 Fitting Position: Rear Axle Right  
 Paired article numbers: CAL732LJM  
 Supplementary Article/Supplementary Info:  
 with electric motor

### DI-0181C

#### Brake Disc




BYD DOLPHIN

**OE**  
 1432904800  
 EM2EU-3501011S

Brake Disc Thickness [mm]: 25  
 Brake Disc Type: Vented  
 Centering Diameter [mm]: 62  
 Fitting Position: Front Axle  
 Height [mm]: 48  
 Minimum Thickness [mm]: 23  
 Number of Bores: 5  
 Number of mounting bores: 2  
 Outer Diameter [mm]: 273  
 Pitch Circle [mm]: 114  
 Surface: Painted

### DP-0162C

#### Brake Disc




AIWAYS U5  
 AIWAYS U6

**OE**  
 861598003

Brake Disc Thickness [mm]: 12  
 Brake Disc Type: Solid  
 Centering Diameter [mm]: 65  
 Fitting Position: Rear Axle  
 Height [mm]: 52  
 Minimum Thickness [mm]: 10  
 Number of Bores: 5  
 Number of mounting bores: 1  
 Outer Diameter [mm]: 314  
 Pitch Circle [mm]: 112  
 Surface: Painted

### GF-0520AF

#### Brake Shoe Set



MERCEDES-BENZ CLASSE S (W220)  
 MERCEDES-BENZ CLASSE S (W221)


**OE**  
 1404200720  
 1404201020  
 2214200620  
 A1404201020  
 A2214200620

Brake System: ATE TEVES  
 Diameter [mm]: 185  
 Fitting Position: Rear Axle  
 Width [mm]: 36,2

## Brake system

### PA-0168AF

#### Brake Pad Set, disc brake




MAXUS (SAIC MOTOR) DELIVER 7 Furgone  
 MAXUS (SAIC MOTOR) DELIVER 9 Furgonato  
 MAXUS (SAIC MOTOR) DELIVER 9 Pianale  
 piatto/Telaio  
 MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato  
 MAXUS (SAIC MOTOR) eDELIVER 7 Furgone

**OE**  
 C00212539

Fitting Position: Front Axle  
 Height [mm]: 69,4  
 Thickness [mm]: 17,4  
 Wear Warning Contact: With integrated wear  
 warning contact  
 Width [mm]: 172,9  
 WVA Number: 22898  
 WVA Number: 22899  
 WVA Number: 22900

### PA-2043AF

#### Brake Pad Set, disc brake



TOYOTA C-HR (\_X2\_, \_H2\_)

**OE**  
 04465F4050

Fitting Position: Front Axle  
 Height [mm]: 62,5  
 Thickness [mm]: 19  
 Wear Warning Contact: With acoustic wear  
 warning  
 Width [mm]: 162,3  
 WVA Number: 27052  
 WVA Number: 27053  
 WVA Number: 27054

### PA-2044AF

#### Brake Pad Set, disc brake




LEXUS LX (\_J3\_)  
 TOYOTA LAND CRUISER (PZJ7\_, KZJ7\_, HZJ7\_,  
 BJ7\_, LJ7\_, RJ7)  
 TOYOTA LAND CRUISER (\_J25\_)  
 TOYOTA LAND CRUISER 150 (KDJ15\_, GRJ15\_)  
 TOYOTA LAND CRUISER 300 (\_J3\_)

**OE**  
 0446502580  
 0446560380  
 446560380

Brake System: Advics  
 Height [mm]: 82,6  
 Thickness [mm]: 17,9  
 Wear Warning Contact: With acoustic wear  
 warning  
 Width [mm]: 143,4  
 WVA Number: 26832

### PA-H40AF

#### Brake Pad Set, disc brake




HYUNDAI KONA (SX2)

**OE**  
 58101BEA05

Fitting Position: Front Axle  
 Height [mm]: 58,1  
 Thickness [mm]: 17,9  
 Wear Warning Contact: With acoustic wear  
 warning  
 Width [mm]: 138,4  
 WVA Number: 26988  
 WVA Number: 26989  
 WVA Number: 26990

### PA-H41AF

#### Brake Pad Set, disc brake



HYUNDAI KONA (SX2)


**OE**  
 58101BEA15

Fitting Position: Front Axle  
 Height [mm]: 60,7  
 Thickness [mm]: 18,2  
 Wear Warning Contact: With acoustic wear  
 warning  
 Width [mm]: 144,4  
 WVA Number: 26985  
 WVA Number: 26986  
 WVA Number: 26987

## Brake system

### PA-H42AF

#### Brake Pad Set, disc brake




HYUNDAI KONA (SX2)

**OE**  
58101BEA25

Fitting Position: Front Axle  
Height [mm]: 66  
Thickness [mm]: 18  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 144,5  
WVA Number: 26982  
WVA Number: 26983  
WVA Number: 26984

### PP-0333AF

#### Brake Pad Set, disc brake



VOLVO EX30 (416)

**OE**  
80011409

Fitting Position: Rear Axle  
Height [mm]: 53,3  
Thickness [mm]: 18,8  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 109  
WVA Number: 27008  
WVA Number: 27009  
WVA Number: 27010

### PP-2009AF

#### Brake Pad Set, disc brake




LEXUS LX (\_J3\_)  
TOYOTA LAND CRUISER (PZJ7\_, KZJ7\_, HZJ7\_, BJJ7\_, LJ7\_, RJ7)  
TOYOTA LAND CRUISER (\_J25\_)  
TOYOTA LAND CRUISER 150 (KDJ15\_, GRJ15\_)  
TOYOTA LAND CRUISER 300 (\_J3\_)

**OE**  
0446604010  
0446657010  
0446660190

Brake System: Advics  
Height [mm]: 47,5  
Thickness [mm]: 15,6  
Wear Warning Contact: Not prepared for wear indicator  
Width [mm]: 142,5  
WVA Number: 26831

### PP-H20AF

#### Brake Pad Set, disc brake



HYUNDAI KONA (SX2)

**OE**  
58302BEA05  
58302GGA10  
58302GGA20

Fitting Position: Rear Axle  
Height [mm]: 41,5  
Thickness [mm]: 15,6  
Wear Warning Contact: With acoustic wear warning  
Width [mm]: 99,7  
WVA Number: 26520  
WVA Number: 27014  
WVA Number: 27015

## Clutch

### CY-008

#### Slave Cylinder, clutch




CHRYSLER VOYAGER IV (RG, RS)


**OE**  
04641944AA  
4641944AA

Fitted Diameter [mm]: 38  
Hydraulics connection diameter [mm]: 19  
Number of Bores: 1

## Clutch

<b>FR-K34</b> 	<b>Master Cylinder, clutch</b> KIA SOUL (AM)	<b>OE</b> 416002K200	For OE number: 416002K200
---	---	-------------------------	---------------------------

<b>KV-0100M</b> 	<b>Clutch Kit</b> MINI MINI (R56) MINI MINI Cabriolet (R57) MINI MINI CLUBMAN (R55) MINI MINI CLUBVAN (R55) MINI MINI COUNTRYMAN (R60) MINI MINI Coupé (R58)	<b>OE</b> 21 20 8 606 067 21 21 7 599 835 21208606067 21217599835 21517594882 7599835	Clutch: Conversion from dual-mass flywheel to single-mass flywheel Number of mounting bores: 6 Number of Teeth: 28 Outer Diameter 1 [mm]: 235 Supplementary Article/Supplementary Info 2: with flywheel Supplementary Article/Supplementary Info 2: With releaser Supplementary Article/Supplementary Info 2: With screw set
---	--	---	--

<b>KV-0200M</b> 	<b>Clutch Kit</b> FIAT BRAVA (182) FIAT BRAVO I (182) FIAT DOBLO (119) FIAT DOBLO Cargo (223) FIAT MAREA (185) FIAT MAREA Weekend (185)	<b>OE</b> 46539189 46754542 46792952 46819103 46821336 55185670	Clutch: Conversion from dual-mass flywheel to single-mass flywheel Number of Teeth: 20 Outer Diameter 1 [mm]: 229 Supplementary Article/Supplementary Info 2: with flywheel Supplementary Article/Supplementary Info 2: With releaser Supplementary Article/Supplementary Info 2: With screw set
---	---	---	---

<b>KV-0201M</b> 	<b>Clutch Kit</b> ALFA ROMEO GIULIETTA (940) ALFA ROMEO GIULIETTA Furgonato (940_) CHRYSLER DELTA FIAT 500L FIAT BRAVO II (198) FIAT BRAVO Van (198)	<b>OE</b> 46341426 55212655 55218070 55220821 55224015 55232693	Clutch: Conversion from dual-mass flywheel to single-mass flywheel Diameter [mm]: 240 Number of mounting bores: 6 Number of Teeth: 20 Supplementary Article/Supplementary Info: With central slave cylinder Supplementary Article/Supplementary Info: with flywheel screws
---	--	---	---

<b>KV-0205M</b> 	<b>Clutch Kit</b> FIAT BRAVO II (198) FIAT BRAVO Van (198) LANCIA DELTA III (844)	<b>OE</b> 55207746 55209138 55209818 55241567 55248438 616317	Clutch: Conversion from dual-mass flywheel to single-mass flywheel Number of Teeth: 20 Outer Diameter 1 [mm]: 240 Supplementary Article/Supplementary Info 2: with flywheel Supplementary Article/Supplementary Info 2: With screw set Supplementary Article/Supplementary Info: With central slave cylinder
---	--	---	---

## Clutch

### KV-0206M

#### Clutch Kit



FIAT BRAVO II (198)  
LANCIA DELTA III (844)

#### OE

46341426  
55207746  
55209138  
55212655  
55241567  
55248438

Number of Teeth: 20  
Outer Diameter 1 [mm]: 240  
Supplementary Article/Supplementary Info 2:  
With clutch plate  
Supplementary Article/Supplementary Info 2:  
with flywheel  
Supplementary Article/Supplementary Info 2:  
With screw set  
Supplementary Article/Supplementary Info:  
With central slave cylinder  
Tightening Torque [Nm]: 30

### KV-0207M

#### Clutch Kit



ALFA ROMEO GIULIETTA (940)

#### OE

55212663  
55220822  
55224015  
55226906  
55232693  
55240571

Clutch: Conversion from dual-mass flywheel  
to single-mass flywheel  
Material: Plastic  
Number of mounting bores: 6  
Number of mounting holes at central slave  
cylinder: 2  
Number of Teeth: 20  
Outer Diameter 1 [mm]: 240  
Supplementary Article/Supplementary Info 2:  
with flywheel  
Supplementary Article/Supplementary Info 2:  
Without sensor  
Supplementary Article/Supplementary Info:  
With central slave cylinder

### KV-0208M

#### Clutch Kit



FIAT BRAVO II (198)  
FIAT DOBLO Cassone / Furgonato / Promiscuo  
(263)  
FIAT DOBLO MPV / Space wagon (152, 263)  
FIAT DOBLO Pianale piatto/Telaio (263)  
LANCIA DELTA III (844)

#### OE

46341426  
55207746  
55212655  
55218070  
55224015  
55232693

Bore [mm]: 26  
Clutch: Conversion from dual-mass flywheel  
to single-mass flywheel  
Number of mounting bores: 6  
Number of mounting holes at central slave  
cylinder: 2  
Number of Teeth: 20  
Outer Diameter 1 [mm]: 240  
Supplementary Article/Supplementary Info 2:  
with flywheel  
Supplementary Article/Supplementary Info 2:  
With screw set  
Supplementary Article/Supplementary Info:  
With central slave cylinder

## Cooling System

### PQ-0957

#### Water Pump



SKODA FAVORIT Forman (785)  
SKODA FAVORIT Pick-up (787)

#### OE

007 070 243

Impeller Diameter [mm]: 59,5  
Number of Ribs: 4  
Number of Wings: 8  
Operating Mode: Mechanical  
Supplementary Article/Supplementary Info:  
with seal  
Water Pump Pulley [mm]: 85,078  
Water Pump Type: For v-ribbed belt use

## Cooling System

### VT-0614

#### Thermostat, coolant



CITROEN C25 Autobus (280\_, 290\_)  
 CITROEN C25 Furgonato (280\_, 290\_)  
 CITROEN C25 Pianale piatto/Telaio (280\_, 290\_)  
 CITROEN GS  
 CITROEN GS Break  
 FIAT DUCATO Furgonato (280)

**OE**  
 1337 47  
 1337.5  
 13375  
 9150072380

Diameter [mm]: 57  
 Number of seals: 3  
 Opening Temperature [°C]: 82  
 Supplementary Article/Supplementary Info:  
 With gaskets/seals

## Electrics

### BO-0118JM

#### Coil, ignition



AUDI 100 (44, 44Q, C3)  
 AUDI 100 Avant (44, 44Q, C3)  
 AUDI 200 (44, 44Q)  
 AUDI 80 (81, 85, B2)  
 AUDI 80 (89, 89Q, 8A, B3)  
 AUDI 90 (81, 85, B2)

**OE**  
 12 13 1 273 216  
 12131273216  
 191905115A  
 211905115D  
 811905115  
 CL018

Coil Ignition System: Transistor Ignition (TI)  
 No. of terminals (output) []: 1

### BO-0120JM

#### Coil, ignition



PEUGEOT 309 I (10C, 10A)  
 PEUGEOT 309 II (3C, 3A)  
 PEUGEOT 405 I (15B)  
 PEUGEOT 405 I Break (15E)  
 RENAULT 11 (B/C37\_)  
 RENAULT 19 I Cabriolet (D53\_)

**OE**  
 7700722070

For OE number: 77 00 722 070  
 Ignition Coil: Coupling Type SAE  
 Number of Inlets / Outlets: 1  
 Number of Poles: 5  
 Supplementary Article/Supplementary Info 2:  
 with control unit  
 Vehicle Equipment: For vehicles with distributor

### BO-0625JM

#### Coil, ignition



CITROEN EVASION (22, U6)  
 CITROEN XANTIA (X1)  
 CITROEN XANTIA Break (X1)  
 CITROEN XM (Y4)  
 CITROEN XM Break (Y4)  
 CITROEN XSARA (N1)

**OE**  
 597050

For OE number: 597050  
 Ignition Coil: Incl. spark plug connector  
 Length incl. plug [cm]: 16  
 Number of Poles: 3  
 Number of ports: 1  
 Port Type: Spark Spring  
 Required quantity: 4  
 Voltage [V]: 12

### BO-H25

#### Coil, ignition



**OE**  
 KK370-1810XB

Number of ports: 2

## Electrics

### BO-H35

#### Coil, ignition



HYUNDAI COUPE (GK)  
HYUNDAI SANTA FÉ I (SM)  
HYUNDAI SONATA VI (YF)  
HYUNDAI TRAJET (FO)  
HYUNDAI TUCSON (JM)

**OE**  
27301-37410

Number of ports: 3

### EGT-0709

#### Sensor, exhaust gas temperature



DACIA DUSTER  
DACIA JOGGER  
DACIA LOGAN MCV II  
DACIA SANDERO II  
DACIA SANDERO III  
RENAULT CAPTUR II

**OE**  
226581040R

For OE number: 226581040R  
Number of Poles: 2  
Voltage [V]: 12

### EGT-0710

#### Sensor, exhaust gas temperature



RENAULT ARKANA I

**OE**  
226400105R  
226400564R

For OE number: 226400564R  
Number of ports: 2  
Rated Voltage [V]: 12

### EGT-0712

#### Sensor, exhaust gas temperature



RENAULT CLIO IV

**OE**  
226585317R

For OE number: 226585317R  
Number of ports: 2  
Rated Voltage [V]: 12

## Engine

### EGR-0702

#### EGR Valve



DACIA DOKKER  
DACIA DOKKER Express  
DACIA DUSTER  
DACIA LODGY  
DACIA LOGAN II  
DACIA LOGAN MCV II

**OE**  
14710-00Q1H  
147101246R  
6081400060  
8201684044  
A6081400060

For OE number: 147101246R

## Engine

### XX-BW001S

#### Cylinder Head



BMW 1 (E81)  
BMW 1 (E87)  
BMW 1 (F20)  
BMW 1 (F21)  
BMW 1 Cabriolet (E88)  
BMW 1 Coupé (E82)


#### OE

11 12 7 810 201  
11 12 7 810 463  
11 12 7 810 465  
778110201  
7810465

Supplementary Article/Supplementary Info 2:  
Without camshaft(s)  
Supplementary Article/Supplementary Info 2:  
Without valve springs  
Supplementary Article/Supplementary Info 2:  
Without valves  
Supplementary Article/Supplementary Info:  
Without gaskets/seals

### XX-FO13ES

#### Cylinder Head



FORD TOURNEO CUSTOM Autobus  
FORD TRANSIT Autobus  
FORD TRANSIT CUSTOM Autobus  
FORD TRANSIT Furgonato  
FORD TRANSIT Furgonato  
FORD TRANSIT Pianale piatto/Telaio

#### OE

2011399  
2223664  
2276287  
2286756  
2405679  
2548191

Supplementary Article/Supplementary Info 2:  
Without camshaft(s)  
Supplementary Article/Supplementary Info 2:  
Without valve springs  
Supplementary Article/Supplementary Info 2:  
Without valves  
Supplementary Article/Supplementary Info:  
Without gaskets/seals

### XX-NS044S

#### Cylinder Head



FIAT DUCATO Autobus (244, Z\_)  
FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (244)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (244)  
FIAT DUCATO Pianale piatto/Telaio (250)

#### OE

5802227765  
71769049  
71769672  
71776820  
71785941  
71795391

Exhaust Emission Norm: Euro 6  
Supplementary Article/Supplementary Info 2:  
Without camshaft(s)  
Supplementary Article/Supplementary Info 2:  
Without valve springs  
Supplementary Article/Supplementary Info 2:  
Without valves  
Supplementary Article/Supplementary Info:  
Without gaskets/seals

### XX-PE11ES

#### Cylinder Head



BMW 1 (F20)  
BMW 1 (F21)  
BMW 3 (F30, F35, F80)  
BMW 3 Touring (F31)  
CITROEN C4 Coupé (LA\_)  
CITROEN C4 Grand Picasso I (UA\_)


#### OE

0200.GJ  
0200.HX  
0200GJ  
0200HX  
11 12 7 577 371  
11127577371

Supplementary Article/Supplementary Info 2:  
Without camshaft(s)  
Supplementary Article/Supplementary Info 2:  
Without valve springs  
Supplementary Article/Supplementary Info 2:  
Without valves  
Supplementary Article/Supplementary Info:  
Without gaskets/seals

### XX-PE13ES

#### Cylinder Head



CITROEN C4 Grand Picasso I (UA\_)  
CITROEN C4 II (B7)  
CITROEN C4 Picasso I (UD\_)  
CITROEN C5 III (RD\_)  
CITROEN C5 III Break (TD\_)  
CITROEN C8 (EA\_, EB\_)

#### OE

0200.HL  
0200HL  
1683822  
1869777  
2070074  
908295

For OE number: 0200.HL

## Engine Timing Control

## Engine Timing Control

### KDK-003

#### Timing Chain Kit



MAHINDRA XUV500

#### OE

0310AM0120N  
0310EM0021N  
0310EM0031N  
0310EM0041N  
0310EM0051N  
0310EM0180N

Number of Chain Links: 70  
Number of Chain Links: 96  
Number of Parts [parts]: With roof rails

### KDK-004

#### Timing Chain Kit



MAHINDRA GOA  
MAHINDRA GOA Pick-up

#### OE

0301DC0040N  
0301DC0050N  
0301DC0060N  
0310AC0170N

Number of Chain Links: 98  
Number of Parts [parts]: 4

## Filter

### FA-0149JM

#### Air Filter



CASE IH FARMALL  
CASE IH QUANTUM  
FENDT Vario  
JOHN DEERE Series 5  
LANDINI POWERFARM  
LANDINI REX

#### OE

00 1600 442 0  
090359  
10413351  
13290250  
18351042030  
32/925682

Filter Type: Filter Insert  
Height [mm]: 148  
Length [mm]: 181  
Width [mm]: 250

### FAA-105JM

#### Filter, interior air



FIAT DOBLO (119)  
FIAT DOBLO Cargo (223)  
FIAT IDEA  
FIAT IDEA Van (350\_)  
FIAT PUNTO (188)  
FIAT PUNTO Van (188AX)


#### OE

151.1109080  
46723331  
77362394

Filter Type: Activated Carbon Filter  
Height [mm]: 25  
Length [mm]: 215  
Width [mm]: 164

### FAA-108JM

#### Filter, interior air



FIAT BARCHETTA (183)  
FIAT PUNTO (176)  
FIAT PUNTO Cabriolet (176C)  
FIAT PUNTO Van (176L)  
LANCIA Y (840A)

#### OE

000 530 2400  
46721374  
5908409  
6001073261  
71771376

Filter Type: Activated Carbon Filter  
Height [mm]: 17,5  
Length [mm]: 308  
Width [mm]: 140

## Filter

### FAA-114JM

#### Filter, interior air



PEUGEOT 206 2 volumi /Coda spiovente (2A/C)  
 PEUGEOT 206 CC (2D)  
 PEUGEOT 206 SW (2E/K)  
 PEUGEOT 206 Tre volumi  
 PEUGEOT 206 Van  
 PEUGEOT 206+ (T3E)

#### OE

0024 35  
 0024 36  
 6447 PE

Filter Type: Activated Carbon Filter  
 Height [mm]: 31  
 Length [mm]: 336  
 Width [mm]: 159

### FAA-124JM

#### Filter, interior air



AUDI Q7 (4L)  
 AUDI Q7 Van (4LB)  
 VW AMAROK (2H\_, S1B)  
 VW AMAROK Pianale piatto/Telaio (S1B)  
 VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)  
 VW CALIFORNIA T6 Camper (SGC, SGG, SHC)

#### OE

7H0 819 63  
 7H0 819 631  
 7H0819631A  
 JZW819653E

Filter Type: Activated Carbon Filter  
 Height [mm]: 30  
 Length [mm]: 278  
 Width [mm]: 219

### FAA-132JM

#### Filter, interior air



IVECO DAILY Cassone / Furgonato / Promiscuo  
 IVECO DAILY CITYS Autobus  
 IVECO DAILY LINE Autobus  
 IVECO DAILY Pianale piatto/Telaio  
 IVECO DAILY V Autobus

#### OE

500042992  
 500086309  
 5801619418

Filter Type: Activated Carbon Filter  
 Height [mm]: 30  
 Length [mm]: 215  
 Width [mm]: 215

### FAA-134JM

#### Filter, interior air



MERCEDES-BENZ AMG GT / GT S (C190)  
 MERCEDES-BENZ AMG GT Roadster (R190)  
 MERCEDES-BENZ CLASSE C (W204)  
 MERCEDES-BENZ CLASSE C Coupé (C204)  
 MERCEDES-BENZ CLASSE C T-Model (S204)  
 MERCEDES-BENZ CLASSE E (W212)


#### OE

204 830 00  
 204 830 00 18  
 204 830 05 18  
 212 830 00 18  
 212 830 01 18  
 212 830 02 18

Filter Type: Activated Carbon Filter  
 Height [mm]: 44  
 Length [mm]: 264  
 Width [mm]: 284

### FAA-136JM

#### Filter, interior air



MERCEDES-BENZ CLASSE C (W203)  
 MERCEDES-BENZ CLASSE C Coupe (CL203)  
 MERCEDES-BENZ CLASSE C Station wagon (S202)  
 MERCEDES-BENZ CLASSE C T-Model (S203)  
 MERCEDES-BENZ CLASSE CLC (CL203)

#### OE

203 830 09  
 203 830 09 18  
 A 203 830 09 18

Filter Type: Activated Carbon Filter  
 Height [mm]: 26  
 Length [mm]: 332  
 Width [mm]: 189

## Filter

### FAA-145JM

#### Filter, interior air



FORD MONDEO III (B5Y)  
 FORD MONDEO III Station wagon (BWY)  
 FORD MONDEO III Tre volumi (B4Y)  
 JAGUAR X-TYPE (CF1)  
 JAGUAR X-TYPE Estate

#### OE

1115 650  
 1119 616  
 1119613  
 1349 791  
 1451 913  
 1713 173

Filter Type: Activated Carbon Filter  
 Height [mm]: 35  
 Length [mm]: 509  
 Width [mm]: 99

### FAA-HY42

#### Filter, interior air



HYUNDAI IONIQ 6 (CE)  
 KIA EV9 (MV)  
 KIA NIRO II (SG2)

#### OE

97133-A000  
 97133-A0000  
 97133-N9100

Filter Type: Pollen Filter  
 Height [mm]: 30  
 Length [mm]: 210  
 Width [mm]: 227

### FAA-HY43

#### Filter, interior air



HYUNDAI ix20 (JC)  
 KIA VENGA (YN)  
 KIA VENGA Hatchback Van (YN)

#### OE

971331P000  
 F178YN9AA02

Filter Type: Pollen Filter  
 Height [mm]: 20  
 Length [mm]: 230  
 Width [mm]: 180

### FAA-TY32

#### Filter, interior air



TOYOTA AVENSIS (T25\_)  
 TOYOTA AVENSIS Station wagon (T25)  
 TOYOTA AVENSIS Tre volumi (T25)  
 TOYOTA COROLLA (ZZE12\_, NDE12\_, ZDE12\_)  
 TOYOTA COROLLA Station wagon (\_E12J\_, \_E12T\_)

#### OE

08974-0085  
 08974-00850

Filter Type: Activated Carbon Filter  
 Height [mm]: 20  
 Length [mm]: 220  
 Width [mm]: 200

### FC-032JM

#### Fuel filter



AUDI A3 (8P1)  
 AUDI A3 Cabriolet (8P7)  
 AUDI A3 Sportback (8PA)  
 AUDI TT (8J3)  
 AUDI TT Roadster (8J9)  
 SEAT ALTEA (5P1)

#### OE

6Q0 201 051 A  
 6Q0 201 051 C  
 6Q0 201 051 J

Filter Type: In-Line Filter  
 Filter Type: with integrated pressure regulator  
 Height [mm]: 164  
 Inlet [mm]: 8  
 Outer Diameter 1 [mm]: 61  
 Outer Diameter [mm]: 55  
 Outlet [mm]: 8  
 Pressure [bar]: 4,0

## Filter

### FC-035JM

#### Fuel filter



AUDI A2 (8Z0)  
SEAT CORDOBA (6L2)  
SEAT IBIZA IV (6L1)  
SKODA FABIA (6Y2)  
SKODA FABIA Combi (6Y5)  
SKODA FABIA Praktik

#### OE

6Q0 201 051  
6Q0 201 051 B  
6Q0 201 051 H  
6Q0 201 512

Filter Type: In-Line Filter  
Filter Type: with integrated pressure regulator  
Height [mm]: 164  
Inlet [mm]: 8  
Outer Diameter 1 [mm]: 61  
Outer Diameter [mm]: 55  
Outlet [mm]: 8  
Pressure [bar]: 3,0

### FC-036JM

#### Fuel filter



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)  
AUDI A3 (8P1)  
AUDI A3 Cabriolet (8P7)  
AUDI A3 Sportback (8PA)  
AUDI TT (8J3)

#### OE

1K0 201 05  
1K0 201 051 B  
1K0 201 051 C  
1K0 201 051 K

Filter Type: In-Line Filter  
Filter Type: with integrated pressure regulator  
Height [mm]: 164  
Inlet [mm]: 8  
Outer Diameter 1 [mm]: 61  
Outer Diameter [mm]: 55  
Outlet [mm]: 8  
Pressure [bar]: 6,6

### FC-037JM

#### Fuel filter



ALPINA D5 (F10)  
ALPINA D5 Touring (F11)  
BMW 1 (E81)  
BMW 1 (E87)  
BMW 1 Cabriolet (E88)  
BMW 1 Coupé (E82)

#### OE

13 32 7 81  
13 32 7 811 227  
13 32 7 811 401  
13 32 7 822 499

Filter Type: In-Line Filter  
Height [mm]: 251  
Outer Diameter [mm]: 55  
Outlet [mm]: 9

### FC-040JM

#### Fuel filter



ALPINA D3 (F30)  
ALPINA D3 Station wagon (F31)  
ALPINA D4 Cabriolet (F33)  
ALPINA D4 Coupé (F32)  
BMW 1 (F20)  
BMW 1 (F21)

#### OE

13 32 7 822 497  
13 32 8 511 053  
13 32 8 572 522

Filter Type: In-Line Filter  
Height [mm]: 257  
Outer Diameter [mm]: 55  
Outlet [mm]: 8

### FC-041JM

#### Fuel filter



IRISBUS DAILY TOURYS  
IVECO DAILY Cassone / Furgonato / Promiscuo  
IVECO DAILY CITYS Autobus  
IVECO DAILY IV Autobus  
IVECO DAILY IV Cassone / Furgonato / Promiscuo

#### OE

0000500025836  
500025836  
500041212  
500055340  
5041 70771  
504182148

Filter Type: Filter Insert  
Height [mm]: 151  
Inner Diameter [mm]: 15  
Outer Diameter [mm]: 81  
Supplementary Article/Supplementary Info:  
with seal

## Filter

### FC-047JM

#### Fuel filter



ALPINA D3 (E90)  
ALPINA D3 Coupé (E92)  
ALPINA D3 Station wagon (E91)  
ALPINA XD3 (F25)  
BMW 3 (E90)  
BMW 3 Cabriolet (E93)

#### OE

13 32 7 823 413  
13 32 8 584 874  
1332782341301  
13328509765  
7823413  
8509765

Filter Type: In-Line Filter  
Height [mm]: 260  
Outer Diameter [mm]: 55  
Outlet [mm]: 9

### FC-050JM

#### Fuel filter



INFINITI Q30  
INFINITI QX30  
MERCEDES-BENZ CLA Coupé (C117)  
MERCEDES-BENZ CLA Shooting Brake (X117)  
MERCEDES-BENZ CLASSE A (W176)  
MERCEDES-BENZ CLASSE B (W246, W242)

#### OE

16401-HG00B  
642 090 48  
642 090 48 52  
642 090 63 52  
A 642 090 48 52  
A 642 090 63 52

Filter Type: In-Line Filter  
Height [mm]: 100  
Inlet [mm]: 10  
Outer Diameter [mm]: 86  
Outlet [mm]: 8

### FC-054JM

#### Fuel filter



VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)  
VW CALIFORNIA T6 Camper (SGC, SGG, SHC)  
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)  
VW MULTIVAN VI (SGF, SGM, SGN)  
VW TOUAREG (7LA, 7L6, 7L7)

#### OE

7H0 127 40  
7H0 127 401  
7H0 127 401 A  
7H0 127 401 B  
7H0 127 401 F

Filter Type: In-Line Filter  
Height [mm]: 276  
Outer Diameter [mm]: 81

### FC-062JM

#### Fuel filter



MERCEDES-BENZ CLASSE C (W205)  
MERCEDES-BENZ CLASSE C (W206)  
MERCEDES-BENZ CLASSE C All-Terrain (S206)  
MERCEDES-BENZ CLASSE C Cabriolet (A205)  
MERCEDES-BENZ CLASSE C Coupé (C205)  
MERCEDES-BENZ CLASSE C T-Model (S205)

#### OE

654 092 00  
654 092 00 00  
654 092 02 00  
6540900652  
6540905400  
6540905600

Filter Type: Filter Insert  
Height [mm]: 72  
Inner Diameter 1 [mm]: 24  
Inner Diameter [mm]: 19  
Outer Diameter 1 [mm]: 111  
Outer Diameter [mm]: 107  
Supplementary Article/Supplementary Info:  
with seal

### FC-067JM

#### Fuel filter



FORD ECOSPORT  
FORD PUMA

#### OE

2189473  
2363756  
2575 364  
2629627  
2664 028  
JN15-9155-BA

Filter Type: In-Line Filter  
Height [mm]: 130  
Inlet [mm]: 10  
Outer Diameter [mm]: 98  
Outlet [mm]: 8

## Filter

### FO-016JM

#### Oil Filter



AUDI A4 (8W2, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)  
AUDI A6 (C8, 4A2)

#### OE

06M 115 561 H  
06M 198 405 F  
9A7.198.40  
9A7.198.405.00

Filter Type: Filter Insert  
Height [mm]: 117  
Inner Diameter [mm]: 24  
Outer Diameter [mm]: 63  
Supplementary Article/Supplementary Info:  
with seal

### FO-062JM

#### Oil Filter



AUDI A4 (8EC, B7)  
AUDI A4 (8K2, B8)  
AUDI A4 Allroad (8KH, B8)  
AUDI A4 Avant (8ED, B7)  
AUDI A4 Avant (8K5, B8)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

#### OE

057 115 56  
057 115 561 K  
057 115 561 L  
057002561L

Filter Type: Filter Insert  
Height [mm]: 200  
Inner Diameter 1 [mm]: 29  
Inner Diameter [mm]: 29  
Outer Diameter 1 [mm]: 76  
Outer Diameter [mm]: 72  
Supplementary Article/Supplementary Info:  
with seal

### FO-090JM

#### Oil Filter



ALFA ROMEO GIULIA (952\_)  
ALFA ROMEO STELVIO (949\_)

#### OE

73504459

Filter Type: Filter Insert  
Height [mm]: 130  
Inner Diameter 1 [mm]: 25  
Inner Diameter 2 [mm]: 21  
Outer Diameter [mm]: 54

### FO-GAS59S

#### Fuel filter



CONSTRUTT. GENERICO MODELLO

#### OE

Filter Type: In-Line Filter  
Height [mm]: 110  
Inlet [mm]: 16  
Outer Diameter [mm]: 45  
Outlet [mm]: 16

### FO-GAS62S

#### Fuel filter



ALFA ROMEO MITO (955)  
FIAT PANDA (169)  
FIAT PUNTO (188)  
FIAT PUNTO Van (188AX)  
LANCIA DELTA III (844)

#### OE

71753999  
71754829

Filter Type: Filter Insert  
Fuel Type: Liquefied Petroleum Gas (LPG)  
Height [mm]: 50  
Inner Diameter 2 [mm]: 17  
Outer Diameter [mm]: 42

## Filter

### FO-GAS64S

#### Fuel filter



ALFA ROMEO GIULIETTA (940)  
 DACIA DOKKER  
 DACIA DOKKER Express  
 DACIA DUSTER  
 DACIA LODGY  
 DACIA LOGAN (LS\_)

#### OE

169196566R  
 169198413R  
 169198431R  
 71769837

Filter Type: Filter Insert  
 Fuel Type: Liquefied Petroleum Gas (LPG)  
 Height [mm]: 22  
 Inner Diameter [mm]: 15,5  
 Outer Diameter 1 [mm]: 35

## Mounting

### BS-S10

#### Track Control Arm



SSANGYONG KORANDO

#### OE

4451034002  
 4451034005  
 4451034010

Fitted Diameter [mm]: 19  
 Fitting Position: Front Axle Left  
 Fitting Position: Lower  
 Steering Type: Control Arm

### BS-S11

#### Track Control Arm



SSANGYONG KORANDO

#### OE

4452034002  
 4452034003  
 4452034004  
 4452034010

Fitted Diameter [mm]: 19  
 Fitting Position: Front Axle Right  
 Fitting Position: Lower  
 Steering Type: Control Arm

### KK-0025JM

#### Wheel Hub



MINI MINI (R50, R53)  
 MINI MINI (R56)

#### OE

33412361250  
 33416774944  
 33416785552  
 33416786552  
 33416786620

Number of Teeth, ABS ring: 88  
 Outer Diameter [mm]: 137  
 Rim Hole Number: 4  
 Supplementary Article/Supplementary Info 2:  
 With integrated ABS sensor  
 Thread Size: M14X1,25

### KK-0275JM

#### Wheel Bearing Kit



JEEP GRAND CHEROKEE II (WJ, WG)

#### OE

05012825AA  
 K05012825AA

Inner Diameter [mm]: 35  
 Outer Diameter [mm]: 65  
 Width 1 [mm]: 17,8  
 Width 2 [mm]: 20,6

## Mounting

### KK-0324JM

#### Wheel Bearing Kit



HONDA ACCORD II (AC, AD)  
HONDA ACCORD II Hatchback (AC, AD)  
HONDA CIVIC I Hatchback (SB)  
HONDA CIVIC I Tre volumi (SF)  
HONDA CIVIC I Wagon (WC)  
HONDA JAZZ I (AA)

#### OE

91052-671-008  
91053-671-008  
91053-679-003

Inner Diameter 1 [mm]: 29  
Inner Diameter 2 [mm]: 19  
Outer Diameter 1 [mm]: 50  
Outer Diameter 2 [mm]: 45  
Width 1 [mm]: 14  
Width 2 [mm]: 15

### KK-0360JM

#### Wheel Bearing Kit



FORD ESCORT '81 Express (AVA)  
FORD ESCORT '86 Express (AVF)  
FORD ESCORT III Station wagon (AWA)  
FORD ESCORT IV Station wagon (AWF, AVF)  
FORD TRANSIT Autobus (72E, 73E)  
FORD TRANSIT Autobus (T\_)

#### OE

0009815805  
0009815905  
0016172300  
0016172400  
11055119  
119002140801

Inner Diameter 1 [mm]: 19  
Inner Diameter 2 [mm]: 31,75  
Outer Diameter 1 [mm]: 45,237  
Outer Diameter 2 [mm]: 59,131  
Width 1 [mm]: 16,637  
Width 2 [mm]: 16,764

### KK-0464JM

#### Wheel Hub



ALFA ROMEO GIULIA (952\_)  
ALFA ROMEO STELVIO (949\_)

#### OE

50533570  
50573389  
68639568AA

Number of Teeth, ABS ring: 96  
Number of Teeth: 30  
Outer Diameter [mm]: 135  
Rim Hole Number: 5  
Supplementary Article/Supplementary Info 2:  
With integrated ABS sensor  
Thread Size: M14X1,5

### KK-0476JM

#### Wheel Bearing Kit



TOYOTA CAMRY (\_V2\_)  
TOYOTA CAMRY Liftback (\_V1\_)  
TOYOTA CAMRY Tre volumi (\_V1\_)  
TOYOTA CARINA II (\_T15\_)  
TOYOTA CARINA II (\_T17\_)  
TOYOTA CARINA II Station Wagon (\_T17\_)

#### OE

4245020010  
43503-32020

Inner Diameter [mm]: 30  
Outer Diameter [mm]: 63  
Width [cm]: 42

### KK-0511JM

#### Wheel Hub



RENAULT 25 (B29\_)  
RENAULT ESPACE I (J11\_)  
RENAULT ESPACE II (J/S63\_)

#### OE

51852424  
7700780919  
7701204696

Inner Diameter 2 [mm]: 25  
Inner Diameter [mm]: 25  
Number of Teeth, ABS ring: 48  
Outer Diameter [mm]: 132,5  
Rim Hole Number: 4  
Supplementary Article/Supplementary Info 2:  
With ABS sensor ring  
Thread Size: M12X1,5

## Mounting

### KK-0513JM

#### Wheel Hub



MERCEDES-BENZ SPRINTER 3,5-t Autobus (906)  
 MERCEDES-BENZ SPRINTER 3,5-t Furgonato (906)  
 MERCEDES-BENZ SPRINTER 3,5-t Pianale piatto/Telaio (906)  
 MERCEDES-BENZ SPRINTER 3-t Autobus (906)

#### OE

2E0407303AA  
 2E0407303P  
 2E0407303Q  
 2E0407303R  
 2E0407303S  
 2E0407304P

Number of Teeth, ABS ring: 96  
 Outer Diameter [mm]: 152  
 Rim Hole Number: 6  
 Supplementary Article/Supplementary Info 2:  
 With integrated ABS sensor  
 Thread Size: M14X1,5

### KK-0527JM

#### Wheel Bearing Kit



NISSAN SUNNY II (N13)  
 NISSAN SUNNY II Coupe (B12)  
 NISSAN SUNNY II Hatchback (N13)  
 NISSAN SUNNY II Traveller (B12)

#### OE

4021450A10  
 4321050A00  
 4323250A00  
 4323250A10

Inner Diameter 1 [mm]: 27  
 Outer Diameter 1 [mm]: 52  
 Width 1 [mm]: 45

### KK-0542JM

#### Wheel Bearing Kit



JAGUAR XJ (NAW, NBW)  
 JAGUAR XK 8 Convertible (QDV)  
 JAGUAR XK 8 Coupe (QEV)

#### OE

MJA1830AD  
 MJA1830AE

Inner Diameter 1 [mm]: 42  
 Outer Diameter 1 [mm]: 76  
 Width 1 [mm]: 39

### KK-0556JM

#### Wheel Bearing Kit



SSANGYONG ACTYON I  
 SSANGYONG ACTYON SPORTS I (QJ)  
 SSANGYONG ACTYON SPORTS II  
 SSANGYONG KYRON

#### OE

4142009200  
 4142009201  
 4142009202

Inner Diameter 1 [mm]: 45  
 Outer Diameter 2 [mm]: 82  
 Width 1 [mm]: 45

### KK-0559JM

#### Wheel Bearing Kit



CITROEN 2 CV  
 CITROEN DYANE  
 CITROEN MEHARI

#### OE

26200119  
 5451859

Inner Diameter [mm]: 35  
 Outer Diameter [mm]: 72  
 Supplementary Article/Supplementary Info 2:  
 With shaft oil seal  
 Width [mm]: 27

## Mounting

### KK-0560JM

#### Wheel Bearing Kit



MERCEDES-BENZ /8 (W115)  
 MERCEDES-BENZ CLASSE S (W116)  
 MERCEDES-BENZ CLASSE S (W126)  
 MERCEDES-BENZ CLASSE S Coupe (C126)  
 MERCEDES-BENZ COUPE (C123)  
 MERCEDES-BENZ KOMBI Station wagon (S123)

**OE**  
 0009804202  
 0009808202  
 0089815705  
 0089815805  
 113517185  
 113517185C

Inner Diameter 1 [mm]: 40,9  
 Inner Diameter 2 [mm]: 46  
 Outer Diameter 1 [mm]: 67,9  
 Outer Diameter 2 [mm]: 75  
 Width 1 [mm]: 17,5  
 Width 2 [mm]: 18

### KK-0568JM

#### Wheel Hub



FIAT CINQUECENTO VAN (170)  
 FIAT PANDA (141A\_)  
 FIAT PANDA Van (141\_)  
 FIAT RITMO Cabriolet  
 FIAT RITMO II (138A)  
 FIAT SEICENTO (187)

**OE**  
 4399856  
 5948422  
 7599461  
 7603485  
 HB149002.01  
 HB14900201

Flange [mm]: 117  
 Rim Hole Number: 4

### KK-0569JM

#### Wheel Hub



FIAT PANDA (141A\_)

**OE**  
 028 160 302 A  
 028160302A  
 3981593  
 4400918  
 4400919  
 5963034

Fitting Position: Rear Axle  
 Flange [mm]: 116,9  
 Rim Hole Number: 4

### KK-29060

#### Bearing, stub axle



HYUNDAI GALLOPER II (JK-01)  
 HYUNDAI TERRACAN (HP)  
 MITSUBISHI L 200 (K7\_T, K6\_T)  
 MITSUBISHI PAJERO I Canvas Top (L04\_G)  
 MITSUBISHI PAJERO II (V3\_W, V2\_W, V4\_W)  
 MITSUBISHI PAJERO II Canvas Top (V2\_W,

**OE**  
 567184A400  
 MB160670

Fitting Position: Front  
 Height [mm]: 19,05  
 Inner Diameter [mm]: 31,75  
 Mounting Type: Friction Bearing  
 Outer Diameter [mm]: 38,1  
 Required quantity: 2

### MM-00968

#### Shock Absorber



MERCEDES-BENZ CLASSE E (W212)

**OE**  
 212 323 14 00  
 212 323 54 00  
 212 323 55 00  
 212 323 60 00  
 212 323 65 00  
 212 323 70 00

Fitting Position: Front Axle  
 For OE number: 2123231400  
 Shock Absorber Design: Suspension Strut  
 Shock Absorber Mounting Type: Top pin  
 Shock Absorber Type: Gas Pressure

## Mounting

### MM-01227

#### Shock Absorber



TATA (TELCO) 207 Pick-up  
TATA (TELCO) SIERRA  
TATA (TELCO) TELCOLINE (40\_FD)

#### OE

265432110128  
265432300122  
265432300133

Fitting Position: Front Axle  
For OE number: 265432300122  
Max. Length [mm]: 475  
Required quantity: 2  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Oil Pressure

### MM-01333

#### Shock Absorber



BMW 3 (F30, F35, F80)  
BMW 3 GRAN TURISMO (F34)  
BMW 3 Touring (F31)  
BMW 3 Touring Van (F31)  
BMW 4 Cabriolet (F33, F83)  
BMW 4 Coupé (F32, F82)

#### OE

33 52 6 791 569  
33 52 6 791 572  
33 52 6 791 588  
33 52 6 854 692  
33 52 6 856 705  
33 52 6 866 109

Fitting Position: Rear Axle  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-01337

#### Shock Absorber



IVECO DAILY Cassone / Furgonato / Promiscuo  
IVECO DAILY CITYS Autobus  
IVECO DAILY I Cassone / Furgonato / Promiscuo  
IVECO DAILY I Pianale piatto/Telaio  
IVECO DAILY III Autobus  
IVECO DAILY III Cassone / Furgonato /

#### OE

2997265  
4854829  
500305418  
500337443  
500367032  
500368636

Bore [mm]: 35  
Fitting Position: Rear Axle  
Length 1 [mm]: 353  
Length 2 [mm]: 573  
Piston Rod Diameter [mm]: 15,8  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top eye  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure  
Weight [kg]: 2,800

### MM-01339

#### Shock Absorber



MINI MINI (F55)  
MINI MINI (F56)  
MINI MINI Cabriolet (F57)

#### OE

33526852425  
33526852426  
33526852427  
33526862426  
33526862428  
33526870821

Fitting Position: Rear Axle  
Shock Absorber Design: Spring-bearing Damper  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-01342

#### Shock Absorber



MINI MINI COUNTRYMAN (R60)  
MINI MINI PACEMAN (R61)

#### OE

33529807016  
33529807018  
33529807020

Fitting Position: Rear Axle Right  
Paired article numbers: MA-01343  
Paired article numbers: MJ01343  
Paired article numbers: MM-01343  
Shock Absorber Design: Spring-bearing Damper  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-01343

#### Shock Absorber



MINI MINI COUNTRYMAN (R60)  
MINI MINI PACEMAN (R61)

#### OE

33529807015  
33529807017  
33529807019

Fitting Position: Rear Axle Left  
Paired article numbers: MA-01342  
Paired article numbers: MJ01342  
Paired article numbers: MM-01342  
Shock Absorber Design: Spring-bearing  
Damper  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-01358

#### Shock Absorber



JAGUAR XJ (X35\_, \_J12\_, \_J24\_)

#### OE

C2D11675  
C2D13345  
C2D16483  
C2D19108

Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Fork  
Shock Absorber Mounting Type: Top yoke  
Shock Absorber Type: Oil Pressure  
Spring Type: for coil-spring suspension  
vehicles  
Suspension: For vehicles with electronic  
suspension control

### MM-33132

#### Shock Absorber



FORD B-MAX (JK)  
FORD B-MAX Van  
FORD TOURNEO COURIER Kombi  
FORD TRANSIT COURIER Furgonato  
FORD TRANSIT COURIER Kombi

#### OE

1751625  
1765609  
1766059  
1773540  
1773541  
1807504

Fitting Position: Front Axle Right  
Paired article numbers: MA-33131  
Paired article numbers: MJ33131  
Paired article numbers: MM-33131  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-33136

#### Shock Absorber



FORD KUGA II (DM2)  
FORD KUGA II Van

#### OE

1872414  
1872415  
1872416  
2083662  
2083664  
2083666

Fitting Position: Front Axle Right  
Paired article numbers: MA-33137  
Paired article numbers: MJ33137  
Paired article numbers: MM-33137  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-33137

#### Shock Absorber



FORD KUGA II (DM2)  
FORD KUGA II Van

#### OE

1872417  
1872418  
1872419  
2083656  
2083658  
2083660

Fitting Position: Front Axle Left  
Paired article numbers: MA-33136  
Paired article numbers: MJ33136  
Paired article numbers: MM-33136  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-40070

#### Shock Absorber



OPEL ASTRA GTC J  
OPEL ASTRA J Cassone / Furgonato / Promiscuo (P10)  
OPEL ASTRA J Sports Tourer  
OPEL ASTRA J Tre volumi  
OPEL ZAFIRA TOURER C (P12)

#### OE

13314312  
13337425  
13351720  
13351721  
13368276  
13390453

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-60032

#### Shock Absorber



DS DS 3  
DS DS 3 Cabriolet  
PEUGEOT 207 CC (WD\_)  
PEUGEOT 208  
PEUGEOT 208 Furgonato

#### OE

5202YV  
5208G7  
9803128080  
9803520380  
9804586580  
9804586780

Diameter 1 [mm]: 51  
Fitting Position: Front Axle Left  
Paired article numbers: MA-60033  
Paired article numbers: MJ60033  
Paired article numbers: MM-60033  
Shock Absorber Design: Damper with Rebound Spring  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-60033

#### Shock Absorber



DS DS 3  
DS DS 3 Cabriolet  
PEUGEOT 207 CC (WD\_)  
PEUGEOT 208  
PEUGEOT 208 Furgonato


#### OE

5202YW  
5208G5  
9803128180  
9803520480  
9804586680  
9804586880

Diameter 1 [mm]: 51  
Fitting Position: Front Axle Right  
Paired article numbers: MA-60032  
Paired article numbers: MJ60032  
Paired article numbers: MM-60032  
Shock Absorber Design: Damper with Rebound Spring  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-60040

#### Shock Absorber



CITROEN C3 Cassone / coda spiovente (SC\_)  
CITROEN C3 II  
CITROEN DS3

#### OE

5208F6  
5208K2  
9801736280

Fitting Position: Front Axle Left  
Paired article numbers: MA-60039  
Paired article numbers: MJ60039  
Paired article numbers: MM-60039  
Shock Absorber Design: Damper with Rebound Spring  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-70074

#### Shock Absorber



RENAULT CLIO IV

#### OE

562103863R

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-90052

#### Shock Absorber



JEEP COMPASS (MP)

#### OE

6825 7665AB  
6825 9677AB  
68257665AB

Fitting Position: Front Axle Left  
For OE number: 6825 7665AB  
Paired article numbers: MA-90053  
Paired article numbers: MJ90053  
Paired article numbers: MM-90053  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-90053

#### Shock Absorber



JEEP COMPASS (MP)

#### OE

6825 7664AB  
6825 9676AB  
68257664AB

Fitting Position: Front Axle Right  
For OE number: 6825 7664AB  
Paired article numbers: MA-90052  
Paired article numbers: MJ90052  
Paired article numbers: MM-90052  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-90056

#### Shock Absorber



JEEP COMPASS (MP)

#### OE

6825 7666AB  
6825 9678AB  
68257666AB  
6829 0224AB  
6829 0226AB  
6829 0228AB

Fitting Position: Right Front  
For OE number: 6825 7666AB  
Paired article numbers: MA-90057  
Paired article numbers: MJ90057  
Paired article numbers: MM-90057  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-90057

#### Shock Absorber



JEEP COMPASS (MP)


#### OE

6825 7667AB  
6825 9679AB  
6829 0225AB  
6829 0227AB  
6829 0229AB  
6829 0231AB

Fitting Position: Left Front  
For OE number: 6825 7667AB  
Paired article numbers: MA-90056  
Paired article numbers: MJ90056  
Paired article numbers: MM-90056  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MM-90064

#### Shock Absorber



AUDI A4 (8W2, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)

#### OE

8W0413031AA  
8W0413031AB  
8W0413031AJ  
8W0413031AK  
8W0413031AL  
8W0413031T

Fitting Position: Front Axle  
Piston Rod Diameter [mm]: 14  
Shock Absorber Design: Spring-bearing Damper  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-90065

#### Shock Absorber



AUDI Q3 (F3B)  
AUDI Q3 Sportback (F3N)  
SEAT TARRACO (KN2\_)  
SKODA KODIAQ  
VW TIGUAN  
VW TIGUAN ALLSPACE (BW2)


#### OE

5QF413031AE  
5QF413031AF  
5QF413031AG  
5QF413031AN  
5QF413031AP  
5QF413031AQ

Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-90070

#### Shock Absorber



SEAT Mii (KF1\_)  
SKODA E-CITIGO (NE1)  
VW LOAD UP  
VW UP

#### OE

12E413031C  
12E413031D  
1S0413031F  
1S0413031K  
1S0413031L

Diameter [mm]: 20  
Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MM-AS494

#### Pneumatic Suspension



AUDI A6 (C8, 4A2)  
AUDI A6 Avant (C8, 4A5)  
AUDI A7 Sportback (4KA)

#### OE

4K0616039F  
4K0616039H  
4K0616039L  
4K0616039M  
4K0616039N  
4K0616039P

Fitting Position: Front Axle left and right  
Spring Type: for pneumatic suspension vehicles

### MM-AS538

#### Pneumatic Suspension



TESLA MODEL S

#### OE

102706600C  
1066366-00-D  
106636600D  
142036600C  
142036600E  
142036600F

Braking / Drive Dynamics: For vehicles with ADS  
Fitting Position: Front Axle Right  
Spring Type: for pneumatic suspension vehicles  
Weight [kg]: 9

### MM-KI094

#### Shock Absorber



KIA CARENS II (FJ)

#### OE

0K2KA-28-900  
0K2KB-28-900  
oK2KA-28-900  
oK2KB-28-900

Fitting Position: Rear Axle Right  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MM-KI095

#### Shock Absorber



KIA CARENS II (FJ)

#### OE

0K2KA-28-700  
0K2KB-28-700  
oK2KA-28-700  
oK2KB-28-700

Fitting Position: Rear Axle Left  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### RU-H261

#### Engine Mounting



HYUNDAI TUCSON (JM)  
KIA SPORTAGE (JE\_, KM\_)  
KIA SPORTAGE (K00)


#### OE

624862E000

Fitting Position: Front Axle  
Length [mm]: 79  
Width [mm]: 72

### SI-2019

#### Rod/Strut, stabiliser



TOYOTA LAND CRUISER (VDJ20\_, UZJ20\_)  
TOYOTA LAND CRUISER V8

#### OE

4881060060

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Length [mm]: 105  
Specification: Lung perno-perno

### SM0516S

#### Strut Mount



CHEVROLET SPARK (M300)

#### OE

42344956

Fitting Position: Rear Axle  
Inner Diameter [mm]: 10  
Mounting Bores Distance [mm]: 96

### ZS00281

#### Gas Spring, bonnet



TESLA MODEL 3 (5YJ3)

#### OE

109147200B

Eject Force [N]: 200  
Length [mm]: 364,5  
Stroke [mm]: 118,5

## Mounting

### ZS00282

#### Gas Spring, boot-/cargo area



TESLA MODEL 3 (5YJ3)

**OE**  
109156000A  
109156000B

Eject Force [N]: 580  
Length [mm]: 345  
Stroke [mm]: 114,5

### ZS00283

#### Gas Spring, boot-/cargo area



TESLA MODEL 3 (5YJ3)

**OE**  
155148900B

Eject Force [N]: 800  
Length [mm]: 345  
Stroke [mm]: 114,4

### ZS00284

#### Gas Spring, bonnet



TESLA MODEL Y (5YJY)

**OE**  
150554700A  
169257600A

Eject Force [N]: 410  
Length [mm]: 256  
Stroke [mm]: 68