

Japanparts®



www.japanparts.eu

CATALOGUE

BYD
SPARE PARTS


CATALOGO

BYD
RICAMBI

Brake system

DI-0174C

Brake Disc



BYD YUAN PLUS

OE

13781672-00
1378167200
HA2EL-3501111A

Brake Disc Thickness [mm]: 26
Brake Disc Type: Vented
Centering Diameter [mm]: 62
Fitting Position: Front Axle
Minimum Thickness [mm]: 24
Number of Bores: 5
Number of mounting bores: 2
Outer Diameter [mm]: 298
Pitch Circle [mm]: 114
Surface: Painted
Thickness [mm]: 47

DI-0175C

Brake Disc



BYD DOLPHIN


OE

1342346700
EM2E3501011

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Centering Diameter [mm]: 55
Fitting Position: Front Axle
Height [mm]: 41
Minimum Thickness [mm]: 23
Number of Bores: 4
Number of mounting bores: 2
Outer Diameter [mm]: 255
Pitch Circle [mm]: 100
Surface: Painted

DI-0176C

Brake Disc



BYD SEAL

OE

13582759-00
1358275900
14035826-00
EKEA-3501111S

Brake Disc Thickness [mm]: 28
Brake Disc Type: Vented
Centering Diameter [mm]: 68
Fitting Position: Front Axle
Height [mm]: 49
Minimum Thickness [mm]: 26
Number of Bores: 5
Number of mounting bores: 2
Outer Diameter [mm]: 299
Pitch Circle [mm]: 120
Surface: Painted

DI-037C

Brake Disc



BYD G3
BYD G3R 2 volumi /Coda spiovente
BYD L3

OE

17031500F3026X
3501102
4351212621
8101117
F33501102C2

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Fitting Position: Front Axle
For OE number: 17031500F3026X
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 23
Number of Holes: 4
Outer Diameter [mm]: 255,3
Pitch Circle [mm]: 55
Surface: Painted


Brake system

DI-039 	Brake Disc BYD SuRui	OE 3501111	Brake Disc Thickness [mm]: 26 Brake Disc Type: Vented Fitting Position: Front Axle Height [mm]: 47 Inspection Tag: ECE R90 APPROVED Minimum Thickness [mm]: 24 Number of Bores: 5 Outer Diameter [mm]: 276 Pitch Circle [mm]: 62
DI-039C 	Brake Disc BYD SuRui	OE 3501111	Brake Disc Thickness [mm]: 26 Brake Disc Type: Vented Fitting Position: Front Axle For OE number: 3501111 Height [mm]: 47 Inspection Tag: ECE R90 APPROVED Minimum Thickness [mm]: 24 Number of Bores: 5 Outer Diameter [mm]: 276 Pitch Circle [mm]: 62 Surface: Painted
DI-H38C 	Brake Disc BYD DOLPHIN BYD SEAL	OE 51712-AT500 51712AT500	Brake Disc Thickness [mm]: 25 Brake Disc Type: Vented Fitting Position: Front Axle For OE number: 51712AT500 Height [mm]: 48,3 Minimum Thickness [mm]: 23 Number of Bores: 5 Number of mounting bores: 2 Outer Diameter [mm]: 280 Pitch Circle [mm]: 114,3
DP-011C 	Brake Disc BYD SuRui	OE 3502111	Brake Disc Thickness [mm]: 10 Brake Disc Type: Solid Fitting Position: Rear Axle For OE number: 3502111 Height [mm]: 31,1 Inspection Tag: ECE R90 APPROVED Minimum Thickness [mm]: 8 Number of Bores: 5 Outer Diameter [mm]: 259 Pitch Circle [mm]: 62 Surface: Painted

Brake system

DP-0160C

Brake Disc



BYD SEAL

OE
14028123-00
1402812300
EKEB-3502111S

Brake Disc Thickness [mm]: 20
Brake Disc Type: Vented
Centering Diameter [mm]: 68
Fitting Position: Rear Axle
Height [mm]: 32
Minimum Thickness [mm]: 18
Number of Bores: 5
Number of mounting bores: 2
Outer Diameter [mm]: 317
Pitch Circle [mm]: 120
Surface: Painted

DP-419C

Brake Disc



BYD F6
BYD G6 Tre volumi

OE
42510ST7R00

Brake Disc Thickness [mm]: 9
Brake Disc Type: Solid
Fitting Position: Rear Axle
For OE number: 42510ST7R00
Height [mm]: 48,5
Inspection Tag: ECE R90 APPROVED
Minimum Thickness [mm]: 7
Number of Bores: 5
Outer Diameter [mm]: 260
Pitch Circle [mm]: 64

PA-0324AF

Brake Pad Set, disc brake



BYD TANG

OE
1121170400
1170486300
1248264400
1270120800
1371402
1433952

Brake System: Bosch
Fitting Position: Front Axle
For OE number: 1371402
Height 1 [mm]: 66,6
Length [mm]: 164,9
Number of Wear Indicators: 2
Thickness [mm]: 18,8
Wear Warning Contact: Incl. wear warning contact
WVA Number: 24484

PA-034AF

Brake Pad Set, disc brake




BYD SuRui

OE
1075741900

Fitting Position: Front Axle
For OE number: 1075741900
Height [mm]: 54
Length [mm]: 129
Thickness [mm]: 17,7

PP-0034AF

Brake Pad Set, disc brake



BYD DOLPHIN
BYD TANG
BYD YUAN PLUS


OE
1315016900
1343650600
HC3502188
SC2E3502113

Fitting Position: Rear Axle
Height 1 [mm]: 49
Height 2 [mm]: 46,8
Thickness/Strength 1 [mm]: 12,6
Thickness/Strength 2 [mm]: 13
Wear Warning Contact: With acoustic wear warning
Width [mm]: 103,4
WVA Number: 26394
WVA Number: 26395
WVA Number: 26396

Brake system

PP-020AF

Brake Pad Set, disc brake



BYD SuRui

OE
1075742000

Fitting Position: Rear Axle
For OE number: 1075742000
Height [mm]: 42,5
Length [mm]: 103,5
Thickness [mm]: 14,6

PP-0308AF

Brake Pad Set, disc brake



BYD TANG

OE
1143430600
1159416000
1371454
1433958
1530602
1554524

Brake System: Bosch
Fitting Position: Rear Axle
For OE number: 1371454
Height 1 [mm]: 53,6
Length [mm]: 122,9
Number of Wear Indicators: 2
Thickness [mm]: 17,2
WVA Number: 24486
WVA Number: 25918

Electrics

SS-F35

Wiper Blade



BYD DOLPHIN

OE
1554033
1793883
288901164R
288904685R
288905351R
288905875R

Length [in]: 14
Length [mm]: 350
Technical Information Number: Flat

SS-F40

Wiper Blade



BYD DOLPHIN SURF
BYD SEAL
BYD TANG

OE
1611348480
1613157180
1613158080
1613158380
1613159180
1618843180

Length [in]: 16
Length [mm]: 400
Technical Information Number: Flat

SS-F60-38

Wiper Blade



BYD DOLPHIN

OE
51843623
51843624

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 380
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Electrics

SS-F60-43

Wiper Blade



BYD YUAN PLUS

OE

52131451
52131452
95528210
9820343580
9820344280
9833976580

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 430
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SS-F60-45

Wiper Blade



BYD SEAL U

OE

288901962R
288903994R
288905565R
288905769R
288906926R
288907739R

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 450
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SS-F60-48

Wiper Blade



BYD SEAL

OE

1J0955429A
1K0998002A
1K1955425A
1K1955426A
1K2998002
1Z1955425B

Fitting Position: Front
Length 1 [mm]: 600
Length 2 [mm]: 480
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

SS-F65-48

Wiper Blade



BYD HAN

OE

2468201245
5A43610
61615A43610
61615A85266
A2468200145
A2468200245

Fitting Position: Front
Length 1 [mm]: 650
Length 2 [mm]: 480
Quantity Unit: Set
Quantity: 2
Wiper blade type: Flat wiper blade

Filter

FA-283S

Air Filter



BYD F3
BYD F3R 2 volumi /Coda spiovente
BYD G3

OE

16546-JB000
16546JB000
1770022120
177010D041
177050D041
17801-0D010

Filter Type: Filter Insert
For OE number: 16546JB000
Height [mm]: 48
Length [mm]: 290
Width [mm]: 150

Filter

FA-442S

Air Filter



BYD F6


OE

17220-R60-U00
17220R60U00

Filter Type: Filter Insert
For OE number: 17220R60U00
Height [mm]: 48
Length [mm]: 231
Width [mm]: 211

FAA-088JM

Filter, interior air



BYD TANG


OE

12447996-00
1244799600
SA-8121211

Filter Type: Activated Carbon Filter
Height [mm]: 40
Length [mm]: 199
Width [mm]: 190

FAA-089JM

Filter, interior air



BYD ATTO 2
BYD DOLPHIN
BYD YUAN PLUS


OE

13080691-00
1308069100
13124610-00
EM2E-8121211E

Filter Type: Activated Carbon Filter
Height [mm]: 30
Length [mm]: 210
Width [mm]: 200

FAA-090JM

Filter, interior air



BYD SEAL
BYD SEAL U


OE

12975843-00
1297584300
13033891-00
SA2E-8121211E-E1

Filter Type: Activated Carbon Filter
Height [mm]: 35
Length [mm]: 206
Width [mm]: 203

FAA-091JM

Filter, interior air



BYD SEAL U


OE

013356914
013356916
013508023
12815314-00
1281531400
12977774-00

Filter Type: Activated Carbon Filter
Height [mm]: 31
Length [mm]: 240
Width [mm]: 204

FAA-094JM

Filter, interior air



BYD SEAL

OE


8104400XKY28A
8104400XKY28B
8104400XKZ96A

Filter Type: Activated Carbon Filter
Height [mm]: 30
Length [mm]: 245,5
Width [mm]: 214

Filter

FAA-101JM

Filter, interior air



BYD QUZHUJIAN 05

OE

12975841-00
HAD-8121211B

Filter Type: Activated Carbon Filter
Height [mm]: 40
Length [mm]: 210
Width [mm]: 205

FC-W01S

Fuel filter



BYD SEAL U

OE

0818568
10877016-00
1117100XKW09A
12225010
14302315-00
156788

Diameter 1/ Diameter 2 [mm]: IN/OUT: 8
Filter Type: In-Line Filter
For OE number: 12225010
Length [mm]: 160
Outer Diameter [mm]: 59,3

FO-022JM

Oil Filter



BYD SEAL U

OE

0055230822
0650134
10149617-00
12285896-00
1535505
1699522

Bypass Valve Opening Pressure [bar]: 0,7
Filter Type: Screw-on Filter
For OE number: 71736161
Gasket inner diameter: 54
Gasket outer diameter: 62
Height [mm]: 85
Outer Diameter [mm]: 65
Supplementary Article/Supplementary Info 2:
With one anti-return valve
Thread Size: M 20 X 1,5

FO-022S

Oil Filter



BYD SEAL U

OE

0.009.4794.1
0.010.2687.0
0.010.3989.1
000 180 28 10
00308662667
0055230822

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 61
For OE number: 570418159905
Inner Thread [mm]: M 20X1,5
Length [mm]: 85
Outer Diameter [mm]: 65

FO-0901JM

Oil Filter



BYD SEAL
BYD SEAL U

OE

03C115561B
03C115561J
1049930500
12288138-00
12633693-00
476ZQA-1017100/97

Bypass Valve Opening Pressure [bar]: 2
Filter Type: Screw-on Filter
For OE number: 03C115561B
Gasket inner diameter: 32,5
Gasket outer diameter: 57,5
Height [mm]: 96
Outer Diameter [mm]: 76
Supplementary Article/Supplementary Info 2:
With two anti-return valves
Thread Size: 3/4-16 UNF

Filter

FO-0901S

Oil Filter



BYD SEAL
BYD SEAL U

OE
03C115561B
03C115561J
1049930500
12288138-00
12633693-00
476ZQA-1017100/97

Bypass Valve Opening Pressure [bar]: 2
Filter Type: Screw-on Filter
For OE number: 03C115561B
Gasket inner diameter: 32,5
Gasket outer diameter: 57,5
Height [mm]: 96
Outer Diameter [mm]: 76
Supplementary Article/Supplementary Info 2:
With two anti-return valves
Thread Size: 3/4-16 UNF

FO-189JM

Oil Filter



BYD F6
BYD S7
BYD SONG
BYD TANG

OE
0000071771371
0192143
10623554-00
1109 AL
1109 R0
1109 R1

Bypass Valve Opening Pressure [bar]: 1,5
Filter Type: Screw-on Filter
For OE number: 1109AL
Gasket inner diameter: 66
Gasket outer diameter: 72
Inner Thread [mm]: M 20 X 1,5
Length [mm]: 88
Outer Diameter [mm]: 77

FO-189S

Oil Filter



BYD F6
BYD S7
BYD SONG
BYD TANG

OE
0000071771371
0192143
1109 AL
1109 R0
1109 R1
1109 T0

Filter Type: Screw-on Filter
For OE number: 1109AL
Inner Thread [mm]: M 20 X 1,5
Length [mm]: 88
Outer Diameter [mm]: 77

FO-316S

Oil Filter



BYD F3
BYD F3R 2 volumi /Coda spiovente

OE
0001802810
26300-02750
26300-02751
26300-02752
2630002752
A0001802810

Filter Type: Screw-on Filter
Fitted Diameter [mm]: 63
For OE number: 2630002752
Inner Thread [mm]: M20 x 1,5
Length [mm]: 86,6
Outer Diameter [mm]: 68

FT184

Hydraulic Filter, automatic transmission



BYD SEAL U

OE
10920739-00
12314254-00
6DT35-1711100

Filter Type: Filter Insert
Height [mm]: 105
Inner Diameter [mm]: 18
Outer Diameter [mm]: 56
Supplementary Article/Supplementary Info 2:
With seal